

thm\_2Etransc\_2ESQRT\_\_POS\_\_LT (TMWZTRP-  
sWHXnw3VgDqXssPmsxAtp3K9QKpG)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Enum\_2E0\ m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$



**Definition 16** We define  $c\_Erealax\_Ereal\_lt$  to be  $\lambda V0T1 \in ty\_Erealax\_Ereal.\lambda V1T2 \in ty\_Erealax\_Ereal$ .

**Definition 17** We define  $c\_Etransc\_Eroot$  to be  $\lambda V0n \in ty\_Eenum\_Eenum.\lambda V1x \in ty\_Erealax\_Ereal$ .

**Definition 18** We define  $c\_Etransc\_Esqrt$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.(ap (ap c\_Etransc\_Eroot (c\_Erealax\_Ereal\_lt$

Let  $c\_Earithmetic\_EFACT : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EFACT \in (ty\_Eenum\_Eenum^{ty\_Eenum\_Eenum}) \quad (14)$$

Let  $c\_Erealax\_Etrealm\_inv : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealm\_inv \in ((ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)}) \quad (15)$$

Let  $c\_Erealax\_Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealm\_eq \in ((2^{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)}) \quad (16)$$

Let  $c\_Erealax\_Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_Erealax\_Ereal\_ABS\_CLASS \in (ty\_Erealax\_Ereal^{(2^{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)})}) \quad (17)$$

**Definition 19** We define  $c\_Erealax\_Ereal\_ABS$  to be  $\lambda V0r \in (ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)$ .

**Definition 20** We define  $c\_Erealax\_Einv$  to be  $\lambda V0T1 \in ty\_Erealax\_Ereal.(ap c\_Erealax\_Ereal\_ABS$

Let  $c\_Erealax\_Etrealm\_mul : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealm\_mul \in (((ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)}) \quad (18)$$

**Definition 21** We define  $c\_Erealax\_Ereal\_mul$  to be  $\lambda V0T1 \in ty\_Erealax\_Ereal.\lambda V1T2 \in ty\_Erealax\_Ereal$ .

Let  $c\_Epair\_EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Epair\_EABS\_prod \\ A\_27a A\_27b \in ((ty\_Epair\_Eprod A\_27a A\_27b)^{(2^{A\_27b} A\_27a)}) \end{aligned} \quad (19)$$

**Definition 22** We define  $c\_Epair\_E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_Erealax\_Ereal\_mul$

Let  $c\_Ereal\_Esum : \iota$  be given. Assume the following.

$$c\_Ereal\_Esum \in ((ty\_Erealax\_Ereal^{(ty\_Erealax\_Ereal^{ty\_Eenum\_Eenum})})_{(ty\_Epair\_Eprod ty\_Eenum\_Eenum)}) \quad (20)$$

**Definition 23** We define  $c\_Ebool\_E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_Emin\_E\_40$

**Definition 24** We define  $c\_Eprim\_rec\_E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 25** We define  $c\_Earithmic\_E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 26** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21) 2) (\lambda V2t \in 2)))$

**Definition 27** We define  $c\_Earithmic\_E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_Erealax\_E\_treal\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_Erealax\_E\_treal\_neg \in & ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (21)$$

**Definition 28** We define  $c\_Erealax\_E\_treal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_E\_treal.(ap\ c\_Erealax\_E\_treal$

Let  $c\_Erealax\_E\_treal\_add : \iota$  be given. Assume the following.

$$\begin{aligned} c\_Erealax\_E\_treal\_add \in & (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (22)$$

**Definition 29** We define  $c\_Erealax\_E\_treal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_E\_treal.\lambda V1T2 \in ty\_2Erealax\_E\_treal$

**Definition 30** We define  $c\_Ereal\_E\_treal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_E\_treal.\lambda V1y \in ty\_2Erealax\_E\_treal$

**Definition 31** We define  $c\_Ereal\_E\_treal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_E\_treal.\lambda V1y \in ty\_2Erealax\_E\_treal$

**Definition 32** We define  $c\_Ebool\_E\_COND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 33** We define  $c\_Ereal\_E\_treal\_abs$  to be  $\lambda V0x \in ty\_2Erealax\_E\_treal.(ap\ (ap\ (ap\ (c\_Ebool\_E\_COND$

Let  $c\_Epair\_E\_ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Epair\_E\_ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_E\_ESND\ A\_27a\ A\_27b)} \end{aligned} \quad (23)$$

Let  $c\_Epair\_E\_EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Epair\_E\_EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_E\_EFST\ A\_27a\ A\_27b)} \end{aligned} \quad (24)$$

**Definition 34** We define  $c\_Epair\_E\_EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a}$

Let  $ty\_2Emetric\_E\_Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_E\_Emetric\ A0) \quad (25)$$

Let  $c\_2Emetric\_E\_Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_E\_Emetric\ A\_27a \in & ((ty\_2Emetric\_E\_Emetric \\ & A\_27a)^{(ty\_2Erealax\_E\_treal)^{(ty\_2Epair\_E\_ESND\ A\_27a\ A\_27a)}}) \end{aligned} \quad (26)$$



Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Etransc\_2Eexp V0x)))) \quad (34)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V1x)) \Rightarrow ((ap (ap c\_2Etransc\_2Eroot (ap c\_2Enum\_2ESUC V0n)) V1x) = (ap c\_2Etransc\_2Eexp (ap (ap c\_2Ereal\_2E\_2F (ap c\_2Etransc\_2Eln V1x)) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Enum\_2ESUC V0n)))))))))) \quad (35)$$

**Theorem 1**

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Etransc\_2Esqrt V0x))))))$$