

thm_2Etransc_2ETAN__NEG (TMN- rFk4qYjA8T8XQNMzZNM9XBypjA7JzEcq)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etreall_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \tag{5}$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 8 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 9 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal)^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal} \quad (11)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{omega} \quad (13)$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (14)$$

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum)^{ty_2Enum_2Enum} \quad (15)$$

Definition 11 We define $c_2\text{Earithmetic_2EZERO}$ to be $c_2\text{Enum_2E0}$.

Let $c_2\text{Enum_2EREP_num} : \iota$ be given. Assume the following.

$$c_2\text{Enum_2EREP_num} \in (\text{omega}^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2\text{Enum_2ESUC_REP} : \iota$ be given. Assume the following.

$$c_2\text{Enum_2ESUC_REP} \in (\text{omega}^{\text{omega}}) \quad (17)$$

Definition 12 We define $c_2\text{Enum_2ESUC}$ to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2\text{Enum_2EABS_num})$

Let $c_2\text{Earithmetic_2E_2B} : \iota$ be given. Assume the following.

$$c_2\text{Earithmetic_2E_2B} \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (18)$$

Definition 13 We define $c_2\text{Earithmetic_2EBIT2}$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2\text{Earithmetic_2E_2B}))$

Definition 14 We define $c_2\text{Earithmetic_2ENUMERAL}$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2\text{Earithmetic_2EDIV} : \iota$ be given. Assume the following.

$$c_2\text{Earithmetic_2EDIV} \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (19)$$

Definition 15 We define $c_2\text{Earithmetic_2EBIT1}$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2\text{Earithmetic_2E_2B}))$

Definition 16 We define $c_2\text{Ereal_2E_2F}$ to be $\lambda V0x \in ty_2Erealx_2Ereal. \lambda V1y \in ty_2Erealx_2Ereal. (c_2\text{Ereal_2E_2F})$

Let $c_2\text{Earithmetic_2EEVEN} : \iota$ be given. Assume the following.

$$c_2\text{Earithmetic_2EEVEN} \in (2^{ty_2Enum_2Enum}) \quad (20)$$

Definition 17 We define $c_2\text{Ebool_2EF}$ to be $(ap\ (c_2\text{Ebool_2E_21}\ 2))\ (\lambda V0t \in 2. V0t)$.

Definition 18 We define $c_2\text{Emin_2E_3D_3D_3E}$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 19 We define $c_2\text{Ebool_2E_2F_5C}$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2\text{Ebool_2E_21}\ 2))\ (\lambda V2t \in 2. V2t)))$

Definition 20 We define $c_2\text{Ebool_2ECOND}$ to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (c_2\text{Ebool_2E_2F_5C})\ t1\ t2)))$

Let $c_2\text{Epair_2EABS_prod} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty}\ A_27a \Rightarrow \forall A_27b. \text{nonempty}\ A_27b \Rightarrow c_2\text{Epair_2EABS_prod}\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (21)$$

Definition 21 We define $c_2\text{Epair_2E_2C}$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2\text{Epair_2EABS_prod})\ x\ y)$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) (22)$$

Definition 22 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ P)\ c_2Ebool_2E_3F)))$

Definition 24 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Eprim_rec_2E_3C\ m\ n)$

Definition 25 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2E_3E\ m\ n)$

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1\ t2)\ c_2Ebool_2E_5C_2F))$

Definition 27 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2E_3E_3D\ m\ n)$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) (23)$$

Definition 28 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Ereal_add\ T1\ T2)$

Definition 29 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(c_2Ereal_2Ereal_sub\ x\ y)$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) (24)$$

Definition 30 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Ereal_lt\ T1\ T2)$

Definition 31 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(c_2Ereal_2Ereal_lte\ x\ y)$

Definition 32 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONV\ x)\ c_2Ereal_2Eabs)))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) (25)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) (26)$$

Definition 33 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b})$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (27)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (28)$$

Definition 34 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ ty_2Erealax_2Ereal))$.

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}\ ty_2Erealax_2Ereal)^{(c_2Emetric_2Edist)}) \quad (29)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (30)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^{A_27a})})}) \quad (31)$$

Definition 35 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).\lambda V1x \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Emetric_2Emtop\ A_27a)}$.

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A_27b})^{A_27b}))\ A_27a)^{(A_27a^{A_27b})} \quad (32)$$

Definition 36 We define $c_2Eseq_2E2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal).\lambda V1x \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Eseq_2E2D_2D_3E\ x)}$.

Definition 37 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal).\lambda V1s \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Eseq_2Esums\ f\ s)}$.

Definition 38 We define $c_2Eseq_2Esuminf$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal).\lambda V1s \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Eseq_2Esuminf\ f\ s)}$.

Definition 39 We define $c_2Etransc_2Ecos$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ c_2Eseq_2Esuminf\ (\lambda V1n \in \mathbb{N}.\lambda V2y \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Eseq_2Esuminf\ x\ y)})\ x)$.

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Eenum_2Eenum^{ty_2Eenum_2Eenum}\ ty_2Eenum_2Eenum)^{c_2Earithmetic_2E2D}) \quad (33)$$

Definition 40 We define $c_2Etransc_2Esin$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ c_2Eseq_2Esuminf\ (\lambda V1n \in \mathbb{N}.\lambda V2y \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Eseq_2Esuminf\ x\ y)})\ x)$.

Definition 41 We define $c_2Etransc_2Etan$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ c_2Ereal_2E2F\ (ap\ c_2Eseq_2Esuminf\ (\lambda V1n \in \mathbb{N}.\lambda V2y \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ ty_2Erealax_2Ereal)^{(c_2Eseq_2Esuminf\ x\ y)})\ x))\ x)$.

Assume the following.

$$True \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\ & ((ap\ c_2Erealax_2Ereal_neg\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x) \\ & V1y)) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Erealax_2Ereal_neg \\ & V0x))\ V1y)))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ c_2Etrasc_2Esin\ (ap\ c_2Erealax_2Ereal_neg\ V0x)) = (ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Etrasc_2Esin\ V0x)))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ c_2Etrasc_2Ecos\ (ap\ c_2Erealax_2Ereal_neg\ V0x)) = (ap\ c_2Etrasc_2Ecos\ V0x))) \quad (38)$$

Theorem 1

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ c_2Etrasc_2Etan\ (ap\ c_2Erealax_2Ereal_neg\ V0x)) = (ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Etrasc_2Etan\ V0x))))$$