

thm\_2Etransc\_2ETAN\_\_TOTAL  
(TMWH8YcEHVn1d5zdXRpaXu3Yvxuzwzg64s9)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P)))$

**Definition 8** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap c\_2Ebool\_2E\_2F\_5C A\_27a P)))$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 10** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (4)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (8)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealax\_2Ereal\_REP\_CLASS)\ a)$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (9)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (10)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})}) \quad (11)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal).c\_2Erealax\_2Ereal\_ABS\_CLASS\ r$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.c\_2Erealax\_2Etrealm\_add\ T1\ T2$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal}) \quad (12)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_trealm\_neg\ T1)$

**Definition 15** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.c\_2Erealax\_2Ereal\_neg\ (c\_2Erealax\_2Ereal\_add\ x\ y)$

Let  $c\_2Erealax\_2Etrealm\_inv : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealm\_inv \in & ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (13)$$

**Definition 16** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS$

Let  $c\_2Erealax\_2Etrealm\_mul : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealm\_mul \in & (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (14)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

**Definition 18** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealm\_lt \in & ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (15)$$

**Definition 19** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

**Definition 20** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E$

**Definition 21** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.$

**Definition 22** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.$

**Definition 23** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (16)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (17)$$

**Definition 24** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a}$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (18)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in & ((ty\_2Emetric\_2Emetric \\ & A\_27a)^{(ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}}) \end{aligned} \quad (19)$$

**Definition 25** We define  $c\_2Emetric\_2Emr1$  to be  $(ap (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal) (ap (c$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (20)$$

**Definition 26** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Enets\_2Eextendsto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Enets\_2Eextendsto\ A\_27a \in (((2^{A\_27a})^{A\_27a})^{(ty\_2Epair\_2Eprod\ (ty\_2Emetric\_2Emr1\ A\_27a\ A\_27a))}) \quad (21)$$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \quad (22)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (23)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (24)$$

**Definition 27** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

Let  $c\_2Enets\_2Eetends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Eetends\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b}))})^{A\_27a})^{(A\_27a)^{A\_27b}}) \quad (25)$$

**Definition 28** We define  $c\_2Elim\_2Eetends\_real\_real$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).$

**Definition 29** We define  $c\_2Elim\_2Ediff$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).\lambda V1l \in ty\_2$

**Definition 30** We define  $c\_2Elim\_2Edifferentiable$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).\lambda V$

**Definition 31** We define  $c\_2Elim\_2Econtl$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).\lambda V1x \in ty$

**Definition 32** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}) \quad (26)$$

Let  $c\_2Earithmetic\_2EFACT : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EFACT \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}) \quad (27)$$

**Definition 33** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (28)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (29)$$

**Definition 34** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (30)$$

**Definition 35** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B))$

**Definition 36** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (31)$$

**Definition 37** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EDIV))$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (32)$$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealx\_2Ereal)^{ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)} \quad (33)$$

**Definition 38** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 39** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 40** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 41** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealx\_2Ereal)^{ty\_2Enum\_2Enum}.\lambda V1x \in ty\_2Enum\_2Enum$

**Definition 42** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealx\_2Ereal)^{ty\_2Enum\_2Enum}.\lambda V1s \in ty\_2Enum\_2Enum$

**Definition 43** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealx\_2Ereal)^{ty\_2Enum\_2Enum}.(ap\ (c\_2Eseq\_2Esums))$

**Definition 44** We define  $c\_2Etransc\_2Ecos$  to be  $\lambda V0x \in ty\_2Erealx\_2Ereal.(ap\ c\_2Eseq\_2Esuminf\ (\lambda V1n \in ty\_2Enum\_2Enum))$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (34)$$

**Definition 45** We define  $c\_2Etransc\_2Esin$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ c\_2Eseq\_2Esuminf\ (\lambda V1n$

**Definition 46** We define  $c\_2Etransc\_2Etan$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ c\_2Ereal\_2E2F\ (ap\ c$

**Definition 47** We define  $c\_2Etransc\_2Epi$  to be  $(ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Ereal\_2Ereal\_of\_mul$

Assume the following.

$$True \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (37)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \wedge (p\ V1t2)) \Leftrightarrow ((p\ V1t2) \wedge (p\ V0t1)))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (41)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (42)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (44)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\neg((p\ V0A) \Rightarrow (p\ V1B))) \Leftrightarrow ((p\ V0A) \wedge \neg(p\ V1B)))) \quad (46)$$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1l \in ty\_2Erealax\_2Ereal. (\forall V2m \in ty\_2Erealax\_2Ereal. (\forall V3x \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ (ap\ c\_2Elim\_2Ediffl\ V0f)\ V1l)\ V3x)) \wedge (p\ (ap\ (ap\ (ap\ c\_2Elim\_2Ediffl\ V0f)\ V2m)\ V3x))) \Rightarrow (V1l = V2m)))))) \quad (47)$$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1l \in ty\_2Erealax\_2Ereal. (\forall V2x \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Elim\_2Ediffl\ V0f)\ V1l)\ V2x)) \Rightarrow (p\ (ap\ (ap\ c\_2Elim\_2Econtl\ V0f)\ V2x)))))) \quad (48)$$

Assume the following.

$$(\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1a \in ty\_2Erealax\_2Ereal. (\forall V2b \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V1a)\ V2b)) \wedge (((ap\ V0f\ V1a) = (ap\ V0f\ V2b)) \wedge ((\forall V3x \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V1a)\ V3x)) \wedge (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V3x)\ V2b))) \Rightarrow (p\ (ap\ (ap\ c\_2Elim\_2Econtl\ V0f)\ V3x)))))) \wedge (\forall V4x \in ty\_2Erealax\_2Ereal. (((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V1a)\ V4x)) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V4x)\ V2b))) \Rightarrow (p\ (ap\ (ap\ c\_2Elim\_2Edifferentiable\ V0f)\ V4x)))))) \Rightarrow (\exists V5z \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V1a)\ V5z)) \wedge ((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V5z)\ V2b)) \wedge (p\ (ap\ (ap\ c\_2Elim\_2Ediffl\ V0f)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)\ V5z)))))) \quad (49)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((V0x = V1y) \vee ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \vee (p (ap \\
& (ap c\_2Erealax\_2Ereal\_lt V1y) V0x))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap c\_2Erealax\_2Ereal\_neg \\
& (ap c\_2Erealax\_2Ereal\_neg V0x)) = V0x))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V0x) V1y))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V2z))) \Rightarrow (p (ap ( \\
& ap c\_2Erealax\_2Ereal\_lt V0x) V2z))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V0x) V1y)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))) \Rightarrow (p (ap \\
& (ap c\_2Erealax\_2Ereal\_lt V0x) V2z))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \vee (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Erealax\_2Ereal\_neg \\
& V0x))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap c\_2Erealax\_2Ereal\_neg V0x)) V0x)) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& ((ap c\_2Erealax\_2Ereal\_neg (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))
\end{aligned} \tag{57}$$



Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((\neg(V0x = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \Rightarrow (\neg((ap\ c\_2Erealax\_2Einv\ V0x) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)))))) \quad (58)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Erealax\_2Ereal\_neg\ V0x))\ (ap\ c\_2Erealax\_2Ereal\_neg\ V1y)))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V1y)\ V0x)))))) \quad (59)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V0x)) \Rightarrow (\neg(V0x = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)))))) \quad (60)$$

Assume the following.

$$(\forall V0c \in ty\_2Erealax\_2Ereal.(\forall V1n \in ty\_2Enum\_2Enum.((\neg(V0c = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \Rightarrow (\neg((ap\ (ap\ c\_2Ereal\_2Epow\ V0c)\ V1n) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)))))) \quad (61)$$

Assume the following.

$$((p\ (ap\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)))))) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))))))\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)))))) \quad (62)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))))))\ V0x)) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V0x)\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)))))) \Rightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ c\_2Etransc\_2Ecos\ V0x)))))) \quad (63)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ c\_2Etransc\_2Etan\ (ap\ c\_2Erealax\_2Ereal\_neg\ V0x)) = (ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ c\_2Etransc\_2Etan\ V0x)))) \quad (64)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((\neg((ap\ c\_2Etransc\_2Ecos\ V0x) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \Rightarrow (p\ (ap\ (ap\ (ap\ c\_2Elim\_2Ediff\ c\_2Etransc\_2Etan)\ (ap\ c\_2Erealax\_2Einv\ (ap\ (ap\ c\_2Ereal\_2Epow\ (ap\ c\_2Etransc\_2Ecos\ V0x))\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))))))\ V0x)))) \quad (65)$$

Assume the following.

$$(\forall V0y \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V0y)) \Rightarrow (\exists V1x \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V1x)) \wedge ((p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V1x)\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)))))) \wedge ((ap\ c\_2Etransc\_2Etan\ V1x) = V0y)))))) \quad (66)$$

**Theorem 1**

$$(\forall V0y \in ty\_2Erealax\_2Ereal.(p\ (ap\ (c\_2Ebool\_2E\_3F\_21\ ty\_2Erealax\_2Ereal)\ (\lambda V1x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))))))\ V1x)\ (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ V1x)\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))))))\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ ty\_2Erealax\_2Ereal)\ (ap\ c\_2Etransc\_2Etan\ V1x))\ V0y))))))$$