

thm_2Eucord_2EUnum__cardlt__ucinf
(TMMtmBP3HksxntriEJ7J7S4YXDYfW7Tkdez)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 6 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Definition 7 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 10 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 11 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 12 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 13 We define $c_2Ecardinal_2Ecardeq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27a})$

Definition 14 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27a})$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \tag{1}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (2)$$

Definition 15 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS_sum\ V0e))$

Definition 16 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2ET)$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (3)$$

Definition 17 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E3F\ V0s))$

Definition 18 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E7E))$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (9)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ p\ V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (11)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (12)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). (\forall V1t \in (2^{A_{.27b}}). ((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardeq\ A_{.27a}\ A_{.27b})\ V0s)\ V1t)) \Rightarrow ((p (ap (c_{.2}Epred_{.set}_{.2}Ecountable\ A_{.27a})\ V0s)) \Leftrightarrow (p (ap (c_{.2}Epred_{.set}_{.2}Ecountable\ A_{.27b})\ V1t)))))) \quad (13)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). (\forall V1t \in (2^{A_{.27b}}). (((\neg (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq\ A_{.27b}\ A_{.27a})\ V1t)\ V0s))) \Leftrightarrow ((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq\ A_{.27a}\ A_{.27b})\ V0s)\ V1t)) \wedge (\neg (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardeq\ A_{.27a}\ A_{.27b})\ V0s)\ V1t)))))) \quad (14)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (p (ap (ap (c_{.2}Ebool_{.2}EIN\ A_{.27a})\ V0x) (c_{.2}Epred_{.set}_{.2}EUNIV\ A_{.27a})))) \quad (15)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). (\forall V1t \in (2^{(ty_{.2}Esum_{.2}Esum\ A_{.27a}\ A_{.27b})}). ((\forall V2x \in A_{.27a}. ((p (ap (ap (c_{.2}Ebool_{.2}EIN\ A_{.27a})\ V2x)\ V0s)) \Rightarrow (p (ap (ap (c_{.2}Ebool_{.2}EIN\ (ty_{.2}Esum_{.2}Esum\ A_{.27a}\ A_{.27b}))\ (ap (c_{.2}Esum_{.2}EINL\ A_{.27a}\ A_{.27b})\ V2x))\ V1t)))))) \Rightarrow (p (ap (ap (ap (c_{.2}Epred_{.set}_{.2}EINJ\ A_{.27a}\ (ty_{.2}Esum_{.2}Esum\ A_{.27a}\ A_{.27b}))\ (c_{.2}Esum_{.2}EINL\ A_{.27a}\ A_{.27b})\ V0s)\ V1t)))))) \quad (16)$$

Assume the following.

$$(p (ap (c_{.2}Epred_{.set}_{.2}Ecountable\ ty_{.2}Enum_{.2}Enum) (c_{.2}Epred_{.set}_{.2}EUNIV\ ty_{.2}Enum_{.2}Enum))) \quad (17)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\neg (p (ap (c_{.2}Epred_{.set}_{.2}Ecountable\ (ty_{.2}Esum_{.2}Esum\ ty_{.2}Enum_{.2}Enum\ (ty_{.2}Esum_{.2}Esum\ A_{.27a}\ (2^{ty_{.2}Enum_{.2}Enum})))) (c_{.2}Epred_{.set}_{.2}EUNIV\ (ty_{.2}Esum_{.2}Esum\ ty_{.2}Enum_{.2}Enum\ (ty_{.2}Esum_{.2}Esum\ A_{.27a}\ (2^{ty_{.2}Enum_{.2}Enum})))))) \quad (18)$$

Theorem 1

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\neg (p (ap (ap (c_2Ecardinal_2Ecardleq (ty_2Esum_2Esum ty_2Enum_2Enum (ty_2Esum_2Esum A_{27a} (2^{ty_2Enum_2Enum})))) ty_2Enum_2Enum) (c_2Epred_set_2EUNIV (ty_2Esum_2Esum ty_2Enum_2Enum (ty_2Esum_2Esum A_{27a} (2^{ty_2Enum_2Enum})))))) (c_2Epred_set_2EUNIV ty_2Enum_2Enum))))$$