

thm_2Eupdate_2ELIST__UPDATE__ALL__DISTINCT (TMSMEcJQ8F2xhpz5AgV7t8cxi2UNPo4uSL3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda V1y \in A.\lambda V0x)$

Definition 3 We define $c_2Ecombin_2EC$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A.\lambda b})^{A.\lambda c}))$

Definition 4 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A.\lambda a}).(ap (ap (c_2Emin_2E_3D (2^{A.\lambda a}))$

Definition 6 We define $c_2Ecombin_2Eo$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda V0f \in (A.\lambda b^{A.\lambda c}).\lambda V1g$

Definition 7 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A.\lambda b})^{A.\lambda c}))$

Definition 8 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda a : \iota.(ap (ap (c_2Ecombin_2ES A.\lambda a (A.\lambda a^{A.\lambda a}))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EALL_DISTINCT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.nonempty A.\lambda a \Rightarrow c_2Elist_2EALL_DISTINCT A.\lambda a \in (2^{(ty_2Elist_2Elist A.\lambda a)}) \quad (2)$$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda a.c_2Ebool_2EF)$.

Definition 11 We define c_2Ebool_2EIN to be $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda a.(\lambda V1f \in (2^{A.\lambda a}).(ap V1f V0x))$

Definition 12 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 20 We define $c_2Esorting_2EPERM$ to be $\lambda A_27a : \iota.\lambda V0L1 \in (ty_2Elist_2Elist A_27a).\lambda V1L2$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (10)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (11)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (12)$$

Definition 21 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (13)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (14)$$

Definition 22 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0x)$

Definition 23 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V2t2)\ V1t1)\ V0t))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (15)$$

Definition 24 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.\ V0x))$

Definition 25 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Definition 26 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (\lambda V0x \in A_27a.\ V0x))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (17)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (18)$$

Definition 27 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0p \in (ty_2Epair_2Eprod\ A_27a\ A_27b)$

Let $c_2Eupdate_2EFIND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Eupdate_2EFIND\ A_27a \in (((ty_2Eoption_2Eoption \\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \end{aligned} \quad (19)$$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \end{aligned} \quad (20)$$

Let $c_2Eupdate_2ELIST_UPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eupdate_2ELIST_UPDATE \\ A_27a\ A_27b \in (((A_27b^{A_27a})^{(A_27b^{A_27a})})^{(ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))}) \end{aligned} \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ A_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (28)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(V0x = V0x)) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (32)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1g \in (A.27b^{A.27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A.27a.((ap \ V0f \ V2x) = (ap \ V1g \ V2x)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in A.27a.(((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ A.27a) \ c.2Ebool.2ET) \ V0t1) \ V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c.2Ebool.2ECOND \ A.27a) \ c.2Ebool.2EF) \ V0t1) \ V1t2) = V1t2)))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (37)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (38)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow & (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))) \Rightarrow ((ap (ap (ap (c_{.2Ebool_{.2ECOND}} \ A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2Ebool_{.2ECOND}} \ A_{.27a}) V1Q) V3x_{.27} \\ & V5y_{.27})))))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow & ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in \\ & A_{.27a}.((ap (ap (ap (c_{.2Ebool_{.2ECOND}} \ A_{.27a}) \ c_{.2Ebool_{.2ET}}) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap \\ & (ap (ap (c_{.2Ebool_{.2ECOND}} \ A_{.27a}) \ c_{.2Ebool_{.2EF}}) V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2Ecombin_{.2EI}} \ A_{.27a}) V0x) = V0x)) \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow & ((\forall V0l \in (ty_{.2Elist_{.2Elist}} \\ & A_{.27a}).((ap (ap (c_{.2Elist_{.2EAPPEND}} \ A_{.27a}) (c_{.2Elist_{.2ENIL}} \ A_{.27a})) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty_{.2Elist_{.2Elist}} \ A_{.27a}).(\forall V2l2 \in \\ & (ty_{.2Elist_{.2Elist}} \ A_{.27a}).(\forall V3h \in A_{.27a}.((ap (ap (c_{.2Elist_{.2EAPPEND}} \\ & A_{.27a}) (ap (ap (c_{.2Elist_{.2ECONS}} \ A_{.27a}) V3h) V1l1)) V2l2) = (ap (ap \\ & (c_{.2Elist_{.2ECONS}} \ A_{.27a}) V3h) (ap (ap (c_{.2Elist_{.2EAPPEND}} \ A_{.27a}) \\ & V1l1) V2l2))))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b) \\
& V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\
& (A_27b^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\
& A_27a).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h)) \\
& (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t)))))) \\
& \hspace{15em} (44)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0h \in A_27b.(\forall V1t \in (ty_2Elist_2Elist\ A_27b).((\\
& (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = \\
& (c_2Epred_set_2EMPTY\ A_27a)) \wedge ((ap\ (c_2Elist_2ELIST_TO_SET \\
& A_27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Epred_set_2INSERT \\
& A_27b)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27b)\ V1t)))))) \\
& \hspace{15em} (45)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\
& (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& A_27a).(p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}).(\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). \\
& (\forall V2l2 \in (ty_2Elist_2Elist\ A_27a).((ap\ (ap\ (c_2Elist_2EMAP \\
& A_27a\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l1)\ V2l2)) = \\
& (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27b)\ (ap\ (ap\ (c_2Elist_2EMAP\ A_27a \\
& A_27b)\ V0f)\ V1l1))\ (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V0f)\ V2l2)))))) \\
& \hspace{15em} (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0e \in A_27a.(\forall V1l1 \in \\
& (ty_2Elist_2Elist\ A_27a).(\forall V2l2 \in (ty_2Elist_2Elist\ A_27a). \\
& ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0e)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l1)\ V2l2)))) \Leftrightarrow ((p\ (ap \\
& (ap\ (c_2Ebool_2EIN\ A_27a)\ V0e)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& A_27a)\ V1l1))) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0e)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& A_27a)\ V2l2)))))) \\
& \hspace{15em} (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (((p \text{ (ap (c.2Elist.2EALL_DISTINCT} \\ & A_{.27a}) \text{ (c.2Elist.2ENIL } A_{.27a}))} \Leftrightarrow \text{True}) \wedge (\forall V0h \in A_{.27a}. (\\ \forall V1t \in & \text{(ty.2Elist.2Elist } A_{.27a}). ((p \text{ (ap (c.2Elist.2EALL_DISTINCT} \\ & A_{.27a}) \text{ (ap (ap (c.2Elist.2ECONS } A_{.27a}) V0h) V1t)))} \Leftrightarrow ((\neg(p \text{ (ap (ap} \\ & \text{(c.2Ebool.2EIN } A_{.27a}) V0h) \text{ (ap (c.2Elist.2ELIST_TO_SET } A_{.27a}) \\ & V1t)))) \wedge (p \text{ (ap (c.2Elist.2EALL_DISTINCT } A_{.27a}) V1t)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}. (\forall V1y \in \\ & A_{.27a}. (((\text{ap (c.2Eoption.2ESOME } A_{.27a}) V0x) = \text{(ap (c.2Eoption.2ESOME} \\ & A_{.27a}) V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}. (\neg(p \text{ (ap (ap} \\ & \text{(c.2Ebool.2EIN } A_{.27a}) V0x) \text{ (c.2Epred_set.2EEMPTY } A_{.27a))})) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}. (\forall V1y \in \\ & A_{.27a}. (\forall V2s \in (2^{A_{.27a}}). ((p \text{ (ap (ap (c.2Ebool.2EIN } A_{.27a}) \\ & V0x) \text{ (ap (ap (c.2Epred_set.2EINSERT } A_{.27a}) V1y) V2s)))} \Leftrightarrow ((V0x = \\ & V1y) \vee (p \text{ (ap (ap (c.2Ebool.2EIN } A_{.27a}) V0x) V2s)))))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \text{ } V0t))) \Leftrightarrow (p \text{ } V0t))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2. ((p \text{ } V0A) \Rightarrow ((\neg(p \text{ } V0A)) \Rightarrow \text{False}))) \quad (54)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p \text{ } V0A) \vee (p \text{ } V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ ((p \text{ } V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \text{ } V1B)) \Rightarrow \text{False})))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p \text{ } V0A)) \vee (p \text{ } V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ ((p \text{ } V0A) \Rightarrow ((\neg(p \text{ } V1B)) \Rightarrow \text{False})))) \end{aligned} \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \text{ } V0A)) \Rightarrow \text{False}) \Rightarrow (((p \text{ } V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (57)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{62}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{63}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{64}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{65}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{66}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{67}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ & A_27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (ap\ (c_2Esorting_2Eperm \\ & A_27a)\ V0l1)\ V1l2)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Esorting_2Eperm\ A_27a)\ V1l2) \\ & V0l1)))))) \end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0L \in (ty_2Elist_2Elist \\ & A_27a).(((p\ (ap\ (ap\ (c_2Esorting_2Eperm\ A_27a)\ V0L)\ (c_2Elist_2ENIL \\ & A_27a))) \Leftrightarrow (V0L = (c_2Elist_2ENIL\ A_27a))) \wedge ((p\ (ap\ (ap\ (c_2Esorting_2Eperm \\ & A_27a)\ (c_2Elist_2ENIL\ A_27a))\ V0L)) \Leftrightarrow (V0L = (c_2Elist_2ENIL\ A_27a)))))) \end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in (ty_2Elist_2Elist \\ & A_27a).(\forall V1L \in (ty_2Elist_2Elist\ A_27a).(\forall V2h \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Esorting_2Eperm\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V2h)\ V0t))\ V1L)) \Leftrightarrow (\exists V3M \in (ty_2Elist_2Elist\ A_27a). \\ & (\exists V4N \in (ty_2Elist_2Elist\ A_27a).((V1L = (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_27a)\ V3M)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V4N))) \wedge (p\ (ap\ (\\ & ap\ (c_2Esorting_2Eperm\ A_27a)\ V0t)\ (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_27a)\ V3M)\ V4N)))))))))) \end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ & A_27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (ap\ (c_2Esorting_2Eperm \\ & A_27a)\ V0l1)\ V1l2)) \Rightarrow (\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V2x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ V0l1))) \Leftrightarrow (p\ (\\ & ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & A_27a)\ V1l2)))))))))) \end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}).(\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). \\ & (\forall V2l2 \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (ap\ (c_2Esorting_2Eperm \\ & A_27a)\ V1l1)\ V2l2)) \Rightarrow (p\ (ap\ (ap\ (c_2Esorting_2Eperm\ A_27b)\ (ap\ (\\ & ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V0f)\ V1l1))\ (ap\ (ap\ (c_2Elist_2EMAP \\ & A_27a\ A_27b)\ V0f)\ V2l2)))))))))) \end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((ap\ (\\
& ap\ (c.2Eupdate.2EFIND\ A.27a)\ V0P)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Eoption.2ENONE \\
& A.27a))) \wedge (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in \\
& (ty.2Elist.2Elist\ A.27a).((ap\ (ap\ (c.2Eupdate.2EFIND\ A.27a) \\
& V1P)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND \\
& (ty.2Eoption.2Eoption\ A.27a))\ (ap\ V1P\ V2h))\ (ap\ (c.2Eoption.2ESOME \\
& A.27a)\ V2h))\ (ap\ (ap\ (c.2Eupdate.2EFIND\ A.27a)\ V1P)\ V3t)))))) \\
& (73)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0l \in (ty.2Elist.2Elist\ (ty.2Epair.2Eprod\ A.27a\ A.27b)). \\
& (\forall V1f \in (A.27b^{A.27a}).(\forall V2i \in A.27a.((ap\ (ap\ (ap\ (c.2Eupdate.2ELIST_UPDATE \\
& A.27a\ A.27b)\ V0l)\ V1f)\ V2i) = (ap\ (ap\ (ap\ (c.2Eoption.2Eoption_CASE \\
& (ty.2Epair.2Eprod\ A.27a\ A.27b)\ A.27b)\ (ap\ (ap\ (c.2Eupdate.2EFIND \\
& (ty.2Epair.2Eprod\ A.27a\ A.27b))\ (\lambda V3x \in (ty.2Epair.2Eprod \\
& A.27a\ A.27b).(ap\ (ap\ (c.2Emin.2E_3D\ A.27a)\ (ap\ (c.2Epair.2EFST \\
& A.27a\ A.27b)\ V3x))\ V2i)))\ V0l))\ (ap\ V1f\ V2i))\ (\lambda V4v \in (ty.2Epair.2Eprod \\
& A.27a\ A.27b).(ap\ (ap\ (c.2Epair.2Epair_CASE\ A.27b\ A.27a\ A.27b) \\
& V4v)\ (\lambda V5v1 \in A.27a.(\lambda V6e \in A.27b.V6e))))))))) \\
& (74)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0l1 \in (ty.2Elist.2Elist\ (ty.2Epair.2Eprod\ A.27a\ A.27b)). \\
& (\forall V1l2 \in (ty.2Elist.2Elist\ (ty.2Epair.2Eprod\ A.27a\ A.27b)). \\
& (((p\ (ap\ (c.2Elist.2EALL_DISTINCT\ A.27a)\ (ap\ (ap\ (c.2Elist.2EMAP \\
& (ty.2Epair.2Eprod\ A.27a\ A.27b)\ A.27a)\ (c.2Epair.2EFST\ A.27a\ A.27b)) \\
& V1l2))) \wedge (p\ (ap\ (ap\ (c.2Esorting.2Eperm\ (ty.2Epair.2Eprod\ A.27a \\
& A.27b))\ V0l1)\ V1l2))) \Rightarrow ((ap\ (c.2Eupdate.2ELIST_UPDATE\ A.27a \\
& A.27b)\ V0l1) = (ap\ (c.2Eupdate.2ELIST_UPDATE\ A.27a\ A.27b)\ V1l2))))))
\end{aligned}$$