

# thm\_2Eutil\_\_prob\_2EINF\_\_LE (TMQGRWBX- uQwUmnxu2rk58t7vx9un5evsAWW)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda P \in 2^A.(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V0P \in 2.V0P)) (\lambda V1P \in 2.V1P))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2E\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ ty\_2Erealax\_2Ereal) \tag{4}$$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)) \quad (5)$$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 11** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 (ty$

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

**Definition 14** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x))$

**Definition 15** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap (c\_2Emin\_2E\_40 ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etreall\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (6)$$

Let  $c\_2Erealax\_2Etreall\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})) \quad (8)$$

**Definition 16** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_neg (ap c\_2Erealax\_2Ereal$

**Definition 18** We define  $c\_2Ereal\_2Ein$  to be  $\lambda V0p \in (2^{ty\_2Erealax\_2Ereal}).(ap c\_2Erealax\_2Ereal\_neg (ap c\_2Erealax\_2Ereal$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\ & (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p \ V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0P \in ((2^{A.27b})^{A.27a}).((\forall V1x \in A.27a.(\exists V2y \in A.27b.(p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A.27a}).(\forall V4x \in A.27a.(p (ap (ap V0P V4x) (ap V3f V4x)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1x \in A.27a.((p (ap (ap (c_2Ebool_2EIN A.27a) V1x) V0P)) \Leftrightarrow (p (ap V0P V1x)))))) \quad (30)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap c_2Erealx_2Ereal\_neg (ap c_2Erealx_2Ereal\_neg V0x)) = V0x)) \quad (31)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
& (ap c\_2Erealax\_2Ereal\_neg V1y)))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V1y) V0x))))))
\end{aligned} \tag{32}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{33}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B)))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg( \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p))) \Rightarrow (p V0p)) \quad (47)$$

Assume the following.

$$(\forall V0P \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1x \in ty\_2Erealax\_2Ereal. (((\exists V2r \in ty\_2Erealax\_2Ereal. (p (ap V0P V2r))) \wedge ((\exists V3z \in ty\_2Erealax\_2Ereal. (\forall V4r \in ty\_2Erealax\_2Ereal. ((p (ap V0P V4r)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V4r) V3z)))))) \wedge (\exists V5r \in ty\_2Erealax\_2Ereal. ((p (ap V0P V5r)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1x) V5r)))))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V1x) (ap c\_2Ereal\_2Esup V0P)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in (2^{ty\_2Erealax\_2Ereal}). ((ap c\_2Ereal\_2Einf V0p) = (ap c\_2Erealax\_2Ereal\_neg (ap c\_2Ereal\_2Esup (\lambda V1r \in ty\_2Erealax\_2Ereal. (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) (ap c\_2Erealax\_2Ereal\_neg V1r)) V0p)))))) \quad (49)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0p \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1r \in ty\_2Erealax\_2Ereal. \\ & ((\exists V2z \in ty\_2Erealax\_2Ereal.(\forall V3x \in ty\_2Erealax\_2Ereal. \\ & ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V3x) V0p)) \Rightarrow (p ( \\ & ap (ap c\_2Ereal\_2Ereal\_lte V2z) V3x)))))) \wedge (\exists V4x \in ty\_2Erealax\_2Ereal. \\ & ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V4x) V0p)) \wedge (p ( \\ & ap (ap c\_2Ereal\_2Ereal\_lte V4x) V1r)))))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\ & (ap c\_2Ereal\_2Einf V0p) V1r)))) \end{aligned}$$