

thm\_2Eutil\_prob\_2EIN\_PAIR (TM-  
byYpZtxJUPPog6BGVqyM5wWZ6ffy4SZRC)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 3** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define `c_2Ebool_2E_3F` to be  $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A))))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 A1) \quad (1)$$

Let `c_2Epair_2EFSST` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c\_2Epair\_2EFSST } A.27a A.27b \in (A.27a ( \text{ty\_2Epair\_2Eprod } A.27a A.27b)) \quad (2)$$

Let `c_2Epair_2ESND` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c\_2Epair\_2ESND } A.27a A.27b \in (A.27b ( \text{ty\_2Epair\_2Eprod } A.27a A.27b)) \quad (3)$$

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_21` to be  $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a})) (\lambda V1t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V2t \in 2. (\text{ap } (\text{c\_2Emin\_2E\_3D_3D_3E } P Q) t1 t2))))))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V2t \in 2. (\text{ap } (\text{c\_2Emin\_2E\_3D_3D_3E } P Q) t1 t2))))$

Let `c_2Epair_2EABS_prod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c\_2Epair\_2EABS\_prod } A.27a A.27b \in ((\text{ty\_2Epair\_2Eprod } A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \quad (4)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 10** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$

**Definition 11** We define  $c\_2Eutil\_prob\_2Epair$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0X \in (2^{A\_27a}).\lambda V1Y \in (2^{A\_27b})$

Assume the following.

$$True \tag{5}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{6}$$

Assume the following.

$$\begin{aligned} &\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ &\quad \forall V0x \in (ty\_2Epair\_2Eprod A\_27a A\_27b).(\exists V1q \in A\_27a. \\ &\quad (\exists V2r \in A\_27b.(V0x = (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) \\ &\quad V1q) V2r)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} &\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ &\quad \forall V0x \in A\_27a.(\forall V1y \in A\_27b.((ap (c\_2Epair\_2EFST A\_27a \\ &\quad A\_27b) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y)) = V0x))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} &\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ &\quad \forall V0x \in A\_27a.(\forall V1y \in A\_27b.((ap (c\_2Epair\_2ESND A\_27a \\ &\quad A\_27b) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y)) = V1y))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} &\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ &\quad nonempty A\_27c \Rightarrow (\forall V0f \in ((A\_27c)^{A\_27b})^{A\_27a}).(\forall V1x \in \\ &\quad A\_27a.(\forall V2y \in A\_27b.((ap (ap (c\_2Epair\_2EUNCURRY A\_27a \\ &\quad A\_27b A\_27c) V0f) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V1x) V2y)) = \\ &\quad (ap (ap V0f V1x) V2y)))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} &\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1x \in \\ &\quad A\_27a.((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V1x) V0P)) \Leftrightarrow (p (ap V0P V1x)))))) \end{aligned} \tag{11}$$

**Theorem 1**

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ & \quad \forall V0x \in (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b}). (\forall V1X \in (2^{A_{.27a}}). \\ & \quad (\forall V2Y \in (2^{A_{.27b}}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\ & \quad A_{.27a}\ A_{.27b}))\ V0x)\ (ap\ (ap\ (c\_2Eutil\_prob\_2Epair\ A_{.27a}\ A_{.27b}) \\ & \quad V1X)\ V2Y)))) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ (ap\ (c\_2Epair\_2EFST \\ & \quad A_{.27a}\ A_{.27b})\ V0x))\ V1X)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27b})\ (ap\ (c\_2Epair\_2ESND \\ & \quad A_{.27a}\ A_{.27b})\ V0x))\ V2Y)))))) \end{aligned}$$