

thm_2Util__prob_2EMINIMAL__SUC__IMP
(TMF8cLewMVWK8dZEEFz2dcQwugZK7SGRbua)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then}$ (the $(\lambda x. x \in A \wedge P x)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 A_27a))))$

Definition 5 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 6 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 7 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 8 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) P)))$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 12 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27a}). (ap (ap (c_2Ecombin_2EK A_27a A_27b) V0f) V1g)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.(ap\ (c_2Ebool_2E_7E\ V2t)\ c_2Ebool_2E_2F_5C\ V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{omega}) \quad (5)$$

Definition 16 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ c_2Enum_2ESUC_REP\ V0m)$

Definition 17 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ c_2Eprim_rec_2E_3C\ V0m\ V1n)$

Definition 18 We define $c_2Eutil_prob_2Eminimal$ to be $\lambda V0p \in (2^{ty_2Enum_2Enum}).(ap\ (c_2Emin_2E_40\ ty_2Enum_2Enum\ V0p)\ c_2Eutil_prob_2Eminimal)$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (11)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ &True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ &(p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (12) \end{aligned}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((ap (c.2Ecombin_2El A.27a) V0x) = V0x)) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (26)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (31)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1p \in (2^{ty_2Enum_2Enum}). \\
& (((ap\ c_2Enum_2ESUC\ V0n) = (ap\ c_2Util_prob_2Eminimal\ V1p)) \wedge \\
& (p\ (ap\ V1p\ (ap\ c_2Enum_2ESUC\ V0n)))) \Leftrightarrow ((\neg(p\ (ap\ V1p\ c_2Enum_2E0))) \wedge \\
& ((V0n = (ap\ c_2Util_prob_2Eminimal\ (ap\ (ap\ (c_2Ecombin_2Eo\ ty_2Enum_2Enum \\
& 2\ ty_2Enum_2Enum)\ V1p)\ c_2Enum_2ESUC))) \wedge (p\ (ap\ V1p\ (ap\ c_2Enum_2ESUC \\
& V0n)))))))))
\end{aligned} \tag{32}$$

Theorem 1

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1p \in (2^{ty_2Enum_2Enum}). \\
& (((p\ (ap\ V1p\ (ap\ c_2Enum_2ESUC\ V0n))) \wedge ((\neg(p\ (ap\ V1p\ c_2Enum_2E0))) \wedge \\
& (V0n = (ap\ c_2Util_prob_2Eminimal\ (ap\ (ap\ (c_2Ecombin_2Eo\ ty_2Enum_2Enum \\
& 2\ ty_2Enum_2Enum)\ V1p)\ c_2Enum_2ESUC)))))) \Rightarrow ((ap\ c_2Enum_2ESUC \\
& V0n) = (ap\ c_2Util_prob_2Eminimal\ V1p))))))
\end{aligned}$$