

thm_2Util__prob_2EPREIMAGE__REAL__COMPL1
(TM-
RvRxfWb8LvcCbzoXZpYtBdSyrMbNe2Bwd)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 7 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Definition 8 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$
 (3)

Definition 11 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2ET)$.

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2ET))$

Definition 13 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epred_set_2EUNIV : \iota \Rightarrow \iota \Rightarrow \iota))$

Definition 14 We define $c_2Epred_set_2Ecompl$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A_27a}). (ap (ap (c_2Epred_set_2EUNIV : \iota \Rightarrow \iota \Rightarrow \iota))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal$$
 (4)

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealax_2Ereal$$
 (5)

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal})$$
 (6)

Definition 15 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 (c_2Ebool_2E_7E : \iota \Rightarrow \iota \Rightarrow \iota))$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)})$$
 (7)

Definition 16 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 (c_2Ebool_2E_7E : \iota \Rightarrow \iota \Rightarrow \iota))$

Definition 17 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 (c_2Ebool_2E_7E : \iota \Rightarrow \iota \Rightarrow \iota))$

Assume the following.

$$True$$
 (8)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))$$
 (9)

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))$$
 (10)

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0P)) \Leftrightarrow (p\ (ap\ V0P\ V1x)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27b)\ V0f)) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x))))))) \quad (18)$$

Theorem 1

$$\begin{aligned} & (\forall V0c \in ty_2Erealax_2Ereal.((ap (c_2Epred_set_2Ecompl \\ & ty_2Erealax_2Ereal) (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal) (\lambda V1x \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E_2C \\ & ty_2Erealax_2Ereal 2) V1x) (ap (ap c_2Erealax_2Ereal_lt V0c) \\ & V1x)))))) = (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & (\lambda V2x \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\ & 2) V2x) (ap (ap c_2Ereal_2Ereal_lte V2x) V0c)))))) \end{aligned}$$