

# thm\_2Eutil\_\_prob\_2Elogr\_\_mul (TM- bqmY2ZHnYK3F4hoZejRqeYFHJfcML5ygH)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_7E` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2E_7E` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow P \Rightarrow Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t)) \text{c\_2Ebool\_2E\_7E}))$

Let `ty_2Ehreal_2Ehreal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Ehreal\_2Ehreal} \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{2}$$

Let `ty_2Erealax_2Ereal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Erealax\_2Ereal} \tag{3}$$

Let `c_2Erealax_2Ereal__REP__CLASS` :  $\iota$  be given. Assume the following.

$$\text{c\_2Erealax\_2Ereal\_REP\_CLASS} \in ((2^{(\text{ty\_2Epair\_2Eprod } \text{ty\_2Ehreal\_2Ehreal } \text{ty\_2Ehreal\_2Ehreal}) \text{ty\_2Erealax\_2Ereal}})) \tag{4}$$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P \ x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p \ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Erealax_2Ereal__REP` to be  $\lambda V0a \in \text{ty\_2Erealax\_2Ereal}. (\text{ap } (\text{c\_2Emin\_2E\_40 } \text{ty\_2Erealax\_2Ereal\_REP\_CLASS } V0a))$

Let  $c\_2Erealax\_2Etreal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) \quad (5)$$

Let  $c\_2Erealax\_2Etreal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}}) \quad (7)$$

**Definition 9** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) \quad (8)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum)^{\omega} \quad (11)$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal)^{ty\_2Enum\_2Enum} \quad (12)$$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (13)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$



Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Erealax\_2Etrealm\_neg \in & ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \end{aligned} \quad (21)$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

**Definition 24** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 25** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 26** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 27** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (22)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (23)$$

**Definition 28** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (24)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric \\ A\_27a)^{(ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}}) \end{aligned} \quad (25)$$

**Definition 29** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)} \quad (26)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (27)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in \\ ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})}})) \end{aligned} \quad (28)$$

**Definition 30** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric A\_27a).(ap$   
 Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Enets\_2Etends \\ & A\_27a A\_27b \in (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A\_27b})^{A\_27b}))})^{A\_27a})^{(A\_27a)^{A\_27b}}) \end{aligned} \quad (29)$$

**Definition 31** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 32** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 33** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(ap (c\_2E$

**Definition 34** We define  $c\_2Etransc\_2Eexp$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap c\_2Eseq\_2Esuminf (\lambda V1$

**Definition 35** We define  $c\_2Etransc\_2Eln$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 ty\_2Ereal$

**Definition 36** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.($

**Definition 37** We define  $c\_2Eutil\_prob\_2Elogr$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.\lambda V1x \in ty\_2Erealax\_2E$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ & p V0t)))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (36)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_add (ap (ap c\_2Ereal\_2E\_2F V1y) V0x)) (ap (ap c\_2Ereal\_2E\_2F V2z) V0x)) = (ap (ap c\_2Ereal\_2E\_2F (ap (ap c\_2Erealax\_2Ereal\_add V1y) V2z)) V0x)))))) \quad (38)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V1y))) \Rightarrow ((ap c\_2Etransc\_2Eln (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)) = (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Etransc\_2Eln V0x)) (ap c\_2Etransc\_2Eln V1y)))))) \quad (39)$$

### Theorem 1

$$(\forall V0b \in ty\_2Erealax\_2Ereal.(\forall V1x \in ty\_2Erealax\_2Ereal.(\forall V2y \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V1x)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V2y))) \Rightarrow ((ap (ap c\_2Eutil\_prob\_2Elogr V0b) (ap (ap c\_2Erealax\_2Ereal\_mul V1x) V2y)) = (ap (ap c\_2Erealax\_2Ereal\_add (ap (ap c\_2Eutil\_prob\_2Elogr V0b) V1x)) (ap (ap c\_2Eutil\_prob\_2Elogr V0b) V2y))))))$$