

# thm\_2Eutil\_\_prob\_2Eneg\_\_lg (TMRN- TJteqa38hPDemdGxDWpskAL6MACkLPc)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2E\_ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2E\_ZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2E\_ABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2E\_ABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 3** We define  $c\_2Enum\_2E\_0$  to be  $(ap\ c\_2Enum\_2E\_ABS\_num\ c\_2Enum\_2E\_ZERO\_REP)$ .

Let  $c\_2Enum\_2E\_REP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2E\_REP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2E\_SUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2E\_SUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 5** We define  $c\_2Enum\_2E\_SUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2E\_ABS\_num\ (ap\ c\_2Enum\_2E\_SUC\_REP\ m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 6** We define  $c\_2Earithmetic\_2E\_BIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Earithmetic\_2E\_2B\ n))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (7)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (9)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (10)$$

**Definition 7** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ (ty\_2Erealax\_2Ereal\ a)))$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (11)$$

**Definition 9** We define  $c\_2Erealax\_2Etrealm\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 10** We define  $c\_2Ebool\_2E21$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21))$

**Definition 13** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal}) \quad (12)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (14)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 15** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)))$$

(15)

**Definition 16** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 17** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ \lambda V2t \in 2)))$

**Definition 18** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ \lambda V2t \in 2)))$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))$$

(16)

**Definition 19** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_mul)$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))$$

(17)

**Definition 20** We define  $c\_2Erealax\_2Ereal\_inv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_mul)$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})\ ty\_2Erealax\_2Ereal)$$

(18)

Let  $c\_2Earithmetic\_2EFACT : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EFACT \in (ty\_2Eenum\_2Eenum^{ty\_2Eenum\_2Eenum})$$

(19)

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})$$

(20)

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}})$$

(21)

**Definition 21** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ x\ y))$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})})^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)}) \quad (22)$$

**Definition 22** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 23** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum. \lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 24** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum. \lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 25** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum. \lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 26** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 27** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 28** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (23)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (24)$$

**Definition 29** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27a \times A\_27b})$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (25)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})}) \quad (26)$$

**Definition 30** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c\_2Emetric\_2Emetric$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \quad (27)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (28)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (29)$$

**Definition 31** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric A\_27a).(ap$   
 Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Enets\_2Etends \\ A\_27a A\_27b \in & (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A\_27b})^{A\_27b})}))_{A\_27a})_{(A\_27a)^{A\_27b}}) \end{aligned} \quad (30)$$

**Definition 32** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 33** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 34** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(ap (c\_2E$

**Definition 35** We define  $c\_2Etransc\_2Eexp$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap c\_2Eseq\_2Esuminf (\lambda V1$

**Definition 36** We define  $c\_2Etransc\_2Eln$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 ty\_2Ereal$

**Definition 37** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.($

**Definition 38** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 39** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 40** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 41** We define  $c\_2Eutil\_prob\_2Elogr$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.\lambda V1x \in ty\_2Erealax\_2E$

**Definition 42** We define  $c\_2Eutil\_prob\_2Elg$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (ap c\_2Eutil\_prob\_2Elc$

Assume the following.

$$True \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow (\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge (((\neg(p\ V0A) \vee (p\ V1B)) \Leftrightarrow (\neg(p\ V0A) \wedge \neg(p\ V1B))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. ((ap\ (ap\ c\_2Erealax\_2Ereal\_add\ (ap\ c\_2Erealax\_2Ereal\_neg\ V0x))\ V0x) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \quad (41)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. ((ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V0x)\ V1y) = (ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ V1y)\ V0x)))) \quad (42)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. ((ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))))\ V0x) = V0x)) \quad (43)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_add V0x) (ap c\_2Erealax\_2Ereal\_neg V0x)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (44)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))) \quad (45)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V0x))) \quad (46)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x))) \Leftrightarrow (V0x = V1y)))))) \quad (47)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.(((ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z) = (ap (ap c\_2Erealax\_2Ereal\_mul V1y) V2z)) \Leftrightarrow ((V2z = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \vee (V0x = V1y))))))) \quad (48)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Erealax\_2Ereal\_neg V0x)) V1y) = (ap c\_2Erealax\_2Ereal\_neg (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V1y)))))) \quad (49)$$

Assume the following.

$$(\forall V0y \in ty\_2Erealax\_2Ereal.(\forall V1x \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Erealax\_2Ereal\_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c\_2Ereal\_2Ereal\_lte V0y) V1x)))))) \quad (50)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) V1y)) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)))))) \quad (51)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Erealax\_2Ereal\_neg V0x)) \\
& (ap c\_2Erealax\_2Ereal\_neg V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V1y) V0x))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap c\_2Erealax\_2Ereal\_neg \\
& (ap c\_2Erealax\_2Ereal\_neg V0x)) = V0x))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) (ap c\_2Erealax\_2Ereal\_neg \\
& V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) V1y)) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) V2z) = (ap (ap c\_2Erealax\_2Ereal\_add \\
& (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V1y) V2z))))))
\end{aligned} \tag{55}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{56}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{59}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{60}$$



Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg( \\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((p \ (ap \ (ap \ c\_2Erealax\_2Ereal\_lt \\
& (ap \ c\_2Ereal\_2Ereal\_of\_num \ c\_2Enum\_2E0)) \ V0x)) \Rightarrow ((ap \ c\_2Etransc\_2Eln \\
& (ap \ c\_2Erealax\_2Einv \ V0x)) = (ap \ c\_2Erealax\_2Ereal\_neg \ (ap \ c\_2Etransc\_2Eln \\
& V0x))))
\end{aligned} \tag{63}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((p \ (ap \ (ap \ c\_2Erealax\_2Ereal\_lt \\
& (ap \ c\_2Ereal\_2Ereal\_of\_num \ c\_2Enum\_2E0)) \ V0x)) \Rightarrow ((ap \ c\_2Erealax\_2Ereal\_neg \\
& (ap \ c\_2Eutil\_prob\_2Elg \ V0x)) = (ap \ c\_2Eutil\_prob\_2Elg \ (ap \ c\_2Erealax\_2Einv \\
& V0x))))
\end{aligned}$$