

thm_2Ewellorder_2EIMAGE_wo2wo__SUBSET
 (TMYwFVQBkWEN-
 bLhsycK2npNwNeJrKLJZJV5)

October 26, 2020

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (1)$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (2)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \quad (3)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ P))\ V0t))$

Definition 4 We define c_2Ebool_2E2F to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 6 We define c_2Ebool_2E2G to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E2F))$

Definition 7 We define c_2Ebool_2E2H to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.V2t))\ V1t2))\ V0t1)$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (4)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2E$

Definition 9 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (5)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (6)$$

Definition 10 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27a}$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \end{aligned} \quad (7)$$

Definition 11 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$

Definition 12 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (8)$$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. 2))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum \\ A0 A1) \end{aligned} \quad (9)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (10)$$

Definition 15 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (11)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (12)$$

Definition 16 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a))$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (13)$$

Definition 17 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Eoption_2ETHE\ A_27a))$

Definition 18 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2).(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2))$

Definition 20 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Eoption_2ETHE\ A_27a))$

Definition 21 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Eoption_2ETHE\ A_27a))$

Definition 22 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap\ (c_2Eoption_2ETHE\ A_27a))$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ 2))))$

Definition 24 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2Eoption_2ETHE\ A_27a))$

Definition 25 We define $c_2Eset_relation_2ERange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 26 We define $c_2Eset_relation_2EDomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 27 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Eoption_2ETHE\ A_27a))$

Definition 28 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 29 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS\ A_27a\ A_27b))$

Definition 30 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a))$

Definition 31 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))\ (\lambda V3t3 \in 2))$

Definition 32 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a\ P))))$

Definition 33 We define $c_2Ewellorder_2Ewleast$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 34 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A_27a}).(\lambda V1x \in A_27a.))$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (14)$$

Definition 35 We define $c_2ERelation_2ERESTRICT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1l$

Definition 36 We define $c_2ERelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b$

Definition 37 We define $c_2ERelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 38 We define $c_2ERelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 39 We define $c_2ERelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 40 We define $c_2Ewellorder_2Ewo2wo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_2E$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in 2. ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x)) \wedge (p V1Q))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((\exists V2x \in A.27a. ((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A.27a. (p (ap V1Q V3x))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in 2. ((\forall V2x \in A.27a. ((p (ap V0P V2x)) \Rightarrow (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x)) \Rightarrow (p V1Q))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1a \in A.27a. ((\exists V2x \in A.27a. ((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (2^{A-27a}). (\forall V1v \in A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p (ap\ V0f\ V2x)))) \Leftrightarrow (p (ap\ V0f\ V1v)))))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption\ A_27a). ((V0opt = (c_2Eoption_2ENONE\ A_27a)) \vee (\exists V1x \in A_27a. (V0opt = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg((c_2Eoption_2ENONE\ A_27a) = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x)))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Eoption_2ETHE\ A_27a)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x)) = V0x)) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V1x) (ap (c_2Ebool_2EIN\ A_27a)\ V0s)\ V2y))) \Leftrightarrow ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s)) \wedge (\neg(V1x = V2y)))))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0y \in A_27b. (\forall V1s \in (2^{A-27a}). (\forall V2f \in (A_27b^{A-27a}). ((p (ap (ap (c_2Ebool_2EIN\ A_27b)\ V0y) (ap (ap (c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q))) \wedge ((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a). (\forall V1w2 \in (ty_2Ewellorder_2Ewellorder A_27b). (\forall V2x \in A_27a. (\forall V3y \in A_27b. (((ap (ap (ap (c_2Ewellorder_2Ewo2wo A_27a A_27b) V0w1) V1w2) V2x) = (ap (c_2Eoption_2ESOME A_27b) V3y)) \Rightarrow (p (ap (ap (c_2Ebool_2EIN A_27b) V3y) (ap (c_2Ewellorder_2EelsOf A_27b) V1w2)))))))))) \quad (48)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27b). (\forall V1w2 \in \\ & (ty_2Ewellorder_2Ewellorder\ A_27a). (\forall V2x \in A_27b. (p (\\ & ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\ & (ty_2Eoption_2Eoption\ A_27a)\ A_27a)\ (c_2Eoption_2ETHE\ A_27a)) \\ & (ap\ (ap\ (c_2Epred_set_2EDELETE\ (ty_2Eoption_2Eoption\ A_27a)) \\ & (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27b\ (ty_2Eoption_2Eoption\ A_27a)) \\ & (ap\ (ap\ (c_2Ewellorder_2Ewo2wo\ A_27b\ A_27a)\ V0w1)\ V1w2))\ (ap\ (ap \\ & (c_2Ewellorder_2Eiseg\ A_27b)\ V0w1)\ V2x)))\ (c_2Eoption_2ENONE \\ & A_27a))))\ (ap\ (c_2Ewellorder_2EelsOf\ A_27a)\ V1w2)))))) \end{aligned}$$