

thm_2Ewellorder_2EWIN__wobound
(TMGbT2gStmQTyvaekAUouMj3t88wrngJ5r1)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_3F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 10 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27a})$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (4)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$

Definition 12 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (5)$$

Definition 13 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 14 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 15 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V0t1\ V1t2)))$

Definition 17 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E_5C_2F)\ V0s\ V1t)$

Definition 18 We define $c_2Eset_relation_2Ereflexive$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 19 We define $c_2Eset_relation_2Eantisym$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 20 We define $c_2Eset_relation_2Etransitive$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 21 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E_5C_2F)\ V0s\ V1t)$

Definition 22 We define $c_2Eset_relation_2Elinear_order$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 23 We define $c_2Ewellorder_2Ewellfounded$ to be $\lambda A_27a : \iota. \lambda V0R \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 24 We define $c_2Ewellorder_2Ewellorder$ to be $\lambda A_27a : \iota. \lambda V0R \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (6)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \quad (7)$$

Definition 25 We define $c_Ewellorder_Eiseg$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_Ewellorder_Ewellorder\ A_27a$

Definition 26 We define $c_Eset_relation_Erestrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_Epair_Eprod\ A_27a\ A_27a)}$

Let $c_Ewellorder_Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_Ewellorder_Ewellorder_ABS \\ & A_27a \in ((ty_Ewellorder_Ewellorder\ A_27a)^{(2^{(ty_Epair_Eprod\ A_27a\ A_27a)}})) \end{aligned} \quad (8)$$

Definition 27 We define $c_Ewellorder_Ewobound$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1w \in (ty_Ewellord$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ & A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in \\ & A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (\\ & ap\ V0P\ V1a)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\ & A_27b.(((ap\ (ap\ (c_Epair_E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & (c_Epair_E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ & \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (17) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b). ((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ A_27b)\ (ap\ (c_2Epair_2EFST\ A_27a\ A_27b)\ V0x))\ (ap\ (c_2Epair_2ESND \\ & \quad A_27a\ A_27b)\ V0x)) = V0x)) \\ & \hspace{15em} (18) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & \quad nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1x \in \\ & \quad A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Epair_2EUNCURRY\ A_27a \\ & \quad A_27b\ A_27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y))) = \\ & \quad (ap\ (ap\ V0f\ V1x)\ V2y)))) \\ & \hspace{15em} (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ & \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}). \\ & \quad ((p\ (ap\ (c_2Ewellorder_2Ewellorder\ A_27a)\ V0r)) \Rightarrow ((ap\ (c_2Ewellorder_2Ewellorder_REP \\ & \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_ABS\ A_27a)\ V0r)) = V0r))) \\ & \hspace{15em} (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2Ewellorder_2Ewellorder \\ & \quad A_27a). (\forall V1s \in (2^{A_27a}). (p\ (ap\ (c_2Ewellorder_2Ewellorder \\ & \quad A_27a)\ (ap\ (ap\ (c_2Eset_relation_2Errestrict\ A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\ & \quad A_27a)\ V0w))\ V1s)))))) \\ & \hspace{15em} (22) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & \quad A_27a. (\forall V2z \in A_27a. (\forall V3w \in (ty_2Ewellorder_2Ewellorder \\ & \quad A_27a). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a)) \\ & \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V0x)\ V1y))\ (ap\ (c_2Eset_relation_2Estrict \\ & \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A_27a)\ (ap\ (ap\ (c_2Ewellorder_2Ewobound \\ & \quad A_27a)\ V2z)\ V3w)))))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\ & \quad A_27a\ A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V0x)\ V2z))\ (ap \\ & \quad (c_2Eset_relation_2Estrict\ A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\ & \quad A_27a)\ V3w)))) \wedge ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a \\ & \quad A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V1y)\ V2z))\ (ap\ (c_2Eset_relation_2Estrict \\ & \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A_27a)\ V3w)))) \wedge (\\ & \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27a)\ V0x)\ V1y))\ (ap\ (c_2Eset_relation_2Estrict \\ & \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A_27a)\ V3w))))))))) \end{aligned}$$