

# thm\_2Ewellorder\_2EZL\_\_SUBSETS\_\_BIGUNION (TML3vzX1hPZQ6sDUQaLRdUG5KyN9ksdFdrv)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (2)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Emin\_2E\_3D (2^{A\_27a}) (\lambda V2x \in 2.V2x)) (\lambda V3y \in 2.V3y)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (3)$$

**Definition 10** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c\_2Epred\_set\_2EBIGUNION) V0P)$

**Definition 11** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 12** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E) V0t) c\_2Ebool\_2E\_7E)$

**Definition 13** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2Epred\_set\_2ESUBSET) V0s V1t)$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t) V0t1 V1t2))$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (6)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in (2^{A-27a}).((\forall V2x \in A\_27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A\_27a.((p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).((p V0P) \wedge (\forall V2x \in A\_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \quad (12)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B)) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1sos \in (2^{(2^{A\_27a})}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ V1sos)))) \Leftrightarrow (\exists V2s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V2s)\ V1sos)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{24}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow (p \ V0p))) \tag{25}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{(2^{A\_27a})}). (( \\
& \forall V1c \in (2^{(2^{A\_27a})}). (((\forall V2x \in (2^{A\_27a}). ((p \ (ap \\
& (ap \ (c\_2Ebool\_2EIN \ (2^{A\_27a}) \ V2x) \ V1c)) \Rightarrow (p \ (ap \ V0P \ V2x)))) \wedge (\forall V3x \in \\
& (2^{A\_27a}). (\forall V4y \in (2^{A\_27a}). (((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \\
& (2^{A\_27a}) \ V3x) \ V1c)) \wedge (p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ (2^{A\_27a}) \ V4y) \\
& V1c))) \Rightarrow ((p \ (ap \ (ap \ (c\_2Epred\_set\_2ESUBSET \ A\_27a) \ V3x) \ V4y)) \vee \\
& (p \ (ap \ (ap \ (c\_2Epred\_set\_2ESUBSET \ A\_27a) \ V4y) \ V3x)))))) \Rightarrow (\exists V5z \in \\
& (2^{A\_27a}). ((p \ (ap \ V0P \ V5z)) \wedge (\forall V6x \in (2^{A\_27a}). ((p \ (ap \ (ap \\
& (c\_2Ebool\_2EIN \ (2^{A\_27a}) \ V6x) \ V1c)) \Rightarrow (p \ (ap \ (ap \ (c\_2Epred\_set\_2ESUBSET \\
& A\_27a) \ V6x) \ V5z)))))) \Rightarrow (\exists V7a \in (2^{A\_27a}). ((p \ (ap \ V0P \ V7a)) \wedge \\
& (\forall V8x \in (2^{A\_27a}). (((p \ (ap \ V0P \ V8x)) \wedge (p \ (ap \ (ap \ (c\_2Epred\_set\_2ESUBSET \\
& A\_27a) \ V7a) \ V8x))) \Rightarrow (V7a = V8x))))))
\end{aligned} \tag{27}$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(2^{A\_27a})})) . (( \\ \forall V1c \in (2^{(2^{A\_27a})}) . (((\forall V2x \in (2^{A\_27a}) . ((p\ (ap \\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V2x)\ V1c)) \Rightarrow (p\ (ap\ V0P\ V2x)))) \wedge (\forall V3x \in \\ (2^{A\_27a}) . (\forall V4y \in (2^{A\_27a}) . (((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ (2^{A\_27a})\ V3x)\ V1c)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V4y) \\ V1c))) \Rightarrow ((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V3x)\ V4y)) \vee \\ (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V4y)\ V3x)))))) \Rightarrow (p\ ( \\ ap\ V0P\ (ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ V1c)))) \Rightarrow (\exists V5a \in \\ (2^{A\_27a}) . ((p\ (ap\ V0P\ V5a)) \wedge (\forall V6x \in (2^{A\_27a}) . (((p\ (ap\ V0P \\ V6x)) \wedge (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V5a)\ V6x))) \Rightarrow ( \\ V5a = V6x)))))) \end{aligned}$$