

thm_2Ewellorder_2EelsOf__cardeq__iso (TMUND- Cvn2r5ZnBHdC1oouy8NuaKSVpb7s5K)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Emarker_2EAbbrev` to be $\lambda V0x \in 2.V0x$.

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 A1) \quad (1)$$

Let `c_2Epair_2ESND` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27b. \text{nonempty } A. \lambda 27b \Rightarrow \text{c_2Epair_2ESND } A. \lambda 27a A. \lambda 27b \in (A. \lambda 27b. (\text{ty_2Epair_2Eprod } A. \lambda 27a A. \lambda 27b)) \quad (2)$$

Let `c_2Epair_2EFST` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27b. \text{nonempty } A. \lambda 27b \Rightarrow \text{c_2Epair_2EFST } A. \lambda 27a A. \lambda 27b \in (A. \lambda 27a. (\text{ty_2Epair_2Eprod } A. \lambda 27a A. \lambda 27b)) \quad (3)$$

Definition 5 We define `c_2Epred__set_2EUNIV` to be $\lambda A. \lambda 27a : \iota. (\lambda V0x \in A. \lambda 27a. \text{c_2Ebool_2ET})$.

Definition 6 We define `c_2Ebool_2EIN` to be $\lambda A. \lambda 27a : \iota. (\lambda V0f \in A. \lambda 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x)))$

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

Definition 9 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p (\text{ap } P x)))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A-27a}). \lambda V1s \in ($

Definition 12 We define $c_2Ebool_2E_21$ to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Definition 15 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A-27$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A-27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b})}) \end{aligned} \quad (4)$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (5)$$

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS \\ A_27a \in ((ty_2Ewellorder_2Ewellorder\ A_27a)^{(2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \end{aligned} \quad (7)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Definition 17 We define $c_2Epair_2E_23_23$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda A_27d : \iota. \lambda V0f \in (A_27$

Definition 18 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A-27a}). \lambda V1s \in ($

Definition 19 We define $c_2Eset_relation_2Erangle$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A$

Definition 20 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod$

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c$

Definition 22 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A-27a}). \lambda V1s \in (2^A$

Definition 23 We define $c_2Eset_relation_2Ereflexive$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}$

Definition 24 We define $c_2Eset_relation_2Eantisym$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}$

Definition 25 We define $c_2Eset_relation_2Etransitive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 26 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 27 We define $c_2Eset_relation_2Elinear_order$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 28 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 29 We define $c_2Ewellorder_2Ewellfounded$ to be $\lambda A_27a : \iota.\lambda V0R \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 30 We define $c_2Ewellorder_2Ewellorder$ to be $\lambda A_27a : \iota.\lambda V0R \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP \\ & A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \end{aligned} \quad (8)$$

Definition 31 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 32 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 33 We define $c_2Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & \quad V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ & \quad A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & \quad (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & \quad ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (\\ & (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V1B) \wedge \\ & (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in \\ & A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (\\ & ap\ V0P\ V1a)))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\ & A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ & \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b). ((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ A_27b)\ (ap\ (c_2Epair_2EFST\ A_27a\ A_27b)\ V0x))\ (ap\ (c_2Epair_2ESND \\ & \quad A_27a\ A_27b)\ V0x)) = V0x)) \\ & \hspace{15em} (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & \quad nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1x \in \\ & \quad A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Epair_2EUNCURRY\ A_27a \\ & \quad A_27b\ A_27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y))) = \\ & \quad (ap\ (ap\ V0f\ V1x)\ V2y)))) \\ & \hspace{15em} (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0P \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}). ((\exists V1p \in \\ & \quad (ty_2Epair_2Eprod\ A_27a\ A_27b). (p\ (ap\ V0P\ V1p))) \Leftrightarrow (\exists V2p_1 \in \\ & \quad A_27a. (\exists V3p_2 \in A_27b. (p\ (ap\ V0P\ (ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ A_27b)\ V2p_1)\ V3p_2)))))) \\ & \hspace{15em} (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f \in (A_27b^{A_27a}). \\ & \quad (\forall V1g \in (A_27d^{A_27c}). (\forall V2x \in A_27a. (\forall V3y \in \\ & \quad A_27c. ((ap\ (ap\ (ap\ (c_2Epair_2E_23_23\ A_27a\ A_27c\ A_27b\ A_27d) \\ & \quad V0f)\ V1g)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27c)\ V2x)\ V3y)) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27b\ A_27d)\ (ap\ V0f\ V2x))\ (ap\ V1g\ V3y)))))) \\ & \hspace{15em} (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ & \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (30) \end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (p (ap (ap (c.2Ebool.2EIN A.27a) V0x) (c.2Epred_set.2EUNIV A.27a)))) \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ (2^{A.27a}). (\forall V2x \in A.27a. ((p (ap (ap (c.2Ebool.2EIN A.27a) \\ V2x) (ap (ap (c.2Epred_set.2EUNION A.27a) V0s) V1t))) \Leftrightarrow ((p (ap \\ (ap (c.2Ebool.2EIN A.27a) V2x) V0s)) \vee (p (ap (ap (c.2Ebool.2EIN \\ A.27a) V2x) V1t)))))))) \quad (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0y \in A.27b. (\forall V1s \in (2^{A.27a}). (\forall V2f \in (A.27b^{A.27a}). \\ ((p (ap (ap (c.2Ebool.2EIN A.27b) V0y) (ap (ap (c.2Epred_set.2EIMAGE \\ A.27a\ A.27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A.27a. ((V0y = (ap V2f V3x)) \wedge \\ (p (ap (ap (c.2Ebool.2EIN A.27a) V3x) V1s)))))) \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0x \in A.27a. (\forall V1s \in (2^{A.27a}). ((p (ap (ap (c.2Ebool.2EIN \\ A.27a) V0x) V1s)) \Rightarrow (\forall V2f \in (A.27b^{A.27a}). (p (ap (ap (c.2Ebool.2EIN \\ A.27b) (ap V2f V0x)) (ap (ap (c.2Epred_set.2EIMAGE A.27a\ A.27b) \\ V2f) V1s)))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}). (\forall V1s \in (2^{A.27a}). (\forall V2t \in \\ (2^{A.27a}). ((ap (ap (c.2Epred_set.2EIMAGE A.27a\ A.27b) V0f) (\\ ap (ap (c.2Epred_set.2EUNION A.27a) V1s) V2t)) = (ap (ap (c.2Epred_set.2EUNION \\ A.27b) (ap (ap (c.2Epred_set.2EIMAGE A.27a\ A.27b) V0f) V1s)) (\\ ap (ap (c.2Epred_set.2EIMAGE A.27a\ A.27b) V0f) V2t)))))) \quad (35) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}). (\forall V1s \in (2^{A.27a}). (p (ap (ap (\\ ap (c.2Epred_set.2ESURJ A.27a\ A.27b) V0f) V1s) (ap (ap (c.2Epred_set.2EIMAGE \\ A.27a\ A.27b) V0f) V1s)))) \quad (36) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0a \in (ty_2Ewellorder_2Ewellorder \\ & A_27a).((ap (c_2Ewellorder_2Ewellorder_ABS A_27a) (ap (c_2Ewellorder_2Ewellorder_REP \\ & A_27a) V0a)) = V0a)) \wedge (\forall V1r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)}). \\ & ((p (ap (c_2Ewellorder_2Ewellorder A_27a) V1r)) \Leftrightarrow ((ap (c_2Ewellorder_2Ewellorder_REP \\ & A_27a) (ap (c_2Ewellorder_2Ewellorder_ABS A_27a) V1r)) = V1r)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)}). \\ & ((p (ap (c_2Ewellorder_2Ewellorder A_27a) V0r)) \Rightarrow ((ap (c_2Ewellorder_2Ewellorder_REP \\ & A_27a) (ap (c_2Ewellorder_2Ewellorder_ABS A_27a) V0r)) = V0r))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ & A_27a.(\forall V2w \in (ty_2Ewellorder_2Ewellorder A_27a).((p \\ & (ap (ap (c_2Ebool_2EIN (ty_2Epair_2Eprod A_27a A_27a)) (ap (ap \\ & (c_2Epair_2E_2C A_27a A_27a) V0x) V1y)) (ap (c_2Ewellorder_2Ewellorder_REP \\ & A_27a) V2w))) \Rightarrow ((p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (ap (c_2Ewellorder_2EelsOf \\ & A_27a) V2w))) \wedge (p (ap (ap (c_2Ebool_2EIN A_27a) V1y) (ap (c_2Ewellorder_2EelsOf \\ & A_27a) V2w)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\ & nonempty A_27c \Rightarrow \forall A_27d.nonempty A_27d \Rightarrow (\forall V0f \in (A_27a^{A_27c}). \\ & (\forall V1g \in (A_27b^{A_27d}).(\forall V2r \in (2^{(ty_2Epair_2Eprod A_27c A_27d)}). \\ & ((ap (c_2Eset_relation_2Edomain A_27a A_27b) (ap (ap (c_2Epred_set_2EIMAGE \\ & (ty_2Epair_2Eprod A_27c A_27d) (ty_2Epair_2Eprod A_27a A_27b)) \\ & (ap (ap (c_2Epair_2E_23_23 A_27c A_27d A_27a A_27b) V0f) V1g)) V2r)) = \\ & (ap (ap (c_2Epred_set_2EIMAGE A_27c A_27a) V0f) (ap (c_2Eset_relation_2Edomain \\ & A_27c A_27d) V2r)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}. \\
& nonempty\ A_{.27c} \Rightarrow \forall A_{.27d}.nonempty\ A_{.27d} \Rightarrow (\forall V0f \in (A_{.27b}^{A_{.27c}}). \\
& (\forall V1g \in (A_{.27a}^{A_{.27d}}). (\forall V2r \in (2^{(ty_2Epair_2Eprod\ A_{.27c}\ A_{.27d})}). \\
& ((ap\ (c_2Eset_relation_2Erange\ A_{.27a}\ A_{.27b})\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\
& (ty_2Epair_2Eprod\ A_{.27c}\ A_{.27d})\ (ty_2Epair_2Eprod\ A_{.27b}\ A_{.27a})) \\
& (ap\ (ap\ (c_2Epair_2E_23_23\ A_{.27c}\ A_{.27d}\ A_{.27b}\ A_{.27a})\ V0f)\ V1g))\ V2r)) = \\
& (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_{.27d}\ A_{.27a})\ V1g)\ (ap\ (c_2Eset_relation_2Erange \\
& A_{.27d}\ A_{.27c})\ V2r))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \forall V0r \in (2^{(ty_2Epair_2Eprod\ A_{.27a}\ A_{.27a})}). (\forall V1f \in \\
& (A_{.27b}^{A_{.27a}}). (\forall V2t \in (2^{A_{.27b}}). (((p\ (ap\ (c_2Ewellorder_2Ewellorder \\
& A_{.27a})\ V0r)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EINJ\ A_{.27a}\ A_{.27b})\ V1f) \\
& (ap\ (ap\ (c_2Epred_set_2EUNION\ A_{.27a})\ (ap\ (c_2Eset_relation_2Edomain \\
& A_{.27a}\ A_{.27a})\ V0r))\ (ap\ (c_2Eset_relation_2Erange\ A_{.27a}\ A_{.27a}) \\
& V0r)))\ V2t))) \Rightarrow (p\ (ap\ (c_2Ewellorder_2Ewellorder\ A_{.27b})\ (ap\ (ap \\
& (c_2Epred_set_2EIMAGE\ (ty_2Epair_2Eprod\ A_{.27a}\ A_{.27a})\ (ty_2Epair_2Eprod \\
& A_{.27b}\ A_{.27b}))\ (ap\ (ap\ (c_2Epair_2E_23_23\ A_{.27a}\ A_{.27a}\ A_{.27b}\ A_{.27b}) \\
& V1f)\ V1f))\ V0r))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_{.27a}). (\forall V1w2 \in \\
& (ty_2Ewellorder_2Ewellorder\ A_{.27b}). ((p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso \\
& A_{.27a}\ A_{.27b})\ V0w1)\ V1w2)) \Leftrightarrow (\exists V2f \in (A_{.27b}^{A_{.27a}}). ((p\ (ap\ (\\
& ap\ (ap\ (c_2Epred_set_2EBIJ\ A_{.27a}\ A_{.27b})\ V2f)\ (ap\ (c_2Ewellorder_2EelsOf \\
& A_{.27a})\ V0w1))\ (ap\ (c_2Ewellorder_2EelsOf\ A_{.27b})\ V1w2))) \wedge (\forall V3x \in \\
& A_{.27a}. (\forall V4y \in A_{.27a}. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& A_{.27a}\ A_{.27a}))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_{.27a}\ A_{.27a})\ V3x)\ V4y))\ (ap \\
& (c_2Eset_relation_2Estrict\ A_{.27a})\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\
& A_{.27a})\ V0w1)))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_{.27b} \\
& A_{.27b}))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_{.27b}\ A_{.27b})\ (ap\ V2f\ V3x))\ (ap\ V2f \\
& V4y)))\ (ap\ (c_2Eset_relation_2Estrict\ A_{.27b})\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\
& A_{.27b})\ V1w2)))))))))
\end{aligned} \tag{58}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \forall V0f \in (A_{.27a}^{A_{.27b}}). (\forall V1wo \in (ty_2Ewellorder_2Ewellorder \\
& A_{.27b}). ((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EINJ\ A_{.27b}\ A_{.27a})\ V0f)\ (\\
& ap\ (c_2Ewellorder_2EelsOf\ A_{.27b})\ V1wo))\ (c_2Epred_set_2EUNIV \\
& A_{.27a})) \Rightarrow (\exists V2wo_{.27} \in (ty_2Ewellorder_2Ewellorder\ A_{.27a}). \\
& (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A_{.27b}\ A_{.27a})\ V1wo)\ V2wo_{.27}))))))
\end{aligned}$$