thm_2Ewellorder_2Eorderiso__SYM (TMdDryrBRPfdZaDJ22w6M15dPYW9aKv4pT2)

October 26, 2020

Definition 1 *We define* c_2Emin_2E_40 *to be* $\lambda A.\lambda P \in 2^A.$**if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 2 *We define* c_2Emin_2E_3D *to be* $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 *We define* c_2Ebool_2ET *to be* $(ap\ (ap\ ($c_2Emin_2E_3D$\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V$

Definition 4 *We define* c_2Ebool_2E_21 *to be* $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ ($c_2Emin_2E_3D$\ (2^{A_27}$

Definition 5 *We define* c_2Emarker_2EAbbrev *to be* $\lambda V0x \in 2.V0x$.

Definition 6 *We define* c_2Ebool_2EIN *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Definition 7 *We define* c_2Emin_2E_3D_3D_3E *to be* $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$
of type ι.

Definition 8 *We define* c_2Ebool_2E_2F_5C *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ ($c_2Ebool_2E_21 2$)\ (\lambda V2t \in$

Definition 9 *We define* c_2Ebool_2E_3F *to be* $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ ($c_2Emin_2E_40

Definition 10 *We define* c_2Epred__set_2ESURJ *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in ($

Definition 11 *We define* c_2Epred__set_2EINJ *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A}$

Let $ty\_2Eone\_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

Definition 12 *We define* c_2Eone_2Eone *to be* $(ap\ ($c_2Emin_2E_40 $ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2$

Definition 13 *We define* c_2Ebool_2EF *to be* $(ap\ ($c_2Ebool_2E_21 2$)\ (\lambda V0t \in 2.V0t))$.

Definition 14 *We define* c_2Ebool_2E_7E *to be* $(\lambda V0t \in 2.(ap\ (ap$ c_2Emin_2E_3D_3D_3E $V0t)$ c_2Ebool_2E

Let $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let $c\_2Esum\_2EABS\_\_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{(((2^{A\_27b})^{A\_27a})^2)}) \tag{3}$$

Definition 15 *We define* c_2Esum_2EINR *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS$

Let $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \tag{4}$$

Let $c\_2Eoption\_2Eoption\_\_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \tag{5}$$

Definition 16 *We define* c_2Eoption_2ENONE *to be* $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_\_ABS\ A\_27a)\ ($

Definition 17 *We define* c_2Esum_2EINL *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS$

Definition 18 *We define* c_2Eoption_2ESOME *to be* $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_\_$

Let $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{6}$$

Let $c\_2Epair\_2EABS\_\_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \tag{7}$$

Definition 19 *We define* c_2Epair_2E_2C *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let $c\_2Epred\_\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \tag{8}$$

Definition 20 *We define* c_2Epred__set_2EIMAGE *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

Definition 21 *We define* c_2Ebool_2ECOND *to be* $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Definition 22 *We define* c_2Epred__set_2ELINV__OPT *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V$

Let $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2ETHE\ A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \tag{9}$$

Definition 23 *We define* c_2Epred__set_2ELINV *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in ($

Definition 24 *We define* c_2Ebool_2E_5C_2F *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap$ (c_2Ebool_2E_21 2) $(\lambda V2t \in$

Let $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \tag{10}$$

Let $c\_2Ewellorder\_2Ewellorder\_\_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \tag{11}$$

Let $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \tag{12}$$

Let $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \tag{13}$$

Definition 25 *We define* c_2Epair_2EUNCURRY *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27}$

Definition 26 *We define* c_2Eset__relation_2Estrict *to be* $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}$

Definition 27 *We define* c_2Eset__relation_2Erange *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A}$

Definition 28 *We define* c_2Eset__relation_2Edomain *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod}$

Definition 29 *We define* c_2Epred__set_2EUNION *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c$

Definition 30 *We define* c_2Ewellorder_2EelsOf *to be* $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A$

Definition 31 *We define* c_2Epred__set_2EBIJ *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A}$

Definition 32 *We define* c_2Ewellorder_2Eorderiso *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1){\Rightarrow}(p\ V1t2)){\Rightarrow}(((p\ V1t2){\Rightarrow}(p\ V0t1)){\Rightarrow}((p\ V0t1){\Leftrightarrow}(p\ V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False{\Rightarrow}(p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True\wedge(p\ V0t)){\Leftrightarrow}(p\ V0t))\wedge((((p\ V0t)\wedge True){\Leftrightarrow}(p\ V0t))\wedge(((False\wedge(p\ V0t)){\Leftrightarrow}False)\wedge((((p\ V0t)\wedge False){\Leftrightarrow}False)\wedge(((p\ V0t)\wedge(p\ V0t)){\Leftrightarrow}(p\ V0t))))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True{\Rightarrow}(p\ V0t)){\Leftrightarrow}(p\ V0t))\wedge((((p\ V0t){\Rightarrow}True){\Leftrightarrow}True)\wedge(((False{\Rightarrow}(p\ V0t)){\Leftrightarrow}True)\wedge((((p\ V0t){\Rightarrow}(p\ V0t)){\Leftrightarrow}True)\wedge(((p\ V0t){\Rightarrow}False){\Leftrightarrow}(\neg(p\ V0t)))))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))){\Leftrightarrow}(p\ V0t)))\wedge(((\neg True){\Leftrightarrow}False)\wedge((\neg False){\Leftrightarrow}True))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a{\Rightarrow}(\forall V0x \in A\_27a.(V0x = V0x)) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a{\Rightarrow}(\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y){\Leftrightarrow}(V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True{\Leftrightarrow}(p\ V0t)){\Leftrightarrow}(p\ V0t))\wedge((((p\ V0t){\Leftrightarrow}True){\Leftrightarrow}(p\ V0t))\wedge(((False{\Leftrightarrow}(p\ V0t)){\Leftrightarrow}(\neg(p\ V0t)))\wedge(((p\ V0t){\Leftrightarrow}False){\Leftrightarrow}(\neg(p\ V0t))))))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a{\Rightarrow}(\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p\ (ap\ V0P\ V2x))\wedge(p\ (ap\ V1Q\ V2x)))){\Leftrightarrow}((\forall V3x \in A\_27a.(p\ (ap\ V0P\ V3x)))\wedge(\forall V4x \in A\_27a.(p\ (ap\ V1Q\ V4x))))))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p\ V0P) \wedge (\forall V2x \in A\_27a.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x))))))) \tag{24}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a.(p\ (ap\ V1P\ V3x))) \vee (p\ V0Q))))) \tag{25}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a.(p\ (ap\ V1Q\ V3x))))))) \tag{26}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \tag{27}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.((((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A))))))) \tag{28}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \tag{29}$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27))))))))) \tag{30}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1s \in (2^{A\_27a}).(\forall V2t \in (2^{A\_27b}).((p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EBIJ}\ A\_27a\ A\_27b)\ V0f)\ V1s)\ V2t)) \Rightarrow (\forall V3x \in A\_27b.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27b)\ V3x)\ V2t)) \Rightarrow ((ap\ V0f\ (ap\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ELINV}\ A\_27a\ A\_27b)\ V0f)\ V1s)\ V3x)) = V3x))))))) \tag{31}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1s \in (2^{A\_27a}).(\forall V2t \in (2^{A\_27b}).((p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EBIJ}\ A\_27a\ A\_27b)\ V0f)\ V1s)\ V2t)) \Rightarrow (p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EBIJ}\ A\_27b\ A\_27a)\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2ELINV}\ A\_27a\ A\_27b)\ V0f)\ V1s))\ V2t)\ V1s)))))) \tag{32}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{33}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))) \tag{35}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))) \tag{36}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{37}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))) \tag{38}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ((p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))) \tag{39}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ((p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \tag{40}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\Rightarrow(p\ V2r)))\Leftrightarrow(((p\ V0p)\vee(p\ V1q))\wedge(((p\ V0p)\vee(\neg(p\ V2r)))\wedge((\neg(p\ V1q))\vee((p\ V2r)\vee(\neg(p\ V0p))))))))))) \tag{41}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p\ V0p)\Leftrightarrow(\neg(p\ V1q)))\Leftrightarrow(((p\ V0p)\vee(p\ V1q))\wedge((\neg(p\ V1q))\vee(\neg(p\ V0p))))))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\Rightarrow(p\ V1q)))\Rightarrow(p\ V0p)))) \tag{43}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\Rightarrow(p\ V1q)))\Rightarrow(\neg(p\ V1q))))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\vee(p\ V1q)))\Rightarrow(\neg(p\ V0p))))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\vee(p\ V1q)))\Rightarrow(\neg(p\ V1q))))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p\ V0p)))\Rightarrow(p\ V0p))) \tag{47}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0x \in A\_27a.(\forall V1y \in A\_27a.(\forall V2w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a).((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V0x)\ V1y))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V2w))))\Rightarrow((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ (ap\ (\mathsf{c\_2Ewellorder\_2EelsOf}\ A\_27a)\ V2w)))\wedge(p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V1y)\ (ap\ (\mathsf{c\_2Ewellorder\_2EelsOf}\ A\_27a)\ V2w)))))))) \tag{48}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a).(\forall V1x \in A\_27a.(\forall V2y \in A\_27a.(((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V1x)\ (ap\ (\mathsf{c\_2Ewellorder\_2EelsOf}\ A\_27a)\ V0w)))\wedge(p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2y)\ (ap\ (\mathsf{c\_2Ewellorder\_2EelsOf}\ A\_27a)\ V0w))))\Rightarrow((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V1x)\ V2y))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V0w))))\vee((V1x = V2y)\vee(p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V2y)\ V1x))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V0w)))))))))) \tag{49}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a).((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V0x)\ V0x))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V1w)))) \Leftrightarrow False))) \tag{50}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.(\forall V2w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a).(\forall V3z \in A\_27a.(((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V0x)\ V1y))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V2w)))) \land (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V1y)\ V3z))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V2w))))) \Rightarrow (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V0x)\ V3z))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V2w))))))))) \tag{51}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a).(\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27b).((p\ (ap\ (ap\ (\mathsf{c\_2Ewellorder\_2Eorderiso}\ A\_27a\ A\_27b)\ V0w1)\ V1w2)) \Leftrightarrow (\exists V2f \in (A\_27b^{A\_27a}).((p\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EBIJ}\ A\_27a\ A\_27b)\ V2f)\ (ap\ (\mathsf{c\_2Ewellorder\_2EelsOf}\ A\_27a)\ V0w1))\ (ap\ (\mathsf{c\_2Ewellorder\_2EelsOf}\ A\_27b)\ V1w2))) \land (\forall V3x \in A\_27a.(\forall V4y \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27a\ A\_27a)\ V3x)\ V4y))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27a)\ V0w1)))) \Rightarrow (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27b))\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ A\_27b\ A\_27b)\ (ap\ V2f\ V3x))\ (ap\ V2f\ V4y)))\ (ap\ (\mathsf{c\_2Eset\_\_relation\_2Estrict}\ A\_27b)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_\_REP\ A\_27b)\ V1w2))))))))))))) \tag{52}$$

Theorem 1

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a).(\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27b).((p\ (ap\ (ap\ (\mathsf{c\_2Ewellorder\_2Eorderiso}\ A\_27a\ A\_27b)\ V0w1)\ V1w2)) \Rightarrow (p\ (ap\ (ap\ (\mathsf{c\_2Ewellorder\_2Eorderiso}\ A\_27b\ A\_27a)\ V1w2)\ V0w1)))))$$