

thm_2Ewellorder_2Eorderiso__unique (TMWH- bCA74mhhDztWdH1Dv68oq8s3Cg1TUV7)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epred_set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow \text{c_2Epred_set_2EGSPEC } A_27a \ A_27b \in ((2^{A_27a})^{(\text{ty_2Epair_2Eprod } A_27a \ 2)^{A_27b}}) \tag{2}$$

Definition 4 We define `c_2Ebool_2EIN` to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (\text{ap } V1f \ V0x)))$

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. (\text{ap } (\text{c_2Emin_2E_3D } (2^{2^{A_27a}}))))$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow \text{c_2Epair_2EABS_prod } A_27a \ A_27b \in ((\text{ty_2Epair_2Eprod } A_27a \ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{3}$$

Definition 8 We define `c_2Epair_2E_2C` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a})))$

Definition 9 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in ($

Definition 12 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A$

Definition 13 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A$

Definition 14 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Definition 16 We define $c_2Eset_relation_2Ereflexive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)$

Definition 17 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A$

Definition 18 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod$

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 20 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Definition 21 We define $c_2Eset_relation_2Eantisym$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)$

Definition 22 We define $c_2Eset_relation_2Etransitive$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A$

Definition 23 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap ($

Definition 24 We define $c_2Eset_relation_2Elinear_order$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A$

Definition 25 We define $c_2Ewellorder_2Ewellfounded$ to be $\lambda A_27a : \iota.\lambda V0R \in (2^{(ty_2Epair_2Eprod A_27a A$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (4)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (5)$$

Definition 26 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a$

Definition 27 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)$

Definition 28 We define $c_2Ewellorder_2Ewellorder$ to be $\lambda A_27a : \iota.\lambda V0R \in (2^{(ty_2Epair_2Eprod A_27a A_27a)$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (6)$$

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS \\ & A_27a \in ((ty_2Ewellorder_2Ewellorder\ A_27a)^{(2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (7)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP \\ & A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \end{aligned} \quad (8)$$

Definition 29 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.(((\forall V2x \in A_27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A_27a.((p (ap V0P V3x)) \wedge (p V1Q))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A_27a.(p (ap V1Q V3x))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B)))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B))))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge ((p V2C) \vee (p V0A))) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\ & A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b.((ap\ (ap\ (c_2Epair_2E_2C \\ & A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ & (2^{A_27a}).(\forall V2x \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ \\ & V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ & (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1s \in (2^{A_27a}). (\forall V2t \in \\
& \quad (2^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EBlJ\ A_27a\ A_27b)\ V0f) \\
& \quad V1s)\ V2t)) \Leftrightarrow ((\forall V3x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad V3x)\ V1s)) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ (ap\ V0f\ V3x))\ V2t)))))) \wedge \\
& \quad (\exists V4g \in (A_27a^{A_27b}). ((\forall V5x \in A_27b. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A_27b)\ V5x)\ V2t)) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ (ap\ V4g\ V5x)) \\
& \quad V1s)))))) \wedge ((\forall V6x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad V6x)\ V1s)) \Rightarrow ((ap\ V4g\ (ap\ V0f\ V6x)) = V6x))) \wedge (\forall V7x \in A_27b. (\\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V7x)\ V2t)) \Rightarrow ((ap\ V0f\ (ap\ V4g\ V7x)) = \\
& \quad V7x)))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V0p))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p)) \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow ((\forall V0a \in (ty_2Ewellorder_2Ewellorder \\
& A_27a). ((ap (c_2Ewellorder_2Ewellorder_ABS A_27a) (ap (c_2Ewellorder_2Ewellorder_REP \\
& A_27a) V0a)) = V0a)) \wedge (\forall V1r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)}). \\
& ((p (ap (c_2Ewellorder_2Ewellorder A_27a) V1r)) \Leftrightarrow ((ap (c_2Ewellorder_2Ewellorder_REP \\
& A_27a) (ap (c_2Ewellorder_2Ewellorder_ABS A_27a) V1r)) = V1r))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0w \in (\text{ty_2Ewellorder_2Ewellorder } \\
& \quad A_27a).(\forall V1x \in A_27a.(\forall V2y \in A_27a.(((p (ap (ap (c_2Ebool_2EIN \\
& \quad A_27a) V1x) (ap (c_2Ewellorder_2EelsOf A_27a) V0w))) \wedge (p (ap (ap \\
& \quad (c_2Ebool_2EIN A_27a) V2y) (ap (c_2Ewellorder_2EelsOf A_27a) \\
& \quad V0w)))))) \Rightarrow ((p (ap (ap (c_2Ebool_2EIN (\text{ty_2Epair_2Eprod } A_27a A_27a)) \\
& (ap (ap (c_2Epair_2E_2C A_27a A_27a) V1x) V2y)) (ap (c_2Eset_relation_2Estrict \\
& \quad A_27a) (ap (c_2Ewellorder_2Ewellorder_REP A_27a) V0w)))))) \vee (\\
& \quad (V1x = V2y) \vee (p (ap (ap (c_2Ebool_2EIN (\text{ty_2Epair_2Eprod } A_27a A_27a)) \\
& (ap (ap (c_2Epair_2E_2C A_27a A_27a) V2y) V1x)) (ap (c_2Eset_relation_2Estrict \\
& \quad A_27a) (ap (c_2Ewellorder_2Ewellorder_REP A_27a) V0w))))))))) \\
& \hspace{15em} (50)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1w \in \\
& (\text{ty_2Ewellorder_2Ewellorder } A_27a).((p (ap (ap (c_2Ebool_2EIN \\
& (\text{ty_2Epair_2Eprod } A_27a A_27a)) (ap (ap (c_2Epair_2E_2C A_27a \\
& \quad A_27a) V0x) V0x)) (ap (c_2Eset_relation_2Estrict A_27a) (ap (\\
& \quad c_2Ewellorder_2Ewellorder_REP A_27a) V1w)))))) \Leftrightarrow \text{False})) \\
& \hspace{15em} (51)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& \quad A_27a.(\forall V2w \in (\text{ty_2Ewellorder_2Ewellorder } A_27a).(\forall V3z \in \\
& \quad A_27a.(((p (ap (ap (c_2Ebool_2EIN (\text{ty_2Epair_2Eprod } A_27a A_27a)) \\
& (ap (ap (c_2Epair_2E_2C A_27a A_27a) V0x) V1y)) (ap (c_2Eset_relation_2Estrict \\
& \quad A_27a) (ap (c_2Ewellorder_2Ewellorder_REP A_27a) V2w)))))) \wedge (\\
& \quad p (ap (ap (c_2Ebool_2EIN (\text{ty_2Epair_2Eprod } A_27a A_27a)) (ap (ap \\
& (c_2Epair_2E_2C A_27a A_27a) V1y) V3z)) (ap (c_2Eset_relation_2Estrict \\
& \quad A_27a) (ap (c_2Ewellorder_2Ewellorder_REP A_27a) V2w)))))) \Rightarrow \\
& \quad (p (ap (ap (c_2Ebool_2EIN (\text{ty_2Epair_2Eprod } A_27a A_27a)) (ap (\\
& (ap (c_2Epair_2E_2C A_27a A_27a) V0x) V3z)) (ap (c_2Eset_relation_2Estrict \\
& \quad A_27a) (ap (c_2Ewellorder_2Ewellorder_REP A_27a) V2w))))))))) \\
& \hspace{15em} (52)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0f1 \in (A.27b^{A.27a}). (\forall V1w1 \in (ty_2Ewellorder_2Ewellorder \\
& \quad A.27a). (\forall V2w2 \in (ty_2Ewellorder_2Ewellorder\ A.27b). (\\
& \quad \forall V3f2 \in (A.27b^{A.27a}). (((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EBIJ \\
& \quad A.27a\ A.27b)\ V0f1)\ (ap\ (c_2Ewellorder_2EelsOf\ A.27a)\ V1w1))\ (ap \\
& \quad (c_2Ewellorder_2EelsOf\ A.27b)\ V2w2))) \wedge ((p\ (ap\ (ap\ (ap\ (c_2Epred_set_2EBIJ \\
& \quad A.27a\ A.27b)\ V3f2)\ (ap\ (c_2Ewellorder_2EelsOf\ A.27a)\ V1w1))\ (ap \\
& \quad (c_2Ewellorder_2EelsOf\ A.27b)\ V2w2))) \wedge ((\forall V4x \in A.27a. \\
& \quad (\forall V5y \in A.27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27a)\ V4x)\ V5y))\ (ap \\
& \quad (c_2Eset_relation_2Estrict\ A.27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\
& \quad A.27a)\ V1w1)))))) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A.27b \\
& \quad A.27b))\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27b\ A.27b)\ (ap\ V0f1\ V4x))\ (ap\ V0f1 \\
& \quad V5y)))\ (ap\ (c_2Eset_relation_2Estrict\ A.27b)\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\
& \quad A.27b)\ V2w2)))))) \wedge (\forall V6x \in A.27a. (\forall V7y \in A.27a. (\\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A.27a\ A.27a))\ (ap\ (\\
& \quad ap\ (c_2Epair_2E_2C\ A.27a\ A.27a)\ V6x)\ V7y))\ (ap\ (c_2Eset_relation_2Estrict \\
& \quad A.27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A.27a)\ V1w1)))))) \Rightarrow \\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A.27b\ A.27b))\ (ap\ (\\
& \quad ap\ (c_2Epair_2E_2C\ A.27b\ A.27b)\ (ap\ V3f2\ V6x))\ (ap\ V3f2\ V7y)))\ (ap \\
& \quad (c_2Eset_relation_2Estrict\ A.27b)\ (ap\ (c_2Ewellorder_2Ewellorder_REP \\
& \quad A.27b)\ V2w2)))))) \Rightarrow (\forall V8x \in A.27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V8x)\ (ap\ (c_2Ewellorder_2EelsOf\ A.27a)\ V1w1))) \Rightarrow ((ap\ V0f1 \\
& \quad V8x) = (ap\ V3f2\ V8x))))))
\end{aligned}$$