

thm\_2Ewellorder\_2Eorderlt\_\_orderiso  
(TMN2dVBVqQQ7vqy4Db4duqiYVem1dB3tRCV)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2EIN` to be  $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f \ V0x)))$

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a})) (\lambda V1t \in 2.V1t)) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.V2t))))$

**Definition 8** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \ (\text{ap } (\text{c\_2Emin\_2E\_40 } A) P)))$

**Definition 9** We define `c_2Epred__set_2ESURJ` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0f \in (A. 27b^{A-27a}). \lambda V1s \in (2^{A-27b})$

**Definition 10** We define `c_2Epred__set_2EINJ` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0f \in (A. 27b^{A-27a}). \lambda V1s \in (2^{A-27b})$

**Definition 11** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 12** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.V2t))))$

**Definition 13** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t) (\text{c\_2Ebool\_2E\_7E } V0t))))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{1}$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (2)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP \\ & A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \end{aligned} \quad (3)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ x\ y))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ & A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ & A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 15** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})^{A\_27b}$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ & A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (7)$$

**Definition 16** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$

**Definition 17** We define  $c\_2Eset\_relation\_2Erangle$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$

**Definition 18** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$

**Definition 19** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ s\ t))$

**Definition 20** We define  $c\_2Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 21** We define  $c\_2Ewellorder\_2Eorderiso$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 22** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 23** We define  $c\_Eset\_relation\_Erestrict$  to be  $\lambda A\_27a : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$

Let  $c\_2Ewellorder\_2Ewellorder\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_ABS \\ & A\_27a \in ((ty\_2Ewellorder\_2Ewellorder\ A\_27a)^{(2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})}) \end{aligned} \quad (8)$$

**Definition 24** We define  $c\_2Ewellorder\_2Ewobound$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 25** We define  $c\_2Ewellorder\_2EorderIt$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 26** We define  $c\_2Epred\_set\_2EBIJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27a})$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V0P V3x))) \wedge (\forall V4x \in A.27a. (p (ap V1Q V4x))))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in 2. (((\forall V2x \in A.27a. (p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A.27a. ((p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). (((p V0P) \wedge (\forall V2x \in A.27a. (p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a. ((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). (((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \quad \forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1s \in (2^{A_{.27a}}).(\forall V2t \in \\ & \quad (2^{A_{.27b}}).((p (ap (ap (ap (c_{.2E}pred\_set_{.2E}BIJ A_{.27a} A_{.27b}) V0f) \\ & \quad V1s) V2t)) \Leftrightarrow ((\forall V3x \in A_{.27a}.((p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27a} \\ & \quad V3x) V1s)) \Rightarrow (p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27b}) (ap V0f V3x)) V2t)))))) \wedge \\ & \quad (\exists V4g \in (A_{.27a}^{A_{.27b}}).(\forall V5x \in A_{.27b}.((p (ap (ap (c_{.2E}bool_{.2E}IN \\ & \quad A_{.27b}) V5x) V2t)) \Rightarrow (p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27a}) (ap V4g V5x)) \\ & \quad V1s)))))) \wedge ((\forall V6x \in A_{.27a}.((p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27a} \\ & \quad V6x) V1s)) \Rightarrow ((ap V4g (ap V0f V6x)) = V6x))) \wedge (\forall V7x \in A_{.27b}.( \\ & \quad (p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27b}) V7x) V2t)) \Rightarrow ((ap V0f (ap V4g V7x)) = \\ & \quad V7x)))))))))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & \quad (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg( \\ & \quad p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p))) \wedge ((p V2r) \vee \\ & \quad ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{38}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{39}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in \\
& A.27a. (\forall V2z \in A.27a. (\forall V3w \in (ty\_2Ewellorder\_2Ewellorder \\
& A.27a). ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod A.27a A.27a)) \\
& (ap (ap (c\_2Epair\_2E\_2C A.27a A.27a) V0x) V1y)) (ap (c\_2Eset\_relation\_2Estrict \\
& A.27a) (ap (c\_2Ewellorder\_2Ewellorder\_REP A.27a) (ap (ap (c\_2Ewellorder\_2Ewobound \\
& A.27a) V2z) V3w)))))) \Leftrightarrow ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod \\
& A.27a A.27a)) (ap (ap (c\_2Epair\_2E\_2C A.27a A.27a) V0x) V2z)) (ap \\
& (c\_2Eset\_relation\_2Estrict A.27a) (ap (c\_2Ewellorder\_2Ewellorder\_REP \\
& A.27a) V3w)))) \wedge ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod A.27a \\
& A.27a)) (ap (ap (c\_2Epair\_2E\_2C A.27a A.27a) V1y) V2z)) (ap (c\_2Eset\_relation\_2Estrict \\
& A.27a) (ap (c\_2Ewellorder\_2Ewellorder\_REP A.27a) V3w)))) \wedge ( \\
& p (ap (ap (c\_2Ebool\_2EIN (ty\_2Epair\_2Eprod A.27a A.27a)) (ap (ap \\
& (c\_2Epair\_2E\_2C A.27a A.27a) V0x) V1y)) (ap (c\_2Eset\_relation\_2Estrict \\
& A.27a) (ap (c\_2Ewellorder\_2Ewellorder\_REP A.27a) V3w))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A.27a). (\forall V1w2 \in \\
& (ty\_2Ewellorder\_2Ewellorder\ A.27b). ((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\
& \quad A.27a\ A.27b)\ V0w1)\ V1w2)) \Leftrightarrow (\exists V2f \in (A.27b^{A.27a}). ((p\ (ap\ ( \\
& \quad ap\ (ap\ (c\_2Epred\_set\_2EBIJ\ A.27a\ A.27b)\ V2f)\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& \quad A.27a)\ V0w1))\ (ap\ (c\_2Ewellorder\_2EelsOf\ A.27b)\ V1w2))) \wedge (\forall V3x \in \\
& \quad A.27a. (\forall V4y \in A.27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod \\
& \quad A.27a\ A.27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27a)\ V3x)\ V4y))\ (ap \\
& \quad (c\_2Eset\_relation\_2Estrict\ A.27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_REP \\
& \quad A.27a)\ V0w1)))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A.27b \\
& \quad A.27b))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27b\ A.27b)\ (ap\ V2f\ V3x))\ (ap\ V2f \\
& \quad V4y)))\ (ap\ (c\_2Eset\_relation\_2Estrict\ A.27b)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_REP \\
& \quad A.27b)\ V1w2)))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A.27a). (\forall V1w2 \in \\
& (ty\_2Ewellorder\_2Ewellorder\ A.27b). ((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\
& \quad A.27a\ A.27b)\ V0w1)\ V1w2)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\
& \quad A.27b\ A.27a)\ V1w2)\ V0w1))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A.27a). \\
& \quad (\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder\ A.27b). (\forall V2w3 \in \\
& (ty\_2Ewellorder\_2Ewellorder\ A.27c). (((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\
& \quad A.27a\ A.27b)\ V0w1)\ V1w2)) \wedge (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\
& \quad A.27b\ A.27c)\ V1w2)\ V2w3))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\
& \quad A.27a\ A.27c)\ V0w1)\ V2w3))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27b^{A\_27a}). (\forall V1w1 \in (ty\_2Ewellorder\_2Ewellorder \\
& A\_27a). (\forall V2w2 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27b). ( \\
& \forall V3x \in A\_27a. (((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EBIJ\ A\_27a \\
& A\_27b)\ V0f)\ (ap\ (c\_2Ewellorder\_2EelsOf\ A\_27a)\ V1w1))\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& A\_27b)\ V2w2)))) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& A\_27a)\ V1w1)))) \wedge (\forall V4x \in A\_27a. (\forall V5y \in A\_27a. ((p\ (ap \\
& (ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& A\_27a\ A\_27a)\ V4x)\ V5y))\ (ap\ (c\_2Eset\_relation\_2Estrict\ A\_27a) \\
& (ap\ (c\_2Ewellorder\_2Ewellorder\_REP\ A\_27a)\ V1w1)))) \Rightarrow (p\ (ap\ ( \\
& ap\ (c\_2Ebool\_2EIN\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27b))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& A\_27b\ A\_27b)\ (ap\ V0f\ V4x))\ (ap\ V0f\ V5y)))\ (ap\ (c\_2Eset\_relation\_2Estrict \\
& A\_27b)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_REP\ A\_27b)\ V2w2)))))) \Rightarrow \\
& (p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EBIJ\ A\_27a\ A\_27b)\ V0f)\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& A\_27a)\ (ap\ (ap\ (c\_2Ewellorder\_2Ewobound\ A\_27a)\ V3x)\ V1w1)))\ (ap \\
& (c\_2Ewellorder\_2EelsOf\ A\_27b)\ (ap\ (ap\ (c\_2Ewellorder\_2Ewobound \\
& A\_27b)\ (ap\ V0f\ V3x))\ V2w2))))))
\end{aligned} \tag{45}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0x0 \in ( \\
& ty\_2Ewellorder\_2Ewellorder\ A\_27a). (\forall V1y0 \in (ty\_2Ewellorder\_2Ewellorder \\
& A\_27b). (\forall V2a0 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27c). ( \\
& \forall V3b0 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27d). (((p\ (ap\ (ap \\
& (c\_2Ewellorder\_2Eorderiso\ A\_27a\ A\_27b)\ V0x0)\ V1y0)) \wedge (p\ (ap\ (ap \\
& (c\_2Ewellorder\_2Eorderiso\ A\_27c\ A\_27d)\ V2a0)\ V3b0))) \Rightarrow ((p\ (ap \\
& (ap\ (c\_2Ewellorder\_2Eorderlt\ A\_27a\ A\_27c)\ V0x0)\ V2a0)) \Leftrightarrow (p\ (ap \\
& (ap\ (c\_2Ewellorder\_2Eorderlt\ A\_27b\ A\_27d)\ V1y0)\ V3b0))))))
\end{aligned}$$