

thm\_2Ewellorder\_2Ewo2wo\_\_11  
(TMLFEbb3JZHjzCNMHSSizKWexzChWypDYHs)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2E\_2ET)$ .

**Definition 4** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 5** We define  $c\_2Emarker\_2E\_2ECong$  to be  $\lambda V0x \in 2.V0x$ .

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (1)$$

Let  $c\_2Eoption\_2E\_2EIS\_SOME : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2E\_2EIS\_SOME A\_27a \in (2^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (2)$$

Let  $c\_2Eoption\_2E\_2EIS\_NONE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2E\_2EIS\_NONE A\_27a \in (2^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (3)$$

**Definition 6** We define  $c\_2Emin\_2E\_2E40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_2E40 A\_27a) P)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2E2F$  to be  $(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_2Emin\_2E\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2E5C\_2E2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (4)$$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (5)$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (6)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \quad (7)$$

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.(ap\ (c\_2Ebool\_2E\_7E)\ V2t)\ V1t2)\ V0t1)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

**Definition 14** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (10)$$

**Definition 15** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})^{A\_27b}$

**Definition 16** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$

**Definition 17** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 18** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 19** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2E$

**Definition 20** We define  $c\_2Epred\_set\_2EEDIFF$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2E$

**Definition 21** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1x \in A\_27a. (ap (a$

Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2ETHE A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (11)$$

**Definition 22** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (12)$$

**Definition 23** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2E$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (13)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (14)$$

**Definition 24** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (15)$$

**Definition 25** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c$

**Definition 26** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 27** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0f \in (A\_27b^{A\_27a}). (\lambda V1x \in A\_27$

**Definition 28** We define  $c\_2Eset\_relation\_2Erangle$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod A$

**Definition 29** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod$

**Definition 30** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c$

**Definition 31** We define  $c\_Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A$

**Definition 32** We define  $c\_Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS$

**Definition 33** We define  $c\_Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_$

**Definition 34** We define  $c\_Eoption\_2Esome$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap (ap (ap (c\_2Ebool\_2EC$

**Definition 35** We define  $c\_Ewellorder\_2Ewleast$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ebool\_2EARB A\_27a \in A\_27a \quad (16)$$

**Definition 36** We define  $c\_2Erelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1$

**Definition 37** We define  $c\_2Erelation\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2b$

**Definition 38** We define  $c\_2Erelation\_2Eapprox$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 39** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 40** We define  $c\_2Erelation\_2EWFREC$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 41** We define  $c\_2Ewellorder\_2Ewo2wo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2E$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap (ap (c\_2Ebool\_2ELET A\_27a A\_27b) V0f) V1x) = (ap V0f V1x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p V0P) \wedge (\forall V2x \in A\_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A\_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.((\exists V2x \in A\_27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a.(p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((\exists V2x \in A\_27a.((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A\_27a.(p (ap V1Q V3x))))))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a.(p (ap V1P V3x)) \vee (p V0Q)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (33)$$

Assume the following.

$$(\forall V0v \in 2. ((p (ap c\_2Ebool\_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg((c\_2Eoption\_2ENONE A\_27a) = (ap (c\_2Eoption\_2ESOME A\_27a) V0x)))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap (c\_2Eoption\_2ETHE A\_27a) (ap (c\_2Eoption\_2ESOME A\_27a) V0x)) = V0x)) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1X \in ( \\ ty\_2Eoption\_2Eoption A\_27a). (\forall V2x \in A\_27a. (((ap (ap ( \\ ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption A\_27a)) V0P) V1X) ( \\ c\_2Eoption\_2ENONE A\_27a)) = (c\_2Eoption\_2ENONE A\_27a)) \Leftrightarrow ((p V0P) \Rightarrow \\ (p (ap (c\_2Eoption\_2EIS\_NONE A\_27a) V1X)))) \wedge (((ap (ap (ap (c\_2Ebool\_2ECOND \\ (ty\_2Eoption\_2Eoption A\_27a)) V0P) (c\_2Eoption\_2ENONE A\_27a)) \\ V1X) = (c\_2Eoption\_2ENONE A\_27a)) \Leftrightarrow ((p (ap (c\_2Eoption\_2EIS\_SOME \\ A\_27a) V1X)) \Rightarrow (p V0P)))) \wedge (((ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption \\ A\_27a) V0P) V1X) (c\_2Eoption\_2ENONE A\_27a)) = (ap (c\_2Eoption\_2ESOME \\ A\_27a) V2x)) \Leftrightarrow ((p V0P) \wedge (V1X = (ap (c\_2Eoption\_2ESOME A\_27a) V2x)))) \wedge \\ (((ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption A\_27a)) \\ V0P) (c\_2Eoption\_2ENONE A\_27a)) V1X) = (ap (c\_2Eoption\_2ESOME \\ A\_27a) V2x)) \Leftrightarrow ((\neg(p V0P)) \wedge (V1X = (ap (c\_2Eoption\_2ESOME A\_27a) \\ V2x)))))))))) \quad (37) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\ A\_27b. (((ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y) = (ap (ap \\ (c\_2Epair\_2E\_2C A\_27a A\_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (38) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ & A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1x \in \\ & A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1x) \\ & (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a)\ V0s)\ V2y))) \Leftrightarrow ((p\ (ap\ (ap \\ & (c\_2Ebool\_2EIN\ A\_27a)\ V1x)\ V0s)) \wedge \neg(V1x = V2y)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\ & ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ & A\_27a\ A\_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg( \\ & p\ V2r)) \vee (\neg(p\ V1q))) \wedge ((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee (\neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{52}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{53}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{54}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{55}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0w \in (ty\_2Ewellorder\_2Ewellorder \\
& A.27a). (\forall V1x \in A.27a. (\forall V2y \in A.27a. (((p \ (ap \ (ap \ (c.2Ebool\_2EIN \\
& A.27a) \ V1x) \ (ap \ (c.2Ewellorder\_2EelsOf \ A.27a) \ V0w))) \wedge (p \ (ap \ (ap \\
& (c.2Ebool\_2EIN \ A.27a) \ V2y) \ (ap \ (c.2Ewellorder\_2EelsOf \ A.27a) \\
& V0w)))) \Rightarrow ((p \ (ap \ (ap \ (c.2Ebool\_2EIN \ (ty\_2Epair\_2Eprod \ A.27a \ A.27a)) \\
& (ap \ (ap \ (c.2Epair\_2E\_2C \ A.27a \ A.27a) \ V1x) \ V2y)) \ (ap \ (c.2Eset\_relation\_2Estrict \\
& A.27a) \ (ap \ (c.2Ewellorder\_2Ewellorder\_REP \ A.27a) \ V0w)))) \vee ( \\
& (V1x = V2y) \vee (p \ (ap \ (ap \ (c.2Ebool\_2EIN \ (ty\_2Epair\_2Eprod \ A.27a \ A.27a)) \\
& (ap \ (ap \ (c.2Epair\_2E\_2C \ A.27a \ A.27a) \ V2y) \ V1x)) \ (ap \ (c.2Eset\_relation\_2Estrict \\
& A.27a) \ (ap \ (c.2Ewellorder\_2Ewellorder\_REP \ A.27a) \ V0w)))))))))
\end{aligned} \tag{57}$$



Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0w \in (ty\_2Ewellorder\_2Ewellorder\ A.27a).(\forall V1w2 \in \\
& \quad (ty\_2Ewellorder\_2Ewellorder\ A.27b).(\forall V2x \in A.27a.((ap \\
& \quad (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A.27a\ A.27b)\ V0w)\ V1w2)\ V2x) = (ap \\
& \quad (ap\ (c\_2Ebool\_2ELET\ (2^{(ty\_2Eoption\_2Eoption\ A.27b)})\ (ty\_2Eoption\_2Eoption \\
& \quad A.27b))\ (\lambda V3s0 \in (2^{(ty\_2Eoption\_2Eoption\ A.27b)}). (ap\ (ap \\
& \quad (c\_2Ebool\_2ELET\ (2^{A.27b})\ (ty\_2Eoption\_2Eoption\ A.27b))\ (\lambda V4s1 \in \\
& \quad (2^{A.27b}). (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption \\
& \quad A.27b))\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A.27b})\ V4s1)\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& \quad A.27b)\ V1w2))))\ (c\_2Eoption\_2ENONE\ A.27b))\ (ap\ (ap\ (c\_2Ewellorder\_2Eleast \\
& \quad A.27b)\ V1w2)\ V4s1))))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Eoption\_2Eoption \\
& \quad A.27b)\ A.27b)\ (c\_2Eoption\_2ETHE\ A.27b))\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE \\
& \quad (ty\_2Eoption\_2Eoption\ A.27b))\ V3s0)\ (c\_2Eoption\_2ENONE\ A.27b)))))) \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A.27a\ (ty\_2Eoption\_2Eoption\ A.27b)) \\
& \quad (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A.27a\ A.27b)\ V0w)\ V1w2))\ (ap\ (ap \\
& \quad (c\_2Ewellorder\_2Eiseg\ A.27a)\ V0w)\ V2x))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0w \in (ty\_2Ewellorder\_2Ewellorder \\
& \quad A.27a).(\forall V1s \in (2^{A.27a}).(\forall V2x \in A.27a.(((ap\ (ap \\
& \quad (c\_2Ewellorder\_2Eleast\ A.27a)\ V0w)\ V1s) = (ap\ (c\_2Eoption\_2ESOME \\
& \quad A.27a)\ V2x)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V2x)\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& \quad A.27a)\ V0w))) \wedge ((\neg(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V2x)\ V1s)))) \wedge \\
& \quad (\forall V3y \in A.27a.(((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V3y)\ (ap \\
& \quad (c\_2Ewellorder\_2EelsOf\ A.27a)\ V0w))) \wedge ((\neg(p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A.27a)\ V3y)\ V1s)))) \wedge (\neg(V2x = V3y)))))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ( \\
& \quad ty\_2Epair\_2Eprod\ A.27a\ A.27a))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27a) \\
& \quad V2x)\ V3y))\ (ap\ (c\_2Eset\_relation\_2Estrict\ A.27a)\ (ap\ (c\_2Ewellorder\_2Ewellorder\_REP \\
& \quad A.27a)\ V0w))))))))))
\end{aligned} \tag{59}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0x1 \in A.27a.(\forall V1w1 \in (ty\_2Ewellorder\_2Ewellorder \\
& \quad A.27a).(\forall V2x2 \in A.27a.(\forall V3w2 \in (ty\_2Ewellorder\_2Ewellorder \\
& \quad A.27b).(\forall V4y \in A.27b.(((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a) \\
& \quad V0x1)\ (ap\ (c\_2Ewellorder\_2EelsOf\ A.27a)\ V1w1))) \wedge ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A.27a)\ V2x2)\ (ap\ (c\_2Ewellorder\_2EelsOf\ A.27a)\ V1w1))) \wedge ((ap \\
& \quad (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A.27a\ A.27b)\ V1w1)\ V3w2)\ V0x1) = \\
& \quad (ap\ (c\_2Eoption\_2ESOME\ A.27b)\ V4y)) \wedge ((ap\ (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo \\
& \quad A.27a\ A.27b)\ V1w1)\ V3w2)\ V2x2) = (ap\ (c\_2Eoption\_2ESOME\ A.27b)\ V4y)))))) \Rightarrow \\
& \quad (V0x1 = V2x2))))))
\end{aligned}$$