

thm_2Ewellorder_2Ewo2wo_EQ_NONE (TMX1a1RHn3kpJbFTX32d5Atc3HRECAu6Hsd)

October 26, 2020

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 3 We define c_2Ebool_2E2T to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ (\lambda V1t \in 2.V1t))\ (\lambda V2t \in 2.V2t))$

Definition 5 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 6 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \tag{4}$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \tag{5}$$

Definition 7 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_2A$

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Eoption_2EIS_SOME\ A_27a \in (2^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (6)$$

Let $c_2Eoption_2EIS_NONE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Eoption_2EIS_NONE\ A_27a \in (2^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (7)$$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ x) \text{ of type } \iota \Rightarrow \iota).$

Definition 9 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ P))))$

Definition 10 We define $c_2Ebool_2E_F$ to be $(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V0t \in 2. V0t)$.

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. V2t))))$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (9)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \quad (10)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (11)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ V0x\ V1y))$

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x))))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (12)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (13)$$

Definition 15 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27a})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (14)$$

Definition 16 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 18 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0f \in (A_27b)^{A_27a}). (\lambda V1x \in A_27a. ($

Definition 19 We define $c_2Eset_relation_2Erangle$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 20 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 22 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 23 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone)$

Definition 24 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS$

Definition 25 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a))\ (c_2E$

Definition 26 We define $c_2Eoption_2Esome$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A_27a}). (ap\ (ap\ (ap\ (c_2Ebool_2ECO$

Definition 27 We define $c_2Ewellorder_2Ewleast$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 28 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 29 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b)^{A_27a}. \lambda V1s \in$

Definition 30 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E_EF)$.

Definition 31 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2E$

Definition 32 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 33 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1x \in A_27a. (ap (a$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (15)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (16)$$

Definition 34 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1$

Definition 35 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b$

Definition 36 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 37 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 38 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 39 We define $c_2Ewellorder_2Ewo2wo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_2E$

Definition 40 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap ($

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1x \in A_27a. ((ap\ (ap\ (c_2Ebool_2ELET\ A_27a\ A_27b)\ V0f)\ V1x) = (ap\ V0f\ V1x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.((\exists V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \wedge (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A_27a.(p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A_27a.(p\ (ap\ V1Q\ V3x)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.((\forall V2x \in A_27a.((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A_27a.(p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))) \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0f \in (2^{A_27a}). (\forall V1v \in \\ A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (\\ ap V0f V1v)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\ A_27a). ((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a. \\ (V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow ((\forall V0x \in A_27a. ((p (ap (c_2Eoption_2EIS_SOME \\ A_27a) (ap (c_2Eoption_2ESOME A_27a) V0x))) \Leftrightarrow \text{True})) \wedge ((p (ap (c_2Eoption_2EIS_SOME \\ A_27a) (c_2Eoption_2ENONE A_27a))) \Leftrightarrow \text{False})) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0P \in 2. (\forall V1X \in (\\ ty_2Eoption_2Eoption A_27a). (\forall V2x \in A_27a. (((ap (ap (\\ ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_27a)) V0P) V1X) (\\ c_2Eoption_2ENONE A_27a)) = (c_2Eoption_2ENONE A_27a)) \Leftrightarrow ((p V0P) \Rightarrow \\ (p (ap (c_2Eoption_2EIS_NONE A_27a) V1X)))) \wedge (((ap (ap (ap (c_2Ebool_2ECOND \\ (ty_2Eoption_2Eoption A_27a)) V0P) (c_2Eoption_2ENONE A_27a)) \\ V1X) = (c_2Eoption_2ENONE A_27a)) \Leftrightarrow ((p (ap (c_2Eoption_2EIS_SOME \\ A_27a) V1X)) \Rightarrow (p V0P)))) \wedge (((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption \\ A_27a)) V0P) V1X) (c_2Eoption_2ENONE A_27a)) = (ap (c_2Eoption_2ESOME \\ A_27a) V2x)) \Leftrightarrow ((p V0P) \wedge (V1X = (ap (c_2Eoption_2ESOME A_27a) V2x)))) \wedge \\ (((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_27a)) \\ V0P) (c_2Eoption_2ENONE A_27a)) V1X) = (ap (c_2Eoption_2ESOME \\ A_27a) V2x)) \Leftrightarrow ((\neg (p V0P)) \wedge (V1X = (ap (c_2Eoption_2ESOME A_27a) \\ V2x)))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow (\\ \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ A_27b. (((ap (ap (c_2Epair_2E_2C A_27a A_27b) V0x) V1y) = (ap (ap \\ (c_2Epair_2E_2C A_27a A_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow (\\ \forall V0f \in ((ty_2Epair_2Eprod A_27a 2)^{A_27b}). (\forall V1v \in \\ A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) V1v) (ap (c_2Epred_set_2EGSPEC \\ A_27a A_27b) V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap (ap (c_2Epair_2E_2C \\ A_27a 2) V1v) c_2Ebool_2ET) = (ap V0f V2x)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2u \in (2^{A_27a}). (((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET \\ A_27a)\ V0s)\ V1t)) \wedge (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V1t) \\ V2u)))) \Rightarrow (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V0s)\ V2u)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V0s)\ V0s))) \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V0s)\ V1t)) \wedge \\ (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V1t)\ V0s))) \Rightarrow (V0s = V1t)))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1x \in \\ A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x) \\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V0s)\ V2y))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s)) \wedge (\neg(V1x = V2y))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\ ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V0y)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\ A_27a\ A_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s))))))) \end{aligned} \quad (42)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \ V0A)) \Rightarrow False) \Rightarrow ((p \ V0A) \Rightarrow False) \Rightarrow False))) \quad (47)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (\\ &(p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg(\\ &p \ V2r)) \vee (\neg(p \ V1q)))))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))))) \wedge ((p \ V2r) \vee \\ &((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (\\ &(p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\ &(\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (\\ &(p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\ &((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (\\ &(p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((\\ &\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2.(\forall V1q \in 2.(((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\ &(p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \quad (54)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& \quad A_27a. (\forall V2w \in (ty_2Ewellorder_2Ewellorder\ A_27a). (\forall V3z \in \\
& \quad A_27a. (((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a)) \\
& (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V0x)\ V1y))\ (ap\ (c_2Eset_relation_2Estrict \\
& \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A_27a)\ V2w)))) \wedge (\\
& \quad p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (ap \\
& (c_2Epair_2E_2C\ A_27a\ A_27a)\ V1y)\ V3z))\ (ap\ (c_2Eset_relation_2Estrict \\
& \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A_27a)\ V2w)))))) \Rightarrow \\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (\\
& ap\ (c_2Epair_2E_2C\ A_27a\ A_27a)\ V0x)\ V3z))\ (ap\ (c_2Eset_relation_2Estrict \\
& \quad A_27a)\ (ap\ (c_2Ewellorder_2Ewellorder_REP\ A_27a)\ V2w))))))))) \\
& \hspace{15em} (55)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow (\\
& \quad \forall V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a). (\forall V1w2 \in \\
& \quad (ty_2Ewellorder_2Ewellorder\ A_27b). (\forall V2x \in A_27a. ((ap \\
& \quad (ap\ (ap\ (c_2Ewellorder_2Ewo2wo\ A_27a\ A_27b)\ V0w)\ V1w2)\ V2x) = (ap \\
& \quad (ap\ (c_2Ebool_2ELET\ (2^{(ty_2Eoption_2Eoption\ A_27b)})\ (ty_2Eoption_2Eoption \\
& \quad \quad A_27b))\ (\lambda V3s0 \in (2^{(ty_2Eoption_2Eoption\ A_27b)}). (ap\ (ap \\
& \quad (c_2Ebool_2ELET\ (2^{A_27b})\ (ty_2Eoption_2Eoption\ A_27b))\ (\lambda V4s1 \in \\
& \quad (2^{A_27b}). (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption \\
& \quad \quad A_27b))\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27b})\ V4s1)\ (ap\ (c_2Ewellorder_2EelsOf \\
& \quad \quad A_27b)\ V1w2))))\ (c_2Eoption_2ENONE\ A_27b))\ (ap\ (ap\ (c_2Ewellorder_2Ewleast \\
& \quad \quad A_27b)\ V1w2)\ V4s1))))\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eoption_2Eoption \\
& \quad \quad A_27b)\ A_27b)\ (c_2Eoption_2ETHE\ A_27b))\ (ap\ (ap\ (c_2Epred_set_2EDELETE \\
& \quad \quad (ty_2Eoption_2Eoption\ A_27b))\ V3s0)\ (c_2Eoption_2ENONE\ A_27b)))))) \\
& \quad (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ (ty_2Eoption_2Eoption\ A_27b)) \\
& \quad (ap\ (ap\ (c_2Ewellorder_2Ewo2wo\ A_27a\ A_27b)\ V0w)\ V1w2))\ (ap\ (ap \\
& \quad \quad (c_2Ewellorder_2Eiseg\ A_27a)\ V0w)\ V2x))))))))) \\
& \hspace{15em} (56)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0w \in (ty_2Ewellorder_2Ewellorder \\
& \quad A_27a). (\forall V1s \in (2^{A_27a}). (((ap\ (ap\ (c_2Ewellorder_2Ewleast \\
& A_27a)\ V0w)\ V1s) = (c_2Eoption_2ENONE\ A_27a)) \Rightarrow (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET \\
& \quad A_27a)\ (ap\ (c_2Ewellorder_2EelsOf\ A_27a)\ V0w))\ V1s)))))) \\
& \hspace{15em} (57)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27b).(\forall V1w2 \in \\
& (ty_2Ewellorder_2Ewellorder\ A_27a).(\forall V2x \in A_27b.(p\ (\\
& ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\
& (ty_2Eoption_2Eoption\ A_27a)\ A_27a)\ (c_2Eoption_2ETHE\ A_27a)) \\
& (ap\ (ap\ (c_2Epred_set_2EDELETE\ (ty_2Eoption_2Eoption\ A_27a)) \\
& (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27b\ (ty_2Eoption_2Eoption\ A_27a)) \\
& (ap\ (ap\ (c_2Ewellorder_2Ewo2wo\ A_27b\ A_27a)\ V0w1)\ V1w2))\ (ap\ (ap \\
& (c_2Ewellorder_2Eiseg\ A_27b)\ V0w1)\ V2x)))\ (c_2Eoption_2ENONE \\
& A_27a))))\ (ap\ (c_2Ewellorder_2EelsOf\ A_27a)\ V1w2)))))) \\
& \hspace{15em} (58)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a).(\forall V1w2 \in \\
& (ty_2Ewellorder_2Ewellorder\ A_27b).(\forall V2x \in A_27a.(((\\
& ap\ (ap\ (ap\ (c_2Ewellorder_2Ewo2wo\ A_27a\ A_27b)\ V0w1)\ V1w2)\ V2x) = \\
& (c_2Eoption_2ENONE\ A_27b))) \Rightarrow (\forall V3y \in A_27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& (ty_2Epair_2Eprod\ A_27a\ A_27a))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a \\
& A_27a)\ V2x)\ V3y))\ (ap\ (c_2Eset_relation_2Estrict\ A_27a)\ (ap\ (\\
& c_2Ewellorder_2Ewellorder_REP\ A_27a)\ V0w1)))) \Rightarrow ((ap\ (ap\ (ap \\
& (c_2Ewellorder_2Ewo2wo\ A_27a\ A_27b)\ V0w1)\ V1w2)\ V3y) = (c_2Eoption_2ENONE \\
& A_27b))))))))))
\end{aligned}$$