

# thm\_2Ewellorder\_2Ewo2wo\_\_EQ\_\_NONE\_\_woseg (TMdiSuzacPvvgUyx5t5ZzJn3unSPpVRrs1V)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

**Definition 4** We define `c_2Ebool_2E_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define `c_2Ebool_2EBOUNDED` to be  $(\lambda V0v \in 2.c_2Ebool_2E_2ET)$ .

Let `ty_2Eone_2Eone` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

**Definition 6** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P)))$

**Definition 8** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let `ty_2Esum_2Esum` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let `c_2Esum_2EABS_sum` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A_27a\ A_27b \in ((ty\_2Esum\_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

**Definition 9** We define `c_2Esum_2EINL` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS\_sum\ A_27a\ A_27b) V0e)$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (4)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (5)$$

**Definition 10** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap\ (c\_2Eoption\_2Eoption\_ABS\ V0x))$

Let  $c\_2Eoption\_2EIS\_SOME : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EIS\_SOME\ A\_27a \in (2^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (6)$$

Let  $c\_2Eoption\_2EIS\_NONE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EIS\_NONE\ A\_27a \in (2^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (7)$$

**Definition 11** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 12** We define  $c\_2Ebool\_2E21$  to be  $(ap\ (c\_2Ebool\_2E21\ 2))\ (\lambda V0t \in 2. V0t)$ .

**Definition 13** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E21\ 2))\ (\lambda V2t \in 2. V2t))))$

**Definition 14** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21))$

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap\ V2t2\ V1t1))))$

**Definition 16** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0f \in (A\_27b^{A\_27a}). (\lambda V1x \in A\_27b. (ap\ V1x\ f)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (9)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP\ A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 17** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (12)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (13)$$

**Definition 18** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$ . Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (14)$$

**Definition 19** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$ .

**Definition 20** We define  $c\_2Eset\_relation\_2Erange$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$ .

**Definition 21** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$ .

**Definition 22** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Eunion\_2Eunion : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

**Definition 23** We define  $c\_2Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 24** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E40\ ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone.2Eone))$ .

**Definition 25** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

**Definition 26** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS\ A\_27a) (c\_2Eoption\_2ENONE))$ .

**Definition 27** We define  $c\_2Eoption\_2Esome$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap (ap (ap (c\_2Ebool\_2Ebool\_2Ebool : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

**Definition 28** We define  $c\_2Ewellorder\_2Ewleast$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 29** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 30** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a}).(ap (c\_2Eimage\_2Eimage : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

**Definition 31** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 32** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2Einsert\_2Einsert : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

**Definition 33** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ediff\_2Ediff : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

**Definition 34** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap (ap$

Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2ETHE A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (15)$$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ebool\_2EARB A\_27a \in A\_27a \quad (16)$$

**Definition 35** We define  $c\_2ERelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1$

**Definition 36** We define  $c\_2ERelation\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2b$

**Definition 37** We define  $c\_2ERelation\_2Eapprox$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 38** We define  $c\_2ERelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 39** We define  $c\_2ERelation\_2EWFREC$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 40** We define  $c\_2Ewellorder\_2Ewo2wo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2E$

**Definition 41** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap ($

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap (ap (c\_2Ebool\_2ELET A\_27a A\_27b) V0f) V1x) = (ap V0f V1x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2^{A.27a}.(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2^{A.27a}.(((\forall V2x \in A.27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p (ap V1Q V3x)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (30)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27}))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (31)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c\_2Ebool\_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in (ty\_2Eoption\_2Eoption \\ A\_27a).((\neg(p (ap (c\_2Eoption\_2EIS\_SOME A\_27a) V0x))) \Leftrightarrow (V0x = \\ (c\_2Eoption\_2ENONE A\_27a)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1X \in ( \\ ty\_2Eoption\_2Eoption A\_27a).(\forall V2x \in A\_27a.((((ap (ap ( \\ ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption A\_27a) V0P) V1X) ( \\ c\_2Eoption\_2ENONE A\_27a)) = (c\_2Eoption\_2ENONE A\_27a)) \Leftrightarrow ((p V0P) \Rightarrow \\ (p (ap (c\_2Eoption\_2EIS\_NONE A\_27a) V1X)))) \wedge (((ap (ap (ap (c\_2Ebool\_2ECOND \\ (ty\_2Eoption\_2Eoption A\_27a) V0P) (c\_2Eoption\_2ENONE A\_27a)) \\ V1X) = (c\_2Eoption\_2ENONE A\_27a)) \Leftrightarrow ((p (ap (c\_2Eoption\_2EIS\_SOME \\ A\_27a) V1X)) \Rightarrow (p V0P))) \wedge (((ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption \\ A\_27a) V0P) V1X) (c\_2Eoption\_2ENONE A\_27a)) = (ap (c\_2Eoption\_2ESOME \\ A\_27a) V2x)) \Leftrightarrow ((p V0P) \wedge (V1X = (ap (c\_2Eoption\_2ESOME A\_27a) V2x)))) \wedge \\ (((ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption A\_27a) \\ V0P) (c\_2Eoption\_2ENONE A\_27a)) V1X) = (ap (c\_2Eoption\_2ESOME \\ A\_27a) V2x)) \Leftrightarrow ((\neg(p V0P)) \wedge (V1X = (ap (c\_2Eoption\_2ESOME A\_27a) \\ V2x)))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p (ap (ap (c\_2Ebool\_2EIN \\ A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V1t)))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (37)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \end{aligned} \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg( \\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (47)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0w \in (ty\_2Ewellorder\_2Ewellorder\ A.27a). (\forall V1w2 \in \\
& \quad (ty\_2Ewellorder\_2Ewellorder\ A.27b). (\forall V2x \in A.27a. ((ap \\
& \quad (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A.27a\ A.27b)\ V0w)\ V1w2)\ V2x) = (ap \\
& \quad (ap\ (c\_2Ebool\_2ELET\ (2^{(ty\_2Eoption\_2Eoption\ A.27b)})\ (ty\_2Eoption\_2Eoption \\
& \quad A.27b))\ (\lambda V3s0 \in (2^{(ty\_2Eoption\_2Eoption\ A.27b)}). (ap\ (ap \\
& \quad (c\_2Ebool\_2ELET\ (2^{A.27b})\ (ty\_2Eoption\_2Eoption\ A.27b))\ (\lambda V4s1 \in \\
& \quad (2^{A.27b}). (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption \\
& \quad A.27b))\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A.27b})\ V4s1)\ (ap\ (c\_2Ewellorder\_2EelsOf \\
& \quad A.27b)\ V1w2)))\ (c\_2Eoption\_2ENONE\ A.27b))\ (ap\ (ap\ (c\_2Ewellorder\_2Eleast \\
& \quad A.27b)\ V1w2)\ V4s1))))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Eoption\_2Eoption \\
& \quad A.27b)\ A.27b)\ (c\_2Eoption\_2ETHE\ A.27b))\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE \\
& \quad (ty\_2Eoption\_2Eoption\ A.27b))\ V3s0)\ (c\_2Eoption\_2ENONE\ A.27b)))))) \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A.27a\ (ty\_2Eoption\_2Eoption\ A.27b)) \\
& \quad (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A.27a\ A.27b)\ V0w)\ V1w2))\ (ap\ (ap \\
& \quad (c\_2Ewellorder\_2Eiseg\ A.27a)\ V0w)\ V2x))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0w \in (ty\_2Ewellorder\_2Ewellorder \\
& \quad A.27a). (\forall V1s \in (2^{A.27a}). (((ap\ (ap\ (c\_2Ewellorder\_2Eleast \\
& \quad A.27a)\ V0w)\ V1s) = (c\_2Eoption\_2ENONE\ A.27a)) \Rightarrow (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\
& \quad A.27a)\ (ap\ (c\_2Ewellorder\_2EelsOf\ A.27a)\ V0w))\ V1s))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A.27b). (\forall V1w2 \in \\
& \quad (ty\_2Ewellorder\_2Ewellorder\ A.27a). (\forall V2x \in A.27b. (p\ ( \\
& \quad ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A.27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\
& \quad (ty\_2Eoption\_2Eoption\ A.27a)\ A.27a)\ (c\_2Eoption\_2ETHE\ A.27a)) \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ (ty\_2Eoption\_2Eoption\ A.27a)) \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A.27b\ (ty\_2Eoption\_2Eoption\ A.27a)) \\
& \quad (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A.27b\ A.27a)\ V0w1)\ V1w2))\ (ap\ (ap \\
& \quad (c\_2Ewellorder\_2Eiseg\ A.27b)\ V0w1)\ V2x)))\ (c\_2Eoption\_2ENONE \\
& \quad A.27a))))\ (ap\ (c\_2Ewellorder\_2EelsOf\ A.27a)\ V1w2))))))
\end{aligned} \tag{50}$$



**Theorem 1**

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A_{27b}).(\forall V1w2 \in \\ & (ty\_2Ewellorder\_2Ewellorder\ A_{27a}).(\forall V2x \in A_{27b}.((( \\ & ap\ (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo\ A_{27b}\ A_{27a})\ V0w1)\ V1w2)\ V2x) = \\ & (c\_2Eoption\_2ENONE\ A_{27a})) \Rightarrow ((ap\ (c\_2Ewellorder\_2EelsOf\ A_{27a}) \\ & V1w2) = (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Eoption\_2Eoption \\ & A_{27a})\ A_{27a})\ (c\_2Eoption\_2ETHE\ A_{27a}))\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE \\ & (ty\_2Eoption\_2Eoption\ A_{27a}))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ & A_{27b}\ (ty\_2Eoption\_2Eoption\ A_{27a}))\ (ap\ (ap\ (c\_2Ewellorder\_2Ewo2wo \\ & A_{27b}\ A_{27a})\ V0w1)\ V1w2))\ (ap\ (ap\ (c\_2Ewellorder\_2Eiseg\ A_{27b}) \\ & V0w1)\ V2x)))\ (c\_2Eoption\_2ENONE\ A_{27a})))))) \end{aligned}$$