

thm_2Ewellorder_2Ewo__INDUCTION (TMH- WE_xgYq_xznu5poRpBGJLpfsHCmYuxeX4p)

October 26, 2020

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (1)$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (2)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p \Rightarrow q)$ of type ι .

Definition 3 We define $c_2Ebool_2E_21$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2.V2t)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (4)$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b))$

Definition 7 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 9 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (5)$$

Definition 10 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 11 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(ap (c_2Ebool_2E_21 2) V2t) V1t2))))$

Definition 13 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epred_set_2EGSPEC A_27a V0s) V1t)$

Definition 14 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 15 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2) V0t))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (6)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (7)$$

Definition 17 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a \times A_27b})$

Definition 18 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$

Definition 19 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21 2) (ap (c_2Ebool_2E_21 2) V0R))$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (9)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ ((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)) \quad (10)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}), \\ ((p \ (\text{ap } (\text{c_2Erelation_2EWF } A_27a) \ V0R)) \Rightarrow (\forall V1P \in (2^{A_27a}), \\ ((\forall V2x \in A_27a. ((\forall V3y \in A_27a. ((p \ (\text{ap } (\text{ap } \ V0R \ V3y) \ V2x)) \Rightarrow \\ (p \ (\text{ap } \ V1P \ V3y)))) \Rightarrow (p \ (\text{ap } \ V1P \ V2x)))) \Rightarrow (\forall V4x \in A_27a. (p \ (\text{ap } \\ \ V1P \ V4x))))))) \quad (11)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0w \in (\text{ty_2Ewellorder_2Ewellorder } \\ A_27a). (p \ (\text{ap } (\text{c_2Erelation_2EWF } A_27a) \ (\lambda V1x \in A_27a. (\lambda V2y \in \\ A_27a. (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } (\text{ty_2Epair_2Eprod } A_27a \ A_27a)) \\ (\text{ap } (\text{ap } (\text{c_2Epair_2E_2C } A_27a \ A_27a) \ V1x) \ V2y)) \ (\text{ap } (\text{c_2Eset_relation_2Estrict } \\ A_27a) \ (\text{ap } (\text{c_2Ewellorder_2Ewellorder_REP } A_27a) \ V0w))))))) \quad (12)$$

Theorem 1

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1w \in \\ (\text{ty_2Ewellorder_2Ewellorder } A_27a). ((\forall V2x \in A_27a. ((\\ \forall V3y \in A_27a. ((p \ (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } (\text{ty_2Epair_2Eprod } \\ A_27a \ A_27a)) \ (\text{ap } (\text{ap } (\text{c_2Epair_2E_2C } A_27a \ A_27a) \ V3y) \ V2x)) \ (\text{ap } \\ (\text{c_2Eset_relation_2Estrict } A_27a) \ (\text{ap } (\text{c_2Ewellorder_2Ewellorder_REP } \\ A_27a) \ V1w)))) \Rightarrow ((p \ (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } A_27a) \ V3y) \ (\text{ap } (\text{c_2Ewellorder_2EelsOf } \\ A_27a) \ V1w))) \Rightarrow (p \ (\text{ap } \ V0P \ V3y)))) \Rightarrow ((p \ (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } A_27a) \\ V2x) \ (\text{ap } (\text{c_2Ewellorder_2EelsOf } A_27a) \ V1w))) \Rightarrow (p \ (\text{ap } \ V0P \ V2x)))) \Rightarrow \\ (\forall V4x \in A_27a. ((p \ (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } A_27a) \ V4x) \ (\text{ap } (\\ \text{c_2Ewellorder_2EelsOf } A_27a) \ V1w))) \Rightarrow (p \ (\text{ap } \ V0P \ V4x)))))))$$