

thm_2Ewhile_2EITERATION

(TMd5oXZBSqtBk6gNWWhBqGoNpPnUaKSn3SSa)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2EFUNPOW\ A_27a \in ((A_27a^{A_27a})^{ty_2Enum_2Enum})^{(A_27a^{A_27a})} \tag{2}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ A_27a\ P))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}\ P))))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (V0m = V1n) \vee ((p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \vee (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m)))))) \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in (2^{A-27a}).(((\exists V2x \in A_27a.(p (ap V0P V2x))) \wedge (\forall V3x \in A_27a.((p (ap V0P V3x)) \Rightarrow (p (ap V1Q V3x)))) \Rightarrow (p (ap V1Q (ap (c_2Emin_2E_40 A_27a) V0P)))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A-27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in (2^{A-27a}).(((\forall V2x \in A_27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A_27a.(p (ap V1Q V4x)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in \\ 2. (((\forall V2x \in A_27a. (p\ (ap\ V0P\ V2x))) \wedge (p\ V1Q))) \Leftrightarrow (\forall V3x \in \\ A_27a. ((p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ 2^{A_27a}. (((p\ V0P) \wedge (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in \\ A_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ (p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\ (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ V1b)\ V2x)\ V3y)) = (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\ V2x))\ (ap\ V0f\ V3y)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum. (\neg (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ V0n)\ c_2Enum_2E0)))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0) \\ (ap\ c_2Enum_2ESUC\ V0n)))) \end{aligned} \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (47)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p \ V0p) \Leftrightarrow (p \ (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow \\
& (((p \ V0p) \vee ((p \ V1q) \vee (\neg(p \ V3s)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge \\
& (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V3s)))) \wedge (((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))) \wedge ((p \ V1q) \vee ((p \ V3s) \vee (\neg(p \ V0p))))))))))))) \\
& \tag{48}
\end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{49}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{50}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{51}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{52}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{53}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1g \in \\
& (A_27a^{A_27a}). (\exists V2f \in (A_27a^{A_27a}). (\forall V3x \in A_27a. \\
& ((ap \ V2f \ V3x) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ (ap \ V0P \ V3x)) \ V3x) \\
& (ap \ V2f \ (ap \ V1g \ V3x)))))))))
\end{aligned}$$