

thm_2Ewhile_2ELEAST__ELIM (TMWxrhCuL- sQB9DL1X1ZTbyGJvjtPPM6FDZc)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota.$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota.$

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap } (c_2Emin_2E_40 \ A$

Definition 4 We define `c_2Ebool_2E_T` to be $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2. V0x)) \ (\lambda V1x \in 2. V1$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^{A-27$

Definition 6 We define `c_2Ebool_2E_F` to be $(\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V0t \in 2. V0t)).$

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type $\iota.$

Definition 8 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V2t \in 2. V2$

Definition 9 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V2t \in 2. V2$

Definition 10 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } c_2Emin_2E_3D_3D_3E \ V0t) \ c_2Ebool_2E_7E$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO__REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \tag{2}$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$c_2Enum_2EABS__num \in (ty_2Enum_2Enum^{\text{omega}}) \tag{3}$$

Definition 11 We define `c_2Enum_2E0` to be $(\text{ap } c_2Enum_2EABS__num \ c_2Enum_2EZERO__REP).$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 13 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g$

Let $c_2Ewhile_2EWHILE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewhile_2EWHILE\ A_27a \in (((A_27a^{A_27a})^{(A_27a^{A_27a})})^{(A_27a^{A_27a})}) \quad (6)$$

Definition 14 We define $c_2Ewhile_2ELEAST$ to be $\lambda V0P \in (2^{ty_2Enum_2Enum}). (ap\ (ap\ (ap\ (c_2Ewhile_2E$

Definition 15 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (9)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (11)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (12)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (18)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (21)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (22)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (23)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (24)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (25)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (\forall V1x \in ty_2Enum_2Enum. ((p (ap V0P V1x)) \Rightarrow (p (ap V0P (ap c_2Ewhile_2ELEAST V0P)))))) \quad (26)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (\forall V1m \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C V1m) (ap c_2Ewhile_2ELEAST V0P))) \Rightarrow (\neg(p (ap V0P V1m)))))) \quad (27)$$

Theorem 1

$$(\forall V0Q \in (2^{ty_2Enum_2Enum}). (\forall V1P \in (2^{ty_2Enum_2Enum}). (((\exists V2n \in ty_2Enum_2Enum. (p (ap V1P V2n))) \wedge (\forall V3n \in ty_2Enum_2Enum. (((\forall V4m \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C V4m) V3n)) \Rightarrow (\neg(p (ap V1P V4m)))))) \wedge (p (ap V1P V3n))) \Rightarrow (p (ap V0Q V3n)))))) \Rightarrow (p (ap V0Q (ap c_2Ewhile_2ELEAST V1P))))))$$