

thm_2Ewhile_2EOLEAST_INTRO (TMGgMSH- drgmA3Hj5orpnhXBia1tmYuAkGBD)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V0t \in 2.V0t)) (\lambda V1t \in 2.V1t))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). ((\neg(\exists V1x \in \\ & A_27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a. (\neg(p\ (ap\ V0P\ V2x)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ & (p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg(\\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{35}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0Q \in (2^{ty_2Enum_2Enum}). (\forall V1P \in (2^{ty_2Enum_2Enum}). \\
& (((\exists V2n \in ty_2Enum_2Enum. (p \ (ap \ V1P \ V2n))) \wedge (\forall V3n \in \\
& ty_2Enum_2Enum. (((\forall V4m \in ty_2Enum_2Enum. ((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \\
& V4m) \ V3n)) \Rightarrow (\neg(p \ (ap \ V1P \ V4m)))) \wedge (p \ (ap \ V1P \ V3n))) \Rightarrow (p \ (ap \ V0Q \ V3n)))) \Rightarrow \\
& (p \ (ap \ V0Q \ (ap \ c_2Ewhile_2ELEAST \ V1P))))))
\end{aligned} \tag{38}$$

Theorem 1

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}).(\forall V1Q \in (2^{(ty_2Eoption_2Eoption\ ty_2Enum_2Enum)}). \\ & \quad (((\forall V2n \in ty_2Enum_2Enum.(\neg(p\ (ap\ V0P\ V2n)))) \Rightarrow (p\ (ap\ V1Q \\ & \quad (c_2Eoption_2ENONE\ ty_2Enum_2Enum)))))) \wedge (\forall V3n \in ty_2Enum_2Enum. \\ & \quad ((p\ (ap\ V0P\ V3n)) \wedge (\forall V4m \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ & \quad V4m)\ V3n)) \Rightarrow (\neg(p\ (ap\ V0P\ V4m)))))) \Rightarrow (p\ (ap\ V1Q\ (ap\ (c_2Eoption_2ESOME \\ & \quad ty_2Enum_2Enum)\ V3n)))))) \Rightarrow (p\ (ap\ V1Q\ (ap\ c_2Ewhile_2EOLEAST\ V0P)))))) \end{aligned}$$