

thm_2Ewhile_2EOWHILE_THM
 (TMP6et2jy9fGBUSMCBxsAgoigB98Q9zmCgu)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota))$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 4 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))) P)))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num m)$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2 \in \text{Emin} \cdot \text{E} \cdot \text{D} \cdot \text{D} \cdot \text{E}$ to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \rightarrowtail P \rightarrowtail Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.$

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E))$

Definition 11 We define $c_{\text{CBool}} : \mathbf{Type} \rightarrow \mathbf{Type}$ to be $(\lambda V0:t_1 \in 2. (\lambda V1:t_2 \in 2. (ap (c_{\text{CBool}}_2)_{\text{CBool}} 2)_{\text{CBool}} 2))$

Definition 12 We define $c_{\text{2Ebool_2E_3F}}$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^A \rightarrow 2^{7a}).(ap\;V0P\;(ap\;(c_{\text{2Emin_2E_40}}\;$

Definition 13 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

nonempty $t \in 2\mathbb{E}\text{one}$ $2\mathbb{E}\text{one}$

e c 2Eone 2Eone to be an (c 2Emin 2E 40 tu 2Eone 2E

Let $t\in E$ and $s\in E$ be given. Assume the following.

$\forall A0 \rightarrow \text{nonempty} ; A0 \Rightarrow \forall A1 \rightarrow \text{nonempty} ; A1 \Rightarrow \text{nonempty} ; (\text{tac } 3 E_{\text{ca}})$

Let $c, 2E_{sum}, 2EABS_{sum}; \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following. (7)

Let $\mathcal{E} = \{E_1, E_2, \dots, E_m\}$ be given. Assume the following

$$A_{27a} A_{27b} \in ((ty_2Esum_2Esum A_{27a} A_{27b})^{(((2^{A-27b})^A)^{27a}))} \quad (8)$$

Definition 15 We define c_2Esum_2EINR to be $\lambda A_2Ta : t.\lambda A_2Tb : t.\lambda V 0e \in A_2Tb.(ap\ (c_2Esum_2EABS\ t\ A_2Tb)\ e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \text{nonempty } A \Rightarrow \text{nonempty } (\text{ty_2Eoption_2Eoption } A) \quad (9)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.\text{nonempty } A.27a \Rightarrow c.2Eoption_2Eoption_ABS\ A.27a \in ((ty.2Eoption_2Eoption\ A.27a)^{(ty.2Esum_2Esum\ A.27a\ ty.2Eone_2Eone)}) \quad (10)$$

Definition 16 We define $c_2Eoption_2ENONE$ to be $\lambda A._27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A)_27a)$ (defining $c_2Eoption_2Eoption_ABS$ as above).

Definition 17 We define $c_2Ecombin_2Eo$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in (A.27b^{A.27c}).\lambda V1y$

Let $c_2Ewhile_2EWHILE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A _27a. \text{nonempty } A _27a \Rightarrow c_2E \text{while_2E} WHILE \ A _27a \in (((A _27a^{A _27a})^{(A _27a^{A _27a})})^{(2^{A _27a})}) \quad (11)$$

Definition 18 We define $c_2Ewhile_2ELEFT$ to be $\lambda V0P \in (2^{ty_2Enum_2Enum}).(ap\ (ap\ (ap\ (c_2Ewhile_2ELEFT\ V)\ P)\ Q)\ R)$

Definition 19 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS A_27a) V0e) A_27b$

Definition 20 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption A_27a) V0x)$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Earithmetic_2EFUNPOW A_27a \in ((A_27a^{A_27a})^{ty_2Enum_2Enum})^{(A_27a^{A_27a})} \quad (12)$$

Definition 21 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (V1t1 = V2t2))))$

Definition 22 We define $c_2Ewhile_2EOWHILE$ to be $\lambda A_27a : \iota. \lambda V0G \in (2^{A_27a}). \lambda V1f \in (A_27a^{A_27a}). \lambda V2f \in (A_27a^{A_27a})$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow & ((\forall V0f \in (A_27a^{A_27a}). (\forall V1x \in A_27a. ((ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V0f) c_2Enum_2E0) V1x) = V1x))) \wedge (\forall V2f \in (A_27a^{A_27a}). (\forall V3n \in ty_2Enum_2Enum. (\forall V4x \in A_27a. ((ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V2f) (ap c_2Enum_2ESUC V3n)) V4x) = (ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V2f) V3n) (ap V2f V4x))))))) \\ &) \end{aligned} \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (ap c_2Enum_2ESUC V1n))))) \quad (14)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((\neg(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n))) \Leftrightarrow (V0n = c_2Enum_2E0))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))) \quad (16)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (V0m = V1n) \vee ((p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \vee (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m)))))) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow & (\forall V0f \in (A_27a^{A_27a}). (\forall V1x \in A_27a. ((ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V0f) c_2Enum_2E0) V1x) = V1x)))) \end{aligned} \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (22)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a. (p V0t) \Leftrightarrow (p V0t)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True)) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (25)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (26)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (27)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0t1 \in A_27a.(\forall V1t2 \in \\ A_27a.((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ V1t2) = V0t1) \wedge ((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\ V0t1) V1t2) = V1t2))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in \\ A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A_27a}).((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in \\ A_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \end{aligned} \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow & ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0P \in 2.(\forall V1Q \in 2. \\ (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ (\forall V5y_27 \in A_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\ V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ V5y_27)))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0a \in A_27a.(\exists V1x \in \\ A_27a.(V1x = V0a))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in \\ A_{27a}.((ap (ap (ap (c_2Ebool_2ECOND A_{27a}) c_2Ebool_2ET) V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap \\ (ap (c_2Ebool_2ECOND A_{27a}) c_2Ebool_2EF) V2t1) V3t2) = V3t2)))) \\ (38) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg((ap c_2Enum_2ESUC V0n) = c_2Enum_2E0))) \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\forall V1y \in \\ A_{27a}.(((ap (c_2Eoption_2ESOME A_{27a}) V0x) = (ap (c_2Eoption_2ESOME \\ A_{27a}) V1y)) \Leftrightarrow (V0x = V1y)))) \\ (40) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & (\forall V0P \in 2.(\forall V1x \in A_{27a}. \\ (\forall V2y \in A_{27a}.(((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption \\ A_{27a}) V0P) (ap (c_2Eoption_2ESOME A_{27a}) V1x)) (c_2Eoption_2ENONE \\ A_{27a})) = (c_2Eoption_2ENONE A_{27a})) \Leftrightarrow (\neg(p V0P))) \wedge (((ap (ap (\\ ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_{27a}) V0P) (c_2Eoption_2ENONE \\ A_{27a})) (ap (c_2Eoption_2ESOME A_{27a}) V1x)) = (c_2Eoption_2ENONE \\ A_{27a})) \Leftrightarrow (p V0P)) \wedge (((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption \\ A_{27a}) V0P) (ap (c_2Eoption_2ESOME A_{27a}) V1x)) (c_2Eoption_2ENONE \\ A_{27a})) = (ap (c_2Eoption_2ESOME A_{27a}) V2y)) \Leftrightarrow ((p V0P) \wedge (V1x = V2y))) \wedge \\ (((ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_{27a}) \\ V0P) (c_2Eoption_2ENONE A_{27a})) (ap (c_2Eoption_2ESOME A_{27a}) \\ V1x)) = (ap (c_2Eoption_2ESOME A_{27a}) V2y)) \Leftrightarrow ((\neg(p V0P)) \wedge (V1x = \\ V2y)))))))))) \\ (41) \end{aligned}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap c_2Enum_2ESUC V0m) = (ap c_2Enum_2ESUC V1n)) \Leftrightarrow (V0m = V1n))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (47)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((p V2r) \vee ((\neg(p V0p))))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} &(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee ((\neg(p V0p))))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0Q \in (2^{ty_2Enum_2Enum}). (\forall V1P \in (2^{ty_2Enum_2Enum}). \\ & (((\exists V2n \in ty_2Enum_2Enum. (p (ap V1P V2n))) \wedge (\forall V3n \in \\ & ty_2Enum_2Enum. (((\forall V4m \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C \\ & V4m) V3n)) \Rightarrow (\neg(p (ap V1P V4m)))) \wedge (p (ap V1P V3n)) \Rightarrow (p (ap V0Q V3n)))) \Rightarrow \\ & (p (ap V0Q (ap c_2Ewhile_2ELEAST V1P))))))) \end{aligned} \quad (58)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0G \in (2^{A_27a}). (\forall V1f \in \\ & (A_27a^{A_27a}). (\forall V2s \in A_27a. ((ap (ap (ap (c_2Ewhile_2EOWHILE \\ & A_27a) V0G) V1f) V2s) = (ap (ap (ap (c_2Ebool_2ECOND (ty_2Eoption_2Eoption \\ & A_27a)) (ap V0G V2s)) (ap (ap (ap (c_2Ewhile_2EOWHILE A_27a) V0G) \\ & V1f) (ap V1f V2s))) (ap (c_2Eoption_2ESOME A_27a) V2s))))))) \end{aligned}$$