

thm\_2Ewords\_2ELOG2\_w2n\_lt (TMRkRp-  
mJuSJ7nbTo5FyNwRkpmAkdmcTUX9i)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be ( $ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP$ ).

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be ( $ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$ )

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x)))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT2\ n)\ V)$

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c_2Elogroot\_2ELOG : \iota$  be given. Assume the following.

$$c\_2ELogroot\_2ELOG \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

**Definition 9** We define  $c\_2Ebit\_2ELOG2$  to be  $(ap\ c\_2Elogroot\_2ELOG\ (ap\ c\_2Earithmetic\_2ENUMERAL\ 0))$

**Definition 10** We define  $c_{\text{min}}(P)$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o}(p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 12** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E))$

**Definition 14** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_}2\text{Ebool\_}2\text{Eitsel}$$

$cp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$\forall A \exists a. \text{nonempty } A \Rightarrow \exists c. \exists f. \exists cp. \exists E. \dimindex{A} \in (ty, 2)$

(9)

$\langle \text{2Earithmetie}, \text{2EEV}, B \rangle \in ((\text{t} \cup \text{2Enum}), \text{2Enum}^{\text{arity}} \cup \text{2Enum} \cup \text{2Enum}^{\text{arity}})$

(10)

Let  $c\_2Ebool\_2Eth\_{value} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\sqrt{4.87} \quad \quad \quad t = 4.87 \rightarrow -2E^1 - 1.2E^{11} \quad \quad \quad t = 4.87 \rightarrow$$

$$ty\_2Ebool\_2Eitself\ A\_27a) \quad (11)$$

$$A_{\mu\nu} = \partial_\mu A_\nu - \partial_\nu A_\mu + g_{\mu\nu} \epsilon^{\alpha\beta\gamma\delta} F_{\alpha\beta} F_{\gamma\delta} - g_{\mu\nu} \epsilon^{\alpha\beta\gamma\delta} \partial_\alpha A_\beta \partial_\gamma A_\delta - g_{\mu\nu} \epsilon^{\alpha\beta\gamma\delta} \partial_\beta A_\alpha \partial_\gamma A_\delta \quad (12)$$

**Definition 17** We define  $\text{C}_2\text{ZEPHIN-REC}_2\text{ZEN}$  to be  $\lambda v \; sm \in ig\_2\text{ZEN} \; \text{nam} \_2\text{ZEN}. \lambda v \; tn \in ig\_2\text{ZEN} \; \text{nam} \_2\text{ZEN}.$

**Definition 18** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1 n))$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2EDIV (x^n))$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 20** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2EMOD (x^n))$

**Definition 21** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2t \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2EBITS h l t)$

**Definition 22** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (c\_2Earithmetic\_2EBIT b) n)$

Let  $ty\_2Efcp\_2Efinit\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Efcp\_2Efinit\_image A0) \quad (16)$$

**Definition 23** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap c\_2Ebool\_2E\_2F\_5C P)))$

**Definition 24** We define  $c\_2Efcp\_2Efinit\_index$  to be  $\lambda A\_27a : \iota.(ap (c\_2Emin\_2E\_40 (A\_27a^{ty\_2Enum\_2Enum})))$

Let  $ty\_2Efcp\_2Ecarts : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efcp\_2Ecarts \\ A0 A1) \end{aligned} \quad (17)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart \\ A\_27a A\_27b \in ((A\_27a^{ty\_2Efcp\_2Efinit\_image A\_27b})^{(ty\_2Efcp\_2Ecarts A\_27a A\_27b)}) \end{aligned} \quad (18)$$

**Definition 25** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecarts A\_27a A\_27b).c\_2Efcp\_2Efcp (x)$

**Definition 26** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum})).(ap (c\_2Efcp\_2EFCP g) (A\_27a A\_27b))$

**Definition 27** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2Efcp\_2EFCP n) (A\_27a))$

**Definition 28** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(t1 = t2))))$

**Definition 29** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (ap\ (c\_2Eboo$

Let  $c_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}})})^{ty\_2Enum\_2Enum}) \quad (19)$$

**Definition 30** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota . \lambda V0w \in (ty\_2Efcp\_2Ecart\ 2\ A\_27a).(ap\ (ap\ c\ A\_27a)\ V0w)$

Assume the following.

$$(\forall V0x \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C V0x) (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V1n))) \Leftrightarrow ((V0x = c_2Enum_2E0) \vee (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Ebit_2ELOG2 V0x)) V1n)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t))))))) \quad (23)$$

Assume the following.

$$\forall A. \exists a. \text{nonempty } A \Rightarrow (\forall V0x \in A. \exists V1y \in A. ((V0x = V1y) \Leftrightarrow (V1y = V0x))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \vee 0t)) \Leftrightarrow (p \vee 0t)) \wedge (((p \vee 0t) \Leftrightarrow True) \Leftrightarrow \\ (p \vee 0t)) \wedge (((False \Leftrightarrow (p \vee 0t)) \Leftrightarrow (\neg(p \vee 0t))) \wedge (((p \vee 0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ p \vee 0t))))))) \quad (25)$$

Assume the following.

$$((\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow ((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27))))))) \quad (27)$$

Assume the following.

$$\begin{aligned}
 & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow ((ap\ (c\_2Ewords\_2Edimword\ A_{27a}) \\
 & \quad (c\_2Ebool\_2Ethet\_value\ A_{27a})) = (ap\ (ap\ c\_2Earithmetic\_2EEEXP \\
 & \quad (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))) \\
 & \quad (ap\ (c\_2Efcp\_2Edimindex\ A_{27a})\ (c\_2Ebool\_2Ethet\_value\ A_{27a})))) \\
 & \quad (28)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0w \in (ty\_2Efcp\_2Ecart \\
 & \quad 2\ A_{27a}).(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ (ap\ (c\_2Ewords\_2Ew2n \\
 & \quad A_{27a})\ V0w))\ (ap\ (c\_2Ewords\_2Edimword\ A_{27a})\ (c\_2Ebool\_2Ethet\_value \\
 & \quad A_{27a})))))) \\
 & \quad (29)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0w \in (ty\_2Efcp\_2Ecart \\
 & \quad 2\ A_{27a}).(((ap\ (c\_2Ewords\_2Ew2n\ A_{27a})\ V0w) = c\_2Enum\_2E0) \Leftrightarrow \\
 & \quad V0w = (ap\ (c\_2Ewords\_2En2w\ A_{27a})\ c\_2Enum\_2E0))) \\
 & \quad (30)
 \end{aligned}$$

### Theorem 1

$$\begin{aligned}
 & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0w \in (ty\_2Efcp\_2Ecart \\
 & \quad 2\ A_{27a}).((\neg(V0w = (ap\ (c\_2Ewords\_2En2w\ A_{27a})\ c\_2Enum\_2E0))) \Rightarrow \\
 & \quad (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ (ap\ c\_2Ebit\_2ELOG2\ (ap\ (c\_2Ewords\_2Ew2n \\
 & \quad A_{27a})\ V0w))\ (ap\ (c\_2Efcp\_2Edimindex\ A_{27a})\ (c\_2Ebool\_2Ethet\_value \\
 & \quad A_{27a}))))))) \\
 & \quad (31)
 \end{aligned}$$