

thm_2Ewords_2ENOT_0w
 (TMUZneQ5r4UbW4uJwtjwAxSZ2cHivTjxv5u)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 6 We define $c_2Ebool_2E_3F$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 A) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (p P \Rightarrow p Q))))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (p P \Rightarrow p Q))))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Efcp_2Ecart A0 A1) \quad (1)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (2)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (3)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^\omega) \quad (4)$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E\ 2B)\ n)$

Definition 14 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 15 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E\ 2B)\ n)$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 16 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EEEXP\ x)\ n)$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 17 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EMOD\ x)\ n)$

Definition 18 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EDIV\ h)\ l)$

Definition 19 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EDIV\ b)\ n)$

Let $ty_2Efcp_2Efinit_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Efcp_2Efinit_image A0) \quad (12)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Ebool_2Eitself A0) \quad (13)$$

Let $c_2Ebool_2Eth_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ebool_2Eth_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (14)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (15)$$

Definition 20 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2Eitself))$

Definition 21 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Ebool_2Eitself V0m \Rightarrow c_2Ebool_2E_7E V1n)$

Definition 22 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C P)))$

Definition 23 We define $c_2Efcp_2Efinit_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum})))$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efcp_2Edest_cart A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinit_image A_27b)})(ty_2Efcp_2Ecart A_27a A_27b)) \quad (16)$$

Definition 24 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b).((c_2Efcp_2Efcp A_27a A_27b) V0x)$

Definition 25 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap (c_2Efcp_2Efcp A_27a A_27b) g)))$

Definition 26 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFCP A_27a) n))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_{\text{27a}}. (p V0t)) \Leftrightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. (\forall V1y \in A_{\text{27a}}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0P \in (2^{A_{\text{27a}}}). ((\neg(\exists V1x \in A_{\text{27a}}. (p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_{\text{27a}}. (\neg(p (ap V0P V2x))))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \quad (30) \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow ((p V3y_27))))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\ & \forall V0x \in (ty_2Efc_{2Ec}art\ A_27a\ A_27b).(\forall V1y \in (ty_2Efc_{2Ec}art \\ & A_27a\ A_27b).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum.((p (ap \\ & (ap\ c_2Eprim_rec_2E_3C\ V2i)\ (ap\ (c_2Efc_{2Edimindex}\ A_27b)\ (\\ & c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2Efcp_2Efcp_index \\ & A_27a\ A_27b)\ V0x)\ V2i) = (ap\ (ap\ (c_2Efcp_2Efcp_index\ A_27a\ A_27b) \\ & V1y)\ V2i))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0i \in ty_2Enum_2Enum. (\\ & (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0i)\ (ap\ (c_2Efc_{2Edimindex}\ A_27a) \\ & (c_2Ebool_2Ethe_value\ A_27a)))) \Rightarrow (\neg(p\ (ap\ (ap\ (c_2Efcp_2Efcp_index \\ & 2\ A_27a)\ (ap\ (c_2Efwords_2En2w\ A_27a)\ c_2Enum_2E0))\ V0i)))))) \end{aligned} \quad (32)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0w \in (ty_2Efc_{2Ec}art \\ & 2\ A_27a).((\neg(V0w = (ap\ (c_2Efwords_2En2w\ A_27a)\ c_2Enum_2E0))) \Rightarrow \\ & (\exists V1i \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ & V1i)\ (ap\ (c_2Efc_{2Edimindex}\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \wedge \\ & (p\ (ap\ (ap\ (c_2Efcp_2Efcp_index\ 2\ A_27a)\ V0w)\ V1i))))))) \end{aligned}$$