

thm_2Ewords_2EROR_ADD (TM-
RtSwT83HXQZ4grHaYQLY4Qz1nxNDX145T)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_7E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{5}$$

Let $ty_2Efc_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efc_2Efinite_image\ A0) \quad (6)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (7)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (8)$$

Let $c_2Efc_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efc_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (9)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (12)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (V0m))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ V0P))))$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ V1n\ (ap\ (c_2Eprim_rec_2E_3C\ V0m\ V1n)))$

Definition 12 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ A_27a\ V0P))))$

Definition 13 We define $c_2Efc_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ A_27a\ (ty_2Enum_2Enum^{(ty_2Efc_2Efinite_image\ A_27a)}))))$

Let $ty_2Efc_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efc_2Ecart\ A0\ A1) \quad (13)$$

Let $c_2Efc_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efc_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efc_2Efinite_image\ A_27b)})^{(ty_2Efc_2Ecart\ A_27a\ A_27b)}) \quad (14)$$

Definition 14 We define $c_2Efc_2Efc_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efc_2Ecart\ A_27a)$

Definition 15 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 16 We define $c_2Ewds_2Ewd_ror$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{15}$$

Definition 17 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad V1n)\ V0m)))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \quad \forall V2p \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m) \\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)) = (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n))\ V2p)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ & \quad c_2Enum_2E0)\ V0n)) \Rightarrow (\forall V1k \in ty_2Enum_2Enum. ((V1k = (ap\ (\\ & ap\ c_2Earithmetic_2E_2B\ (ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ (ap\ c_2Earithmetic_2EDIV \\ & \quad V1k)\ V0n))\ V0n))\ (ap\ (ap\ c_2Earithmetic_2EMOD\ V1k)\ V0n))) \wedge (p\ (ap \\ & \quad (ap\ c_2Eprim_rec_2E_3C\ (ap\ (ap\ c_2Earithmetic_2EMOD\ V1k)\ V0n)) \\ & \quad \quad V0n)))))) \end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ & \quad c_2Enum_2E0)\ V0n)) \Rightarrow (\forall V1j \in ty_2Enum_2Enum. (\forall V2k \in \\ & \quad ty_2Enum_2Enum. ((ap\ (ap\ c_2Earithmetic_2EMOD\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad V1j)\ (ap\ (ap\ c_2Earithmetic_2EMOD\ V2k)\ V0n)))\ V0n) = (ap\ (ap\ c_2Earithmetic_2EMOD \\ & \quad (ap\ (ap\ c_2Earithmetic_2E_2B\ V1j)\ V2k))\ V0n)))))) \end{aligned} \tag{19}$$

Assume the following.

$$True \tag{20}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0x \in (ty_2EfcP_2Ecart A_27a A_27b).(\forall V1y \in (ty_2EfcP_2Ecart A_27a A_27b).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V2i) (ap (c_2EfcP_2Edimindex A_27b) (c_2Ebool_2Ethe_value A_27b)))) \Rightarrow ((ap (ap (c_2EfcP_2EfcP_index A_27a A_27b) V0x) V2i) = (ap (ap (c_2EfcP_2EfcP_index A_27a A_27b) V1y) V2i)))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0g \in (A_27a^{ty_2Enum_2Enum}).(\forall V1i \in ty_2Enum_2Enum.((p (ap (ap (ap c_2Eprim_rec_2E_3C V1i) (ap (c_2EfcP_2Edimindex A_27b) (c_2Ebool_2Ethe_value A_27b)))) \Rightarrow ((ap (ap (c_2EfcP_2EfcP_index A_27a A_27b) (ap (c_2EfcP_2EFCP A_27a A_27b) V0g)) V1i) = (ap V0g V1i)))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ (ap\ (c_2Efcfcp_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \quad (30)$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2Efcfcp_2Ecart\ 2\ A_27a).(\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum. ((ap\ (ap\ (c_2Ewords_2Eword_ror\ A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_ror\ A_27a)\ V0w)\ V1m))\ V2n) = (ap\ (ap\ (c_2Ewords_2Eword_ror\ A_27a)\ V0w)\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V1m)\ V2n)))))))$$