

thm\_2Ewords\_2ETWO\_\_COMP\_\_POS  
 (TMErVjLA3xF5AEChggnWcqRqNDuH1Btfr3)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (2)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. inj\_o (V0t1 = V1t2))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (3)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (4)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (5)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (V0m))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (\lambda x.x \in A \wedge p\ \text{of type } \iota \Rightarrow \iota)$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ (V0P))))$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Emin\_2E\_40\ (V0m) \wedge c\_2Emin\_2E\_40\ (V1n))$

**Definition 12** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(c\_2Emin\_2E\_40\ (V1t1) \wedge c\_2Emin\_2E\_40\ (V2t2)))))$

**Definition 13** We define  $c\_2Earithmetic\_2EMIN$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Emin\_2E\_40\ (V0m) \wedge c\_2Emin\_2E\_40\ (V1n))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (6)$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 15** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

**Definition 16** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EZERO\ (V0n)))$

**Definition 17** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 18** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Emin\_2E\_40\ (V0x) \wedge c\_2Emin\_2E\_40\ (V1n))$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 19** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Emin\_2E\_40\ (V0x) \wedge c\_2Emin\_2E\_40\ (V1n))$

**Definition 20** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2l \in ty\_2Enum\_2Enum.(c\_2Emin\_2E\_40\ (V0h) \wedge c\_2Emin\_2E\_40\ (V1l) \wedge c\_2Emin\_2E\_40\ (V2l))$

**Definition 21** We define  $c\_2Ebit\_2ESLICE$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2l \in ty\_2Enum\_2Enum.(c\_2Emin\_2E\_40\ (V0h) \wedge c\_2Emin\_2E\_40\ (V1l) \wedge c\_2Emin\_2E\_40\ (V2l))$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 22** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap (c\_2Ebool\_2E\_5C\_2F) m n)$

**Definition 23** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (V2t1 t2))))$

**Definition 24** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap (c\_2Earithmetic\_2E\_3E) m n)$

**Definition 25** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap (ap (ap (c\_2Ebool\_2E\_5C\_2F) m)))$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 26** We define  $c\_2Eenumeral\_2EiiSUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2ESUC (ap (c\_2Earithmetic\_2E\_2A) n))$

**Definition 27** We define  $c\_2Eenumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$

**Definition 28** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap (c\_2Earithmetic\_2E\_3E\_3D) m n)$

Let  $ty\_2Efcp\_2Efinites\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Efcp\_2Efinites\_image A0) \quad (14)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (15)$$

Let  $c\_2Ebool\_2Ethes\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ebool\_2Ethes\_value A\_27a \in (ty\_2Ebool\_2Eitself A\_27a) \quad (16)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Efcp\_2Edimindex A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)}) \quad (17)$$

**Definition 29** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap c\_2Ebool\_2E\_5C\_2F) P)))$

**Definition 30** We define  $c\_2Efcp\_2Efinites\_index$  to be  $\lambda A\_27a : \iota. (ap (c\_2Emin\_2E\_40 (A\_27a^{ty\_2Enum\_2Enum})))$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A_0.nonempty A_0 \Rightarrow & \forall A_1.nonempty A_1 \Rightarrow nonempty (ty\_2Efcp\_2Ecart \\ & A_0 A_1) \end{aligned} \quad (18)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow & \forall A_{27b}.nonempty A_{27b} \Rightarrow c\_2Efcp\_2Edest\_cart \\ & A_{27a} A_{27b} \in ((A_{27a}^{(ty\_2Efcp\_2Efinite\_image A_{27b})})^{(ty\_2Efcp\_2Ecart A_{27a} A_{27b})}) \end{aligned} \quad (19)$$

**Definition 31** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0x \in (ty\_2Efcp\_2Ecart A_{27a} A_{27b})$

**Definition 32** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2. \lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (20)$$

**Definition 33** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A_{27a} : \iota. \lambda V0w \in (ty\_2Efcp\_2Ecart 2 A_{27a}).(ap (ap (c\_2Eenum$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c\_2Ewords\_2Edimword A_{27a} \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A_{27a})}) \quad (21)$$

**Definition 34** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 35** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (c\_2Ebool$

**Definition 36** We define  $c\_2Ewords\_2Eword\_msb$  to be  $\lambda A_{27a} : \iota. \lambda V0w \in (ty\_2Efcp\_2Ecart 2 A_{27a}).(ap (ap (c\_2Eenum$

**Definition 37** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. (\lambda V0g \in (A_{27a}^{ty\_2Enum\_2Enum}).(ap (ap (c\_2Eenum$

**Definition 38** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A_{27a} : \iota. \lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2Efcp\_2EFCP A_{27a} V0n))$

**Definition 39** We define  $c\_2Ewords\_2Eword\_2comp$  to be  $\lambda A_{27a} : \iota. \lambda V0w \in (ty\_2Efcp\_2Ecart 2 A_{27a}).(ap (ap (c\_2Eenum$

Assume the following.

$$\begin{aligned} ((\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP \\ V0m) c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ c\_2Earithmetic\_2EZERO)))) \wedge (\forall V1m \in ty\_2Enum\_2Enum.(\forall V2n \in \\ ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP V1m) (ap c\_2Enum\_2ESUC \\ V2n)) = (ap (ap c\_2Earithmetic\_2E\_2A V1m) (ap (ap c\_2Earithmetic\_2EEEXP \\ V1m) V2n))))))) \end{aligned} \quad (22)$$

Assume the following.

$$((ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)) = \\ (ap\ c\_2Enum\_2ESUC\ c\_2Enum\_2E0)) \quad (23)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m) \\ c\_2Enum\_2E0) = V0m)) \quad (24)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\\ ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Enum\_2E0)\ V0m) = V0m) \wedge ((ap\ (\\ ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ c\_2Enum\_2E0) = V0m) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))))))) \quad (25)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V0m)))) \quad (26)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V0m)))) \quad (27)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\\ \forall V2p \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m) \\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V2p)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))\ V2p))))))) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\\ (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0m)\ V1n)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n)))))) \quad (29)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ c\_2Enum\_2E0)\ V0n))) \quad (30)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m)))))) \quad (31)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge ((ap (ap c\_2Earithmetic\_2E\_2D V0m) c\_2Enum\_2E0) = V0m))) \quad (32)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n) = c\_2Enum\_2E0) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)))))) \quad (33)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m))) \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\ & ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\ & V1n) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))) \quad (36)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V0m))) \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & V0m) V1n)))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2D \\ & V0n) V1m)) V0n))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A ( \\ & ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\ & V0n) = (ap (ap c\_2Earithmetic\_2E\_2B V0n) V0n))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0c \in ty\_2Enum\_2Enum. (\forall V1b \in ty\_2Enum\_2Enum. ( \\ & p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0c) V1b)) \Rightarrow (\forall V2a \in ty\_2Enum\_2Enum. \\ & ((ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2B V2a) \\ & V1b)) V0c) = (ap (ap c\_2Earithmetic\_2E\_2B V2a) (ap (ap c\_2Earithmetic\_2E\_2D \\ & V1b) V0c))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) V1m)) \Rightarrow \\ & (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1m) V0n)))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p ( \\ & ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V2p)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap c\_2Enum\_2ESUC V1n)) V0m))))))) \end{aligned} \quad (45)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg(V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V1n)) V0m))))))) \quad (46)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)) V0n)))) \quad (47)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap (ap c\_2Earithmetic\_2E\_2D V1n) V2p))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap (ap c\_2Earithmetic\_2E\_2B V0m) V2p)) V1n))))))) \quad (48)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p)) \Leftrightarrow ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p))) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V2p))))))) \quad (49)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((V0m = (ap (ap c\_2Earithmetic\_2E\_2D V1n) V2p)) \Leftrightarrow (((ap (ap c\_2Earithmetic\_2E\_2B V0m) V2p) = V1n) \vee ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) c\_2Enum\_2E0)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))) \quad (50)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1k \in ty\_2Enum\_2Enum. (\forall V2r \in ty\_2Enum\_2Enum. ((\exists V3q \in ty\_2Enum\_2Enum. ((V1k = (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V3q) V0n)) V2r)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C V2r) V0n)))) \Rightarrow ((ap (ap c\_2Earithmetic\_2EMOD V1k) V0n) = V2r))))))) \quad (51)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1k \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V1k) V0n)) \Rightarrow ((ap (ap c\_2Earithmetic\_2EMOD V1k) V0n) = V1k)))) \quad (52)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V0n)) \Rightarrow ((ap (ap c\_2Earithmetic\_2EMOD c\_2Enum\_2E0) V0n) = c\_2Enum\_2E0))) \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(\forall V1a \in ty\_2Enum\_2Enum. \\ & (\forall V2b \in ty\_2Enum\_2Enum.((p (ap V0P (ap (ap c\_2Earithmetic\_2E\_2D V1a) V2b))) \Leftrightarrow (\forall V3d \in ty\_2Enum\_2Enum.(((V2b = (ap (ap c\_2Earithmetic\_2E\_2B V1a) V3d)) \Rightarrow (p (ap V0P c\_2Enum\_2E0))) \wedge ((V1a = (ap (ap c\_2Earithmetic\_2E\_2B V2b) V3d)) \Rightarrow (p (ap V0P V3d)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Enum\_2Enum.(\forall V1y \in ty\_2Enum\_2Enum. \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap (ap c\_2Earithmetic\_2EEEXP V0x) V1y))) \Leftrightarrow ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V0x)) \vee \\ & (V1y = c\_2Enum\_2E0)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(((ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \\ & V0n) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \wedge ((ap (ap c\_2Earithmetic\_2EEEXP V0n) \\ & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = \\ & V0n))) \end{aligned} \quad (56)$$

Assume the following.

$$(\forall V0a \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0a)) V0a) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0r \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum. \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0r) V1n)) \Rightarrow ((ap (ap c\_2Earithmetic\_2EDIV (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0r)) V1n) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \end{aligned} \quad (58)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V0n)))) \quad (59)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1l \in ty\_2Enum\_2Enum. ( \\
 & \forall V2n \in ty\_2Enum\_2Enum. ((ap (ap (ap c\_2Ebit\_2EBITS V0h) V1l) \\
 & V2n) = (ap (ap c\_2Earithmetic\_2EMOD (ap (ap c\_2Earithmetic\_2EDIV \\
 & V2n) (ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL \\
 & (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V1l))) ( \\
 & ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL (ap \\
 & c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) (ap (ap c\_2Earithmetic\_2E\_2D \\
 & (ap c\_2Enum\_2ESUC V0h)) V1l))))))) \\
 \end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1l \in ty\_2Enum\_2Enum. ( \\
 & \forall V2n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap \\
 & (ap (ap c\_2Ebit\_2EBITS V0h) V1l) V2n)) (ap (ap c\_2Earithmetic\_2EEEXP \\
 & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
 & (ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Enum\_2ESUC V0h)) V1l))))))) \\
 \end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h1 \in ty\_2Enum\_2Enum. (\forall V1l1 \in ty\_2Enum\_2Enum. \\
 & (\forall V2h2 \in ty\_2Enum\_2Enum. (\forall V3l2 \in ty\_2Enum\_2Enum. \\
 & (\forall V4n \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V2h2) V1l1)) V0h1)) \Rightarrow ((ap (ap (ap c\_2Ebit\_2EBITS \\
 & V2h2) V3l2) (ap (ap c\_2Ebit\_2EBITS V0h1) V1l1) V4n)) = (ap (ap \\
 & (ap c\_2Ebit\_2EBITS (ap (ap c\_2Earithmetic\_2E\_2B V2h2) V1l1)) ( \\
 & ap (ap c\_2Earithmetic\_2E\_2B V3l2) V1l1)) V4n))))))) \\
 \end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & (ap (ap (ap c\_2Ebit\_2EBITS V0h) c\_2Enum\_2E0) V1n) = (ap (ap c\_2Earithmetic\_2EMOD \\
 & V1n) (ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL \\
 & (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) (ap c\_2Enum\_2ESUC \\
 & V0h))))))) \\
 \end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h1 \in ty\_2Enum\_2Enum. (\forall V1l1 \in ty\_2Enum\_2Enum. \\
 & (\forall V2h2 \in ty\_2Enum\_2Enum. (\forall V3l2 \in ty\_2Enum\_2Enum. \\
 & (\forall V4n \in ty\_2Enum\_2Enum. ((ap (ap (ap c\_2Ebit\_2EBITS V2h2) \\
 & V3l2) (ap (ap (ap c\_2Ebit\_2EBITS V0h1) V1l1) V4n)) = (ap (ap (ap c\_2Ebit\_2EBITS \\
 & (ap (ap c\_2Earithmetic\_2EMIN V0h1) (ap (ap c\_2Earithmetic\_2E\_2B \\
 & V2h2) V1l1))) (ap (ap c\_2Earithmetic\_2E\_2B V3l2) V1l1)) V4n))))))) \\
 \end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1h \in ty\_2Enum\_2Enum. ( \\ & (ap (ap (ap c\_2Ebit\_2ESLICE V1h) c\_2Enum\_2E0) V0n) = (ap (ap (ap c\_2Ebit\_2EBITS \\ & V1h) c\_2Enum\_2E0) V0n)))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & \forall V2l \in ty\_2Enum\_2Enum. (\forall V3n \in ty\_2Enum\_2Enum. (( \\ & (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V1m)) V0h)) \wedge \\ & (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V2l) V1m))) \Rightarrow ((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap (ap (ap c\_2Ebit\_2ESLICE V0h) (ap c\_2Enum\_2ESUC V1m)) V3n)) ( \\ & ap (ap (ap c\_2Ebit\_2ESLICE V1m) V2l) V3n)) = (ap (ap (ap c\_2Ebit\_2ESLICE \\ & V0h) V2l) V3n))))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1a \in ty\_2Enum\_2Enum. ( \\ & (\neg((ap (ap (ap c\_2Ebit\_2EBITS V0n) V0n) V1a) = (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \Leftrightarrow ((ap ( \\ & ap (ap c\_2Ebit\_2EBITS V0n) V0n) V1a) = c\_2Enum\_2E0)))))) \end{aligned} \quad (67)$$

Assume the following.

$$\begin{aligned} & (\forall V0b \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (\neg(p (ap (ap c\_2Ebit\_2EBIT V0b) V1n))) \Leftrightarrow ((ap (ap (ap c\_2Ebit\_2ESLICE \\ & V0b) V0b) V1n) = c\_2Enum\_2E0)))))) \end{aligned} \quad (68)$$

Assume the following.

$$True \quad (69)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (70)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (71)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (72)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (73)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (74)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (75)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (76)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (77)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (78)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (79)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (80)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (V0x = V0x)) \quad (81)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (82)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (83)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (84)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ A\_27a. ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\ V0t1) V1t2) = V1t2)))) \end{aligned} \quad (85)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0P \in (2^{A\_27a}). ((\neg(\forall V1x \in \\ A\_27a. (p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a. (\neg(p (ap V0P V2x))))))) \end{aligned} \quad (86)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (87)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (88)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(p V0A) \wedge (p V1B)) \Leftrightarrow ((\neg(p V0A) \vee (p V1B)) \wedge (\neg(p V1B))))))) \quad (89)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (90)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (91)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (92)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (93)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1) \wedge (\neg(p V1t2))))))) \quad (94)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \quad (95) \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\ & V5y\_27))))))))))) \quad (96) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (((ap c\_2Enum\_2ESUC c\_2Earithmetic\_2EZERO) = (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)) \wedge ((\forall V0n \in ty\_2Enum\_2Enum. ((ap \\ & c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2EBIT1 V0n)) = (ap c\_2Earithmetic\_2EBIT2 \\ & V0n))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2EBIT2 \\ & V1n)) = (ap c\_2Earithmetic\_2EBIT1 (ap c\_2Enum\_2ESUC V1n))))))) \quad (97) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2EiZ (ap \\
& (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& ((\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
(ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge (((ap c\_2Enum\_2ESUC \\
c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
c\_2Earithmetic\_2EZERO)))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. \\
& (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Enum\_2ESUC V17n)))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
(ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
(ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& ((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V30m) V29n)))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V32n)))) \wedge ((\forall V33n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
c\_2Enum\_2E0) V33n)) \Leftrightarrow False)) \wedge ((\forall V34n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL \\
V34n)) \Leftrightarrow False)))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
 & (((ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B c_2Earithmetic_2EZERO) \\
 & V0n)) = V0n) \wedge (((ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B \\
 & V0n) c_2Earithmetic_2EZERO)) = V0n) \wedge (((ap c_2Enumeral_2EiZ ( \\
 & ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT1 V0n)) ( \\
 & ap c_2Earithmetic_2EBIT1 V1m))) = (ap c_2Earithmetic_2EBIT2 ( \\
 & ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & (((ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT1 \\
 & V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) = (ap c_2Earithmetic_2EBIT1 \\
 & (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & ((ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT2 \\
 & V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) = (ap c_2Earithmetic_2EBIT1 \\
 & (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & ((ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT2 \\
 & V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) = (ap c_2Earithmetic_2EBIT2 \\
 & (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & ((ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B c_2Earithmetic_2EZERO) \\
 & V0n)) = (ap c_2Enum_2ESUC V0n) \wedge (((ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\
 & V0n) c_2Earithmetic_2EZERO)) = (ap c_2Enum_2ESUC V0n)) \wedge (((ap \\
 & c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT1 \\
 & V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) = (ap c_2Earithmetic_2EBIT1 \\
 & (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & ((ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT1 \\
 & V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) = (ap c_2Earithmetic_2EBIT2 \\
 & (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & ((ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT2 \\
 & V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) = (ap c_2Earithmetic_2EBIT2 \\
 & (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & ((ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT2 \\
 & V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) = (ap c_2Earithmetic_2EBIT1 \\
 & (ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B V0n) V1m)))) \wedge \\
 & (((ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B c_2Earithmetic_2EZERO) \\
 & V0n)) = (ap c_2Enumeral_2EiSUC V0n)) \wedge (((ap c_2Enumeral_2EiSUC \\
 & (ap (ap c_2Earithmetic_2E_2B V0n) c_2Earithmetic_2EZERO)) = ( \\
 & ap c_2Enumeral_2EiSUC V0n)) \wedge (((ap c_2Enumeral_2EiSUC (ap ( \\
 & ap c_2Earithmetic_2E_2B (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 \\
 & V1m)))) \wedge (((ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & V0n) V1m))) \wedge (((ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) = \\
 & (ap c_2Earithmetic_2EBIT1 (ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & V0n) V1m)))) \wedge (((ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) = \\
 & (ap c_2Earithmetic_2EBIT1 (ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & V0n) V1m)))) \wedge (((ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) = \\
 & (ap c_2Earithmetic_2EBIT2 (ap c_2Enumeral_2EiSUC (ap (ap c_2Earithmetic_2E_2B \\
 & V0n) V1m))))))))))))))))))))))))))
 \end{aligned} \tag{99}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m)))))))))) \\
\end{aligned} \tag{100}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))) \\
\end{aligned} \tag{101}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
V0n) V0n)))) \tag{102}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{103}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{104}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \\
\end{aligned} \tag{105}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (106)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (107)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \\ & \quad (108) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \\ & \quad (109) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \\ & \quad (110) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \\ & \quad (111) \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (112)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in 2. (((p V0p) \Leftrightarrow (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p))))))))))))))) \\ & \quad (113) \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))))) \quad (114)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (115)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (116)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (117)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (118)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty A_{.27a} \Rightarrow & ((ap (c_{.2Ewords\_2Edimword} A_{.27a}) \\ & (c_{.2Ebool\_2Ethel\_value} A_{.27a})) = (ap (ap c_{.2Earithmetic\_2EEXP} \\ & (ap c_{.2Earithmetic\_2ENUMERAL} (ap c_{.2Earithmetic\_2EBIT2} c_{.2Earithmetic\_2EZERO}))) \\ & (ap (c_{.2Efcp\_2Edimindex} A_{.27a}) (c_{.2Ebool\_2Ethel\_value} A_{.27a}))) \\ & (119) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty A_{.27a} \Rightarrow & (\exists V0m \in ty_{.2Enum\_2Enum}.( \\ & (ap (c_{.2Efcp\_2Edimindex} A_{.27a}) (c_{.2Ebool\_2Ethel\_value} A_{.27a})) = \\ & (ap c_{.2Enum\_2ESUC} V0m))) \quad (120) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty A_{.27a} \Rightarrow & (\forall V0n \in ty_{.2Enum\_2Enum}.( \\ & (ap (c_{.2Ewords\_2Ew2n} A_{.27a}) (ap (c_{.2Ewords\_2En2w} A_{.27a}) V0n)) = \\ & (ap (ap c_{.2Earithmetic\_2EMOD} V0n) (ap (c_{.2Ewords\_2Edimword} A_{.27a}) \\ & (c_{.2Ebool\_2Ethel\_value} A_{.27a})))) \quad (121) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty A_{.27a} \Rightarrow & (\forall V0w \in (ty_{.2Efcp\_2Ecart} \\ & 2 A_{.27a}).((ap (c_{.2Ewords\_2En2w} A_{.27a}) (ap (c_{.2Ewords\_2Ew2n} A_{.27a}) \\ & V0w)) = V0w)) \quad (122) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty A_{.27a} \Rightarrow & (\forall V0n \in ty_{.2Enum\_2Enum}.( \\ & (ap (c_{.2Ewords\_2En2w} A_{.27a}) (ap (ap c_{.2Earithmetic\_2EMOD} V0n) \\ & (ap (c_{.2Ewords\_2Edimword} A_{.27a}) (c_{.2Ebool\_2Ethel\_value} A_{.27a})))) = \\ & (ap (c_{.2Ewords\_2En2w} A_{.27a}) V0n))) \quad (123) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0m \in ty\_2Enum\_2Enum. ( \\ \forall V1n \in ty\_2Enum\_2Enum. (((ap (c\_2Ewords\_2En2w\ A_{27a})\ V0m) = \\ (ap (c\_2Ewords\_2En2w\ A_{27a})\ V1n)) \Leftrightarrow ((ap (ap c\_2Earithmetic\_2EMOD \\ V0m) (ap (c\_2Ewords\_2Edimword\ A_{27a}) (c\_2Ebool\_2Ethethe\_value \\ A_{27a})) = (ap (ap c\_2Earithmetic\_2EMOD\ V1n) (ap (c\_2Ewords\_2Edimword \\ A_{27a}) (c\_2Ebool\_2Ethethe\_value\ A_{27a}))))))) \\ (124) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0w \in (ty\_2Efcp\_2Ecart \\ 2\ A_{27a}). (\exists V1n \in ty\_2Enum\_2Enum. ((V0w = (ap (c\_2Ewords\_2En2w \\ A_{27a})\ V1n)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C\ V1n) (ap (c\_2Ewords\_2Edimword \\ A_{27a}) (c\_2Ebool\_2Ethethe\_value\ A_{27a}))))))) \\ (125) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0n \in ty\_2Enum\_2Enum. ( \\ (ap (c\_2Ewords\_2Eword\_2comp\ A_{27a}) (ap (c\_2Ewords\_2En2w\ A_{27a}) \\ V0n)) = (ap (c\_2Ewords\_2En2w\ A_{27a}) (ap (ap c\_2Earithmetic\_2E\_2D \\ (ap (c\_2Ewords\_2Edimword\ A_{27a}) (c\_2Ebool\_2Ethethe\_value\ A_{27a}))) \\ (ap (ap c\_2Earithmetic\_2EMOD\ V0n) (ap (c\_2Ewords\_2Edimword\ A_{27a}) \\ (c\_2Ebool\_2Ethethe\_value\ A_{27a}))))))) \\ (126) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0n \in ty\_2Enum\_2Enum. ( \\ (p (ap (c\_2Ewords\_2Eword\_msb\ A_{27a}) (ap (c\_2Ewords\_2En2w\ A_{27a}) \\ V0n))) \Leftrightarrow (p (ap (ap c\_2EBit\_2EBIT (ap (ap c\_2Earithmetic\_2E\_2D \\ (ap (c\_2Efcp\_2Edimindex\ A_{27a}) (c\_2Ebool\_2Ethethe\_value\ A_{27a}))) \\ (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))) \\ V0n)))))) \\ (127) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((ap (c\_2Ewords\_2Eword\_2comp \\ A_{27a}) (ap (c\_2Ewords\_2En2w\ A_{27a})\ c\_2Enum\_2E0)) = (ap (c\_2Ewords\_2En2w \\ A_{27a})\ c\_2Enum\_2E0)) \\ (128) \end{aligned}$$

### Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0a \in (ty\_2Efcp\_2Ecart \\ 2\ A_{27a}). ((\neg(p (ap (c\_2Ewords\_2Eword\_msb\ A_{27a})\ V0a))) \Rightarrow ((V0a = \\ (ap (c\_2Ewords\_2En2w\ A_{27a})\ c\_2Enum\_2E0)) \vee (p (ap (c\_2Ewords\_2Eword\_msb \\ A_{27a}) (ap (c\_2Ewords\_2Eword\_2comp\ A_{27a})\ V0a))))))) \\ \end{aligned}$$