

thm_2Ewords_2EWORD__ADD_0
 (TMW2oaaEU4xK5gBTaGXaWzDQwtPXE8fjVuS)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V1P \in 2.V1P)))$

Definition 5 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Let $ty_2Efcp_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Efcp_2Efinite_image\ A0) \quad (4)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (5)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ebool_2Ethethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (6)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (7)$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C$

Definition 14 We define $c_2Efcp_2Efinit_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum}))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Efcp_2Ecart \\ A0 A1) \end{aligned} \quad (10)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efcp_2Edest_cart \\ A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinit_image A_27b)})^{(ty_2Efcp_2Ecart A_27a A_27b)}) \quad (11)$$

Definition 15 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b).$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ewords_2Edimword A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (12)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 16 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 17 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EZERO))$

Definition 18 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 19 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1)))$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (14)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (15)$$

Definition 20 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EDIV)))$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (16)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (17)$$

Definition 21 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EMOD)))$

Definition 22 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2t \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EMOD)))$

Definition 23 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBITS)))$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap (ap c_2Earithmetic_2EBIT)))$

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFCP)))$

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (ap (c_2Ewords_2En2w)))$

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (c_2Ebool_2ECOND)))$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (18)$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcp_2Ecart 2 A_27a).(ap (ap (c_2Ebit_2ESBIT)))$

Definition 29 We define $c_2Ewords_2Eword_add$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efcp_2Ecart 2 A_27a).\lambda V1w \in (ty_2Efcp_2Ecart 2 A_27a).(\lambda V2t \in 2.(\lambda V3t1 \in A_27a.(\lambda V4t2 \in A_27a.(ap (ap (c_2Ebit_2ESBIT)))$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m)) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B V1n) V0m))) \end{aligned} \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27))))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \\ & \forall V0x \in (ty_2Efcp_2Ecart A_27a A_27b).(\forall V1y \in (ty_2Efcp_2Ecart \\ & A_27a A_27b).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum.((p (ap \\ & (ap c_2Eprim_rec_2E_3C V2i) (ap (c_2Efcp_2Edimindex A_27b) (\\ & c_2Ebool_2Ethethe_value A_27b))) \Rightarrow ((ap (ap (c_2Efcp_2Efcp_index \\ & A_27a A_27b) V0x) V2i) = (ap (ap (c_2Efcp_2Efcp_index A_27a A_27b) \\ & V1y) V2i))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0w \in (ty_{.2E}fc_{.2E}cart \\ 2\ A_{.27a}).(\exists V1n \in ty_{.2E}enum_{.2E}enum.((V0w = (ap\ (c_{.2E}words_{.2E}n_{.2w} \\ A_{.27a})\ V1n)) \wedge (p\ (ap\ (ap\ c_{.2E}prim_{.rec_{.3C}}\ V1n)\ (ap\ (c_{.2E}words_{.2E}dimword \\ A_{.27a})\ (c_{.2E}bool_{.2E}the_{.value}\ A_{.27a}))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0m \in ty_{.2E}enum_{.2E}enum.(\\ \forall V1n \in ty_{.2E}enum_{.2E}enum.((ap\ (ap\ (c_{.2E}words_{.2E}word_{.add} \\ A_{.27a})\ (ap\ (c_{.2E}words_{.2E}n_{.2w}\ A_{.27a})\ V0m))\ (ap\ (c_{.2E}words_{.2E}n_{.2w} \\ A_{.27a})\ V1n)) = (ap\ (c_{.2E}words_{.2E}n_{.2w}\ A_{.27a})\ (ap\ (ap\ c_{.2E}arithmetic_{.2E}2B \\ V0m)\ V1n))))))) \end{aligned} \quad (30)$$

Theorem 1

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & ((\forall V0w \in (ty_{.2E}fc_{.2E}cart \\ 2\ A_{.27a}).((ap\ (ap\ (c_{.2E}words_{.2E}word_{.add}\ A_{.27a})\ V0w)\ (ap\ (c_{.2E}words_{.2E}n_{.2w} \\ A_{.27a})\ c_{.2E}enum_{.2E}0)) = V0w)) \wedge (\forall V1w \in (ty_{.2E}fc_{.2E}cart\ 2 \\ A_{.27a}).((ap\ (ap\ (c_{.2E}words_{.2E}word_{.add}\ A_{.27a})\ (ap\ (c_{.2E}words_{.2E}n_{.2w} \\ A_{.27a})\ c_{.2E}enum_{.2E}0))\ V1w) = V1w))) \end{aligned}$$