

thm\_2Ewords\_2EWORD\_\_ADD\_\_LEFT\_\_LS2  
(TMbA7jNr4sGmzvMVHuwgt8PSfSsqkwispfJM)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$ .

**Definition 3** We define  $c\_2Ebool\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2E\_2ET)$ .

**Definition 4** We define  $c\_2Ecombin\_2E\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$ .

**Definition 5** We define  $c\_2Ecombin\_2E\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$ .

**Definition 6** We define  $c\_2Ecombin\_2E\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2E\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) P)))$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap (c\_2Ebool\_2E\_2E21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

Let  $ty\_2Efcf\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efcf\_2Efinite\_image\ A0) \tag{2}$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \tag{3}$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \tag{4}$$

Let  $c\_2Efcf\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efcf\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \tag{5}$$

**Definition 10** We define `c_Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_2E\_3D\_3D\_3E V0t) c\_Ebool\_2E\_7E))$

**Definition 11** We define `c_Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in 2.(ap (c\_Ebool\_2E\_7E V2t) (c\_Ebool\_2E\_21 2))))))$

Let `c_2Enum_2EREP_num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let `c_2Enum_2ESUC_REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \quad (7)$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (8)$$

**Definition 12** We define `c_2Enum_2ESUC` to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num m)$

**Definition 13** We define `c_Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define `c_Ebool_2E_3F` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c\_Emin\_2E_40 A_27a) P)))$

**Definition 15** We define `c_2Eprim_rec_2E_3C` to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap c\_2Eprim\_rec\_2E\_3C m n)$

**Definition 16** We define `c_Ebool_2E_3F_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c\_Ebool\_2E_2F_5C A_27a) P)))$

**Definition 17** We define `c_Efcp_2Efinite_index` to be  $\lambda A_27a : \iota.(ap (c\_Emin\_2E_40 A_27a) (ty\_2Enum\_2Enum \rightarrow ty\_2Enum\_2Enum))$

Let `ty_2Efcp_2Ecart` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efcp\_2Ecart A0 A1) \quad (9)$$

Let `c_2Efcp_2Edest_cart` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c\_2Efcp\_2Edest\_cart A_27a A_27b \in ((A_27a^{(ty\_2Efcp\_2Efinite\_image A\_27b)})^{(ty\_2Efcp\_2Ecart A\_27a A\_27b)}) \quad (10)$$

**Definition 18** We define `c_Efcp_2Efcp_index` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart A_27a A_27b)$

Let `c_2Enum_2EZERO_REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (11)$$

**Definition 19** We define `c_2Enum_2E0` to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 20** We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2E0`.

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (12)$$

**Definition 21** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT2))$

**Definition 22** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 23** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (ap c\_2Ebool\_2ECOND))))$

**Definition 24** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (ap c\_2Ebit\_2ESBIT)))$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (14)$$

**Definition 25** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).(ap (ap c\_2Ewords\_2Ew2n))$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (15)$$

**Definition 26** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27a.(ap (ap c\_2Ebool\_2ELET))))$

**Definition 27** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1))$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (16)$$

**Definition 28** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap c\_2Ebit\_2EDIV\_2EXP))$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (17)$$

**Definition 29** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap c\_2Ebit\_2EMOD\_2EXP))$

**Definition 30** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2m \in ty\_2Enum\_2Enum.(ap (ap (ap c\_2Ebit\_2EBITS)))$

**Definition 31** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap c\_2Ebit\_2EBIT))$

**Definition 32** We define  $c\_2Efc\_2EFCP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}). (ap$

**Definition 33** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2Enum\_2Enum. (ap (c\_2Efc\_2EFC$

**Definition 34** We define  $c\_2Ewords\_2Eword\_add$  to be  $\lambda A\_27a : \iota. \lambda V0v \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). \lambda V$

**Definition 35** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (18)$$

**Definition 36** We define  $c\_2Ewords\_2Eword\_2comp$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

**Definition 37** We define  $c\_2Ewords\_2Eword\_msb$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). (ap$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (19)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (20)$$

**Definition 38** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2$

**Definition 39** We define  $c\_2Ewords\_2Enzcv$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). \lambda V1b \in ($

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (21)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (22)$$

**Definition 40** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c^{A\_27$

**Definition 41** We define  $c\_2Ewords\_2Eword\_lo$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). \lambda V1b$

**Definition 42** We define  $c\_2Ewords\_2Eword\_ls$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a). \lambda V1b$

Assume the following.

$$(\forall V0c \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmic\_2E\_2D V0c) V0c) = c\_2Enum\_2E0)) \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap (ap (c\_2Ebool\_2ELET A\_27a A\_27b) V0f) V1x) = (ap V0f V1x)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (28)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF) \\ V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0P \in 2. (\forall V1P\_27 \in 2. (\forall V2Q \in 2. (\forall V3Q\_27 \in \\ 2. (((p\ V2Q) \Rightarrow ((p\ V0P) \Leftrightarrow (p\ V1P\_27))) \wedge ((p\ V1P\_27) \Rightarrow ((p\ V2Q) \Leftrightarrow (p\ V3Q\_27)))) \Rightarrow \\ (((p\ V0P) \wedge (p\ V2Q)) \Leftrightarrow ((p\ V1P\_27) \wedge (p\ V3Q\_27)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ V5y\_27)))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0v \in 2. ((p\ (ap\ c\_2Ebool\_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (37)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap\ (c\_2Ecombin\_2EI \\ A\_27a)\ V0x) = V0x)) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\ & p V2r)) \vee (\neg(p V1q)))))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow ((\forall V0w \in (ty\_2EfcP\_2Ecart \\ & 2 A\_27a).((ap (ap (c\_2Ewords\_2Eword\_add A\_27a) V0w) (ap (c\_2Ewords\_2En2w \\ & A\_27a) c\_2Enum\_2E0)) = V0w)) \wedge (\forall V1w \in (ty\_2EfcP\_2Ecart 2 \\ & A\_27a).((ap (ap (c\_2Ewords\_2Eword\_add A\_27a) (ap (c\_2Ewords\_2En2w \\ & A\_27a) c\_2Enum\_2E0)) V1w) = V1w))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0w \in (ty\_2EfcP\_2Ecart \\ & 2 A\_27a).(\forall V1v \in (ty\_2EfcP\_2Ecart 2 A\_27a).(((ap (c\_2Ewords\_2Eword\_2comp \\ & A\_27a) V1v) = V0w) \Leftrightarrow (V1v = (ap (c\_2Ewords\_2Eword\_2comp A\_27a) V0w)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2EfcP\_2Ecart \\ 2\ A.27a).(\forall V1b \in (ty\_2EfcP\_2Ecart\ 2\ A.27a).((p\ (ap\ (ap \\ (c\_2Ewords\_2Eword\_ls\ A.27a)\ V0a)\ V1b)) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Ewords\_2Eword\_lo \\ A.27a)\ V0a)\ V1b)) \vee (V0a = V1b)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2EfcP\_2Ecart\ 2\ A.27a).(p\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls\ A.27a)\ V0a)\ V0a))) \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty\_2EfcP\_2Ecart \\ 2\ A.27a).(\forall V1c \in (ty\_2EfcP\_2Ecart\ 2\ A.27a).(\forall V2a \in \\ (ty\_2EfcP\_2Ecart\ 2\ A.27a).((p\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls \\ A.27a)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_add\ A.27a)\ V2a)\ V0b))\ V1c)) \Leftrightarrow \\ (p\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ 2)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls \\ A.27a)\ V0b)\ V1c))\ (ap\ (ap\ (c\_2Ebool\_2ELET\ (ty\_2EfcP\_2Ecart\ 2\ A.27a) \\ 2)\ (\lambda V3x \in (ty\_2EfcP\_2Ecart\ 2\ A.27a).(ap\ (ap\ c\_2Ebool\_2E\_5C\_2F \\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls\ A.27a)\ V2a)\ V3x))\ (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C \\ (ap\ c\_2Ebool\_2E\_7E\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (ty\_2EfcP\_2Ecart\ 2 \\ A.27a))\ V0b)\ (ap\ (c\_2Ewords\_2En2w\ A.27a)\ c\_2Enum\_2E0))))\ (ap\ ( \\ ap\ (c\_2Ewords\_2Eword\_ls\ A.27a)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_add \\ A.27a)\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A.27a)\ V1c))\ V3x))\ V2a))))\ \\ (ap\ (c\_2Ewords\_2En2w\ A.27a)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (ap\ ( \\ c\_2Ewords\_2Ew2n\ A.27a)\ V1c))\ (ap\ (c\_2Ewords\_2Ew2n\ A.27a)\ V0b))))\ \\ (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls\ A.27a) \\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A.27a)\ V0b))\ V2a))\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls \\ A.27a)\ V2a)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_add\ A.27a)\ (ap\ (c\_2Ewords\_2Eword\_2comp \\ A.27a)\ V0b))\ V1c))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2EfcP\_2Ecart \\ 2\ A.27a).(\forall V1b \in (ty\_2EfcP\_2Ecart\ 2\ A.27a).((p\ (ap\ (ap \\ (c\_2Ewords\_2Eword\_lo\ A.27a)\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A.27a) \\ V0a))\ V1b)) \Leftrightarrow ((\neg(V1b = (ap\ (c\_2Ewords\_2En2w\ A.27a)\ c\_2Enum\_2E0))) \wedge \\ ((V0a = (ap\ (c\_2Ewords\_2En2w\ A.27a)\ c\_2Enum\_2E0)) \vee (p\ (ap\ (ap\ (c\_2Ewords\_2Eword\_lo \\ A.27a)\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A.27a)\ V1b))\ V0a)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in (ty\_2EfcP\_2Ecart \\ 2\ A.27a).((p\ (ap\ (ap\ (c\_2Ewords\_2Eword\_ls\ A.27a)\ V0n)\ (ap\ (c\_2Ewords\_2En2w \\ A.27a)\ c\_2Enum\_2E0))) \Leftrightarrow (V0n = (ap\ (c\_2Ewords\_2En2w\ A.27a)\ c\_2Enum\_2E0)))) \end{aligned} \quad (54)$$



**Theorem 1**

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0c \in (\text{ty\_2EfcP\_2Ecart} \\ & \quad 2 \ A_{27a}). (\forall V1a \in (\text{ty\_2EfcP\_2Ecart } 2 \ A_{27a}). ((p \ (ap \ (ap \\ & \quad (\text{c\_2Ewords\_2Eword\_ls } A_{27a}) \ (ap \ (ap \ (\text{c\_2Ewords\_2Eword\_add} \\ A_{27a}) \ V0c) \ V1a)) \ V1a)) \Leftrightarrow ((V0c = (ap \ (\text{c\_2Ewords\_2En2w } A_{27a}) \ \text{c\_2Enum\_2E0})) \vee \\ & \quad ((\neg (V1a = (ap \ (\text{c\_2Ewords\_2En2w } A_{27a}) \ \text{c\_2Enum\_2E0}))) \wedge ((p \ (ap \ ( \\ & \quad ap \ (\text{c\_2Ewords\_2Eword\_lo } A_{27a}) \ (ap \ (\text{c\_2Ewords\_2Eword\_2comp} \\ A_{27a}) \ V0c)) \ V1a)) \vee (V1a = (ap \ (\text{c\_2Ewords\_2Eword\_2comp } A_{27a}) \\ & \quad V0c)))))))))) \end{aligned}$$