

thm_2Ewords_2EWORD__AND__ASSOC
(TMaNAa9mxgAqRAG4MGgnqKMU44haiBe4fYX)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Ebool_2E_itself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2E_itself A0) \quad (1)$$

Let $c_2Ebool_2E_the_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2E_the_value A_27a \in (ty_2Ebool_2E_itself A_27a) \quad (2)$$

Let $ty_2Eenum_2E_enum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2E_enum \quad (3)$$

Let $c_2Efcf_2E_dimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efcf_2E_dimindex A_27a \in (ty_2Eenum_2E_enum^{(ty_2Ebool_2E_itself A_27a)}) \quad (4)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 9 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 10 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P (ap (c_2Emin_2E40$

Definition 11 We define $c_2Eprim_rec_2E3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E21\ 2) (\lambda V2t \in$

Let $ty_2Efcf_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty (ty_2Efcf_2Efinite_image\ A0) \quad (8)$$

Definition 13 We define $c_2Ebool_2E3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap\ c_2Ebool_2E2F_5C$

Definition 14 We define $c_2Efcf_2Efinite_index$ to be $\lambda A_27a : \iota. (ap (c_2Emin_2E40 (A_27a^{ty_2Enum_2Enum}$

Let $ty_2Efcf_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty (ty_2Efcf_2Ecart\ A0\ A1) \quad (9)$$

Let $c_2Efcf_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Efcf_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcf_2Efinite_image\ A_27b)})^{(ty_2Efcf_2Ecart\ A_27a\ A_27b)}) \quad (10)$$

Definition 15 We define $c_2Efcf_2Efcf_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcf_2Ecart\ A_27a\ A_27b)$

Definition 16 We define c_2Efcf_2EFCF to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap$

Definition 17 We define $c_2Ewords_2Eword_and$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Efcf_2Ecart\ 2\ A_27a). \lambda V$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \quad (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & (p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (14) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (15) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in (ty_2EfcP_2Ecart\ A_27a\ A_27b). (\forall V1y \in (ty_2EfcP_2Ecart \\ & A_27a\ A_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum. ((ap \\ & (ap\ c_2Eprim_rec_2E_3C\ V2i)\ (ap\ (c_2EfcP_2Edimindex\ A_27b)\ (\\ & c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2EfcP_2EfcP_index \\ & A_27a\ A_27b)\ V0x)\ V2i) = (ap\ (ap\ (c_2EfcP_2EfcP_index\ A_27a\ A_27b) \\ & V1y)\ V2i)))))) \quad (16) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0g \in (A_27a^{ty_2Enum_2Enum}). (\forall V1i \in ty_2Enum_2Enum. \\ & ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1i)\ (ap\ (c_2EfcP_2Edimindex\ A_27b) \\ & (c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2EfcP_2EfcP_index \\ & A_27a\ A_27b)\ (ap\ (c_2EfcP_2EFCP\ A_27a\ A_27b)\ V0g))\ V1i) = (ap\ V0g \\ & V1i)))) \quad (17) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (22)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (23)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (24)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (25)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (26)$$

Theorem 1

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0a \in (ty_2EfcP_2Ecart 2 A_27a).(\forall V1b \in (ty_2EfcP_2Ecart 2 A_27a).(\forall V2c \in (ty_2EfcP_2Ecart 2 A_27a).((ap (ap (c_2Ewords_2Eword_and A_27a) (ap (ap (c_2Ewords_2Eword_and A_27a) V0a) V1b)) V2c) = (ap (ap (c_2Ewords_2Eword_and A_27a) V0a) (ap (ap (c_2Ewords_2Eword_and A_27a) V1b) V2c))))))$$