

thm_2Ewords_2EWORD__BITS__ZERO2 (TMB-
TyyNm8CaXEhHy8uPKLKfjZnK3xvxwXWs)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty *ty_2Enum_2Enum* (2)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define c_2Ebool_2ET to be $(ap \ (ap \ (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Earithmetic_2EZERO to be c_2Enum_2E0.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (5)$$

Definition 5 We define $c_{\text{2Ebool_2E_21}}$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_{\text{2Emin_2E_3D}}(2^{A-27a}))V)P))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ 0\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 n) V0)$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (7)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Ethethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (8)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (9)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E t))$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(\lambda V3t3 \in 2.(ap (c_2Ebool_2E_7E t3) c_2Ebool_2E_2F_5C t2) t1))))$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p x) \text{ of type } \iota \Rightarrow \iota)$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Definition 15 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Eprim_rec_2E_3C m n)$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(c_2Ebool_2ECOND t1 t2))))$

Definition 17 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2EMIN m n)$

Definition 18 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 n) V0)$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 19 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 20 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 21 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum.$

Definition 22 We define c_2EBit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2Efc_{\text{cp}}_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \text{nonempty } A \Rightarrow \text{nonempty } (\text{ty_}2\text{Efc}\text{p_}2\text{Ef}\text{inite_image } A) \quad (14)$$

Definition 23 We define $c_{\text{Ebool_2E_3F_21}}$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ c_{\text{Ebool_2E_2F_5C}}\ P\ V)\ 0))$

Definition 24 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_\mathbf{27a} : \iota.(ap\ (c_2Emin_2E_\mathbf{40}\ (A_\mathbf{27a}^{ty_2Enum_2Enum}_2Enum)))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty} (\text{ty_2Efcp_2Ecart } A0\ A1) \quad ($$

Let $c_2Efc_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efc_{2Edest_cart} A_27a A_27b \in ((A_27a^{(ty_2Efc_{2Efinite_image} A_27b)})^{(ty_2Efc_{2Ecart} A_27a A_27b)}) \quad (16)$$

Definition 25 We define $c_2Efcp_2Efcp_index$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a)$

Definition 26 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap\ g\ V0))$

Definition 27 We define $c_2Ewords_2En2w$ to be $\lambda A.27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFC$

Definition 28 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 29 We define c_2Earithmetic_2E_3C_3D to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \lambda V2o \in ty_2Enum_2Enum.$

Definition 30 We define c_2Ewords_2Eword_bits to be $\lambda A_\underline{27a} : \iota.\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.$

Assume the following.

$$(\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (ap (ap (ap c_2Ebit_2EBITS V0h) V1l) c_2Enum_2E0) = c_2Enum_2E0))) \quad (17)$$

Assume the following.

True (18)

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_{\text{27a}}. (p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (19)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0h \in \text{ty_2Enum_2Enum}. (\\ & \forall V1l \in \text{ty_2Enum_2Enum}. (\forall V2n \in \text{ty_2Enum_2Enum}. ((\\ & \text{ap} \ (\text{ap} \ (\text{ap} \ (\text{c_2Ewords_2Eword_bits } A_{\text{27a}}) \ V0h) \ V1l) \ (\text{ap} \ (\text{c_2Ewords_2En2w } \\ & A_{\text{27a}}) \ V2n)) = (\text{ap} \ (\text{c_2Ewords_2En2w } A_{\text{27a}}) \ (\text{ap} \ (\text{ap} \ (\text{ap} \ c_{\text{2Ebit_2EBITS}} \\ & (\text{ap} \ (\text{ap} \ c_{\text{2Earithmetic_2EMIN}} \ V0h) \ (\text{ap} \ (\text{ap} \ c_{\text{2Earithmetic_2E_2D}} \\ & (\text{ap} \ (\text{c_2Efcp_2Edimindex } A_{\text{27a}}) \ (\text{c_2Ebool_2Ethel_value } A_{\text{27a}}))) \\ & (\text{ap} \ c_{\text{2Earithmetic_2ENUMERAL}} \ (\text{ap} \ c_{\text{2Earithmetic_2EBIT1}} \ c_{\text{2Earithmetic_2EZERO}}))))))) \\ & V1l) \ V2n)))))) \end{aligned} \quad (21)$$

Theorem 1

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0h \in \text{ty_2Enum_2Enum}. (\\ & \forall V1l \in \text{ty_2Enum_2Enum}. ((\text{ap} \ (\text{ap} \ (\text{ap} \ (\text{c_2Ewords_2Eword_bits } \\ & A_{\text{27a}}) \ V0h) \ V1l) \ (\text{ap} \ (\text{c_2Ewords_2En2w } A_{\text{27a}}) \ c_{\text{2Enum_2E0}})) = (\text{ap} \\ & (\text{c_2Ewords_2En2w } A_{\text{27a}}) \ c_{\text{2Enum_2E0}}))) \end{aligned}$$