

thm\_2Ewords\_2EWORD\_\_EXTRACT\_ID  
 (TMZp-  
 GAAZRBC8TLjekopkEp7hRKo8cVSTnZi)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2y \in 2.V2y)))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B n))$

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 9** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2EMOD n x)$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 10** We define  $c\_2Ebit\_2ESLICE$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2d \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2E\_2D h l d)$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 11** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.(ap (c\_2Ebool\_2E\_7E t1 t2) c\_2Ebool\_2EF)))))$

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p x)) \text{ else } (\lambda x.x \in A \wedge \neg p x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) P)))$

**Definition 17** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Eprim\_rec\_2E\_3C m n)$

**Definition 18** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2E\_3E m n)$

**Definition 19** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 20** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 21** We define  $c\_2Enumeral\_2EiiSUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2ESUC (ap$

**Definition 22** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x.$

**Definition 23** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 24** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool\_2E$

Let  $c\_2Enumeral\_2Etexp\_help : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2Etexp\_help \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow & \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod \\ & A0 A1) \end{aligned} \quad (14)$$

Let  $c\_2Epair\_2EAABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EAABS\_prod \\ & A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (15)$$

**Definition 25** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Esum\_num\_2EGSUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2EGSUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (16)$$

Let  $ty\_2Efcp\_2Efinit\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Efcp\_2Efinit\_image A0) \quad (17)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (18)$$

Let  $c\_2Ebool\_2Eth\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & c\_2Ebool\_2Eth\_value A\_27a \in ( \\ & ty\_2Ebool\_2Eitself A\_27a) \end{aligned} \quad (19)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & c\_2Efcp\_2Edimindex A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)}) \\ & (20) \end{aligned}$$

**Definition 26** We define  $c_2.Ebool\_2E\_3F\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^A \rightarrow 2^a)).(ap\ (ap\ (ap\ c_2.Ebool\_2E\_2F\_5G\ P\ V)\ 0)\ P)$

**Definition 27** We define  $c_2Efcp\_2Efinite\_index$  to be  $\lambda A.27a : \iota.(ap (c_2Emin\_2E_40 (A_27a^{ty\_2E} 2Enum\_2Enu$

Let  $ty\_2Efc\_{2E}cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty}(\text{ty\_2Efcp\_2Ecart } A0\ A1) \quad (21)$$

Let  $c_2Efcp_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow c_{.2Efcop\_2Edest\_cart}(A_{.27a}\ A_{.27b} \in ((A_{.27a}(ty_{.2Efcop\_2Efinite\_image}\ A_{.27b}))^{(ty_{.2Efcop\_2Ecart}\ A_{.27a}\ A_{.27b})})) \quad (22)$$

**Definition 28** We define  $c_{\text{2Efcp\_2Efcp\_index}}$  to be  $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp\_2Ecart\ A_27$

**Definition 29** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (ap\ (c\_2Ebo$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}})})^{ty\_2Enum\_2Enum}) \quad (23)$$

**Definition 30** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota . \forall V0w \in (ty\_2Efcp\_2Ecart\ 2\ A\_27a).(ap\ (ap\ c\ A\_27a)\ V0w)$

Let  $c_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum ty\_2Enum\_2Enum) ty\_2Enum\_2Enum) \\ (24)$$

**Definition 32** We define  $c_{\text{2Ebit\_2EDIV\_2EXP}}$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2En$

**Definition 33** We define  $c\_2EBit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum. \lambda V2l \in ty\_2Enum\_2Enum. \lambda V3l \in ty\_2Enum\_2Enum.$

**Definition 34** We define  $c\_2EBit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 35** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A.\_27a : \iota.\lambda A.\_27b : \iota.(\lambda V0g \in (A.\_27a^{ty\_2Enum\_2Enum}).(ap$

Let  $c_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2E\text{words\_2E}dimword\ A\_27a \in (\text{ty\_2Enum\_2Enum}^{(\text{ty\_2Ebool\_2Eitself } A\_27a)})$   
(25)

**Definition 36** We define  $c\_2Earthmetic\_2EMIN$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 37** We define  $c_{\text{Earth}} \in \text{ty\_Enum}$  to be  $\lambda V0m \in \text{ty\_Enum}.\lambda V1n \in \text{ty\_Enum}.\lambda V2o \in \text{ty\_Enum}.\lambda V3p \in \text{ty\_Enum}.$

**Definition 38** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c\_2Efcp\_2EFC\ A\_27a)\ V0n)$

**Definition 39** We define  $c\_2Ewords\_2Eword\_bits$  to be  $\lambda A\_27a : \iota. \lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum. (ap c\_2Earithmetic\_2E2B (ap c\_2Earithmetic\_2E2B V0h) V1l)$

**Definition 40** We define  $c\_2Ewords\_2Ew2w$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0w \in (ty\_2Efcp\_2Ecart 2 A\_27b) (ap c\_2Earithmetic\_2E2B (ap c\_2Earithmetic\_2E2B V0w))$

**Definition 41** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in (A\_27b^{A\_27c}) (ap c\_2Earithmetic\_2E2B (ap c\_2Earithmetic\_2E2B V0f))$

**Definition 42** We define  $c\_2Ewords\_2Eword\_extract$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0h \in ty\_2Enum\_2Enum. (ap c\_2Earithmetic\_2E2B (ap c\_2Earithmetic\_2E2B V0h))$

Assume the following.

$$\begin{aligned} ((ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)) = \\ (ap c\_2Enum\_2ESUC c\_2Enum\_2E0)) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m)) \quad (27)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \\ (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ V1n) V0m)))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ V1n) V0m)))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\ (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p))))))) \\ (31) \end{aligned}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. ((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum. (V0m = (ap c\_2Enum\_2ESUC V1n))))) \quad (32)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0n)) (ap c\_2Enum\_2ESUC V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0n) V1m)))))) \quad (33)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0m)) V1n)))))) \quad (34)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Enum\_2E0) V0n))) \quad (35)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m)))))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\ & ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\ & (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\ & V1n) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\ & V0m) V1n)))))))))) \quad (37) \end{aligned}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))) \quad (38)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V0m))) \quad (39)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p \\
 & \quad ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m)))))) \\
 \end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
 & \quad V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p)))))) \\
 \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & \quad (ap c\_2Enum\_2ESUC V1n)) V0m)))))) \\
 \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
 & \quad V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
 & \quad V1n)) V0m)))))) \\
 \end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap \\
 & c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
 & \quad c\_2Earithmetic\_2EZERO)) V0n))) \\
 \end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0k \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2EMOD V0k) \\
 & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = \\
 & \quad c\_2Enum\_2E0)) \\
 \end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (\forall V1a \in ty\_2Enum\_2Enum. \\
 & (\forall V2b \in ty\_2Enum\_2Enum. ((p (ap V0P (ap (ap c\_2Earithmetic\_2E\_2D \\
 & \quad V1a) V2b))) \Leftrightarrow (\forall V3d \in ty\_2Enum\_2Enum. (((V2b = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & \quad V1a) V3d)) \Rightarrow (p (ap V0P c\_2Enum\_2E0))) \wedge ((V1a = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & \quad V2b) V3d)) \Rightarrow (p (ap V0P V3d)))))))))) \\
 \end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
 & \quad \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
 & \quad (ap (ap c\_2Earithmetic\_2EMIN V1m) V0n)) V2p)) \Leftrightarrow ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
 & \quad V1m) V2p)) \vee (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V2p)))) \wedge ((p (ap \\
 & \quad (ap c\_2Eprim\_rec\_2E\_3C V2p) (ap (ap c\_2Earithmetic\_2EMIN V1m) \\
 & \quad V0n))) \Leftrightarrow ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V2p) V1m)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
 & \quad V2p) V0n)))))))
 \end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & \quad (ap (ap (ap c\_2Ebit\_2EBITS V0h) c\_2Enum\_2E0) V1n) = (ap (ap c\_2Earithmetic\_2EMOD \\
 & \quad V1n) (ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL \\
 & \quad (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) (ap c\_2Enum\_2ESUC \\
 & \quad V0h))))))
 \end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1a \in ty\_2Enum\_2Enum. \\
 & \quad (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1a) (ap (ap c\_2Earithmetic\_2EEXP \\
 & \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
 & \quad (ap c\_2Enum\_2ESUC V0h)))) \Rightarrow ((ap (ap (ap c\_2Ebit\_2EBITS V0h) c\_2Enum\_2E0) \\
 & \quad V1a) = V1a)))
 \end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h1 \in ty\_2Enum\_2Enum. (\forall V1l1 \in ty\_2Enum\_2Enum. \\
 & \quad (\forall V2h2 \in ty\_2Enum\_2Enum. (\forall V3l2 \in ty\_2Enum\_2Enum. \\
 & \quad (\forall V4n \in ty\_2Enum\_2Enum. ((ap (ap (ap c\_2Ebit\_2EBITS V2h2) \\
 & \quad V3l2) (ap (ap (ap c\_2Ebit\_2EBITS V0h1) V1l1) V4n)) = (ap (ap (ap c\_2Ebit\_2EBITS \\
 & \quad (ap (ap c\_2Earithmetic\_2EMIN V0h1) (ap (ap c\_2Earithmetic\_2E\_2B \\
 & \quad V2h2) V1l1))) (ap (ap c\_2Earithmetic\_2E\_2B V3l2) V1l1)) V4n)))))))
 \end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1h \in ty\_2Enum\_2Enum. \\
 & \quad (ap (ap (ap c\_2Ebit\_2ESLICE V1h) c\_2Enum\_2E0) V0n) = (ap (ap (ap c\_2Ebit\_2EBITS \\
 & \quad V1h) c\_2Enum\_2E0) V0n))))
 \end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. (\forall V2l \in ty\_2Enum\_2Enum. (\forall V3n \in ty\_2Enum\_2Enum. (( \\
& \quad (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V1m)) V0h)) \wedge \\
& \quad (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V2l) V1m))) \Rightarrow ((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap (ap (ap c\_2Ebit\_2ESLICE V0h) (ap c\_2Enum\_2ESUC V1m)) V3n)) \wedge \\
& \quad (ap (ap (ap c\_2Ebit\_2ESLICE V1m) V2l) V3n)) = (ap (ap (ap c\_2Ebit\_2ESLICE \\
& \quad V0h) V2l) V3n))))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2o \in ty\_2Enum\_2Enum. (\forall V3p \in ty\_2Enum\_2Enum. (\forall V4q \in ty\_2Enum\_2Enum. (( \\
& \quad (p (ap (ap c\_2Ebit\_2ESBIT (ap (ap c\_2Ebit\_2EBIT V0x) V1n)) V0x) = (ap \\
& \quad (ap (ap c\_2Ebit\_2ESLICE V0x) V0x) V1n))))))) \\
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1l \in ty\_2Enum\_2Enum. (\forall V2a \in ty\_2Enum\_2Enum. (\forall V3b \in ty\_2Enum\_2Enum. (\forall V4c \in ty\_2Enum\_2Enum. (\forall V5d \in ty\_2Enum\_2Enum. (( \\
& \quad (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1l) V4x)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V4x) V0h))) \Rightarrow ((p \\
& \quad (ap (ap c\_2Ebit\_2EBIT V4x) V2a)) \Leftrightarrow (p (ap (ap c\_2Ebit\_2EBIT V4x) V3b)))) \Leftrightarrow \\
& \quad ((ap (ap (ap c\_2Ebit\_2EBITS V0h) V1l) V2a) = (ap (ap (ap c\_2Ebit\_2EBITS \\
& \quad V0h) V1l) V3b))))))) \\
\end{aligned} \tag{54}$$

Assume the following.

$$True \tag{55}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{56}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{57}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{58}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \\
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge \\
& \quad ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3))))) \\
\end{aligned} \tag{60}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (61)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow \\ & (p V0t)) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (65)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \quad (66)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\ True)) \quad (67)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\ A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (68)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \\ & V0t)))))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\ & A\_27a.((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\ & V0t1) V1t2) = V1t2)))) \end{aligned} \quad (70)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0P \in (2^{A_{\text{27a}}})). ((\neg(\forall V1x \in A_{\text{27a}}. (p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_{\text{27a}}. (\neg(p (ap V0P V2x))))) \quad (71)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in (2^{A_{\text{27a}}})). (\forall V1Q \in \\ 2. & (((\forall V2x \in A_{\text{27a}}. (p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A_{\text{27a}}. ((p (ap V0P V3x)) \wedge (p V1Q))))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in (2^{A_{\text{27a}}})). (\forall V1Q \in \\ 2. & (((\exists V2x \in A_{\text{27a}}. (p (ap V0P V2x))) \vee (p V1Q)) \Leftrightarrow (\exists V3x \in A_{\text{27a}}. ((p (ap V0P V3x)) \vee (p V1Q))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in 2. (\forall V1Q \in (2^{A_{\text{27a}}})). ((\exists V2x \in A_{\text{27a}}. ((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A_{\text{27a}}. (p (ap V1Q V3x))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0Q \in 2. (\forall V1P \in (2^{A_{\text{27a}}})). ((\forall V2x \in A_{\text{27a}}. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_{\text{27a}}. (p (ap V1P V3x))) \vee (p V0Q)))) \end{aligned} \quad (75)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (76)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (77)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (78)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (79)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow \text{False}) \Leftrightarrow ((p V0t) \Leftarrow \text{False}))) \quad (80)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (81)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1) \wedge (\neg(p V1t2))))))) \quad (82)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \end{aligned} \quad (83)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\ & V5y\_27)))))))))) \end{aligned} \quad (84)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & \forall V0P \in ((2^{A\_27b})^{A\_27a}). ((\forall V1x \in A\_27a. (\exists V2y \in \\ & A\_27b. (p (ap (ap V0P V1x) V2y))) \Leftrightarrow (\exists V3f \in (A\_27b)^{A\_27a}). ( \\ & \forall V4x \in A\_27a. (p (ap (ap V0P V4x) (ap V3f V4x))))))) \end{aligned} \quad (85)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap \\ & (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (86)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & \forall V0x \in (ty\_2Efcp\_2Ecart A\_27a A\_27b). (\forall V1y \in (ty\_2Efcp\_2Ecart \\ & A\_27a A\_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty\_2Enum\_2Enum. ((p (ap \\ & (ap c\_2Eprim\_rec\_2E\_3C V2i) (ap (c\_2Efcp\_2Edimindex A\_27b) ( \\ & c\_2Ebool\_2Ethe\_value A\_27b))) \Rightarrow ((ap (ap (c\_2Efcp\_2Efcp\_index \\ & A\_27a A\_27b) V0x) V2i) = (ap (ap (c\_2Efcp\_2Efcp\_index A\_27a A\_27b) \\ & V1y) V2i))))))) \end{aligned} \quad (87)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27}a.\text{nonempty } A_{.27}a \Rightarrow \forall A_{.27}b.\text{nonempty } A_{.27}b \Rightarrow \\
& \forall V0g \in (A_{.27}a^{ty\_2Enum\_2Enum}).(\forall V1i \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c_{.2}Eprim\_rec\_2E_3C V1i) (ap (c_{.2}Efcp\_2Edimindex A_{.27}b) \\
& (c_{.2}Ebool\_2Ethe\_value A_{.27}b)))) \Rightarrow ((ap (ap (c_{.2}Efcp\_2Efcp\_index \\
& A_{.27}a A_{.27}b) (ap (c_{.2}Efcp\_2EFCP A_{.27}a A_{.27}b) V0g)) V1i) = (ap V0g \\
& V1i)))))) \\
\end{aligned} \tag{88}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p (ap V0P c_{.2}Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_{.2}Enum\_2ESUC \\
& V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))))) \\
\end{aligned} \tag{89}$$

Assume the following.

$(\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B c_2Enum\_2E0) V0n) = V0n)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V1n) c_2Enum\_2E0) = V1n)) \wedge (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V3m) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2EiZ (ap (ap c_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge (\forall V4n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A c_2Enum\_2E0) V4n) = c_2Enum\_2E0)) \wedge (\forall V5n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A V5n) c_2Enum\_2E0) = c_2Enum\_2E0)) \wedge (\forall V6n \in ty\_2Enum\_2Enum. (\forall V7m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A (ap c_2Earithmetic\_2ENUMERAL V6n)) (ap c_2Earithmetic\_2ENUMERAL V7m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2A V6n) V7m)))))) \wedge (\forall V8n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D c_2Enum\_2E0) V8n) = c_2Enum\_2E0)) \wedge (\forall V9n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D V9n) c_2Enum\_2E0) = V9n)) \wedge (\forall V10n \in ty\_2Enum\_2Enum. (\forall V11m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D (ap c_2Earithmetic\_2ENUMERAL V10n)) (ap c_2Earithmetic\_2ENUMERAL V11m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2D V10n) V11m)))))) \wedge (\forall V12n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 V12n)))) = c_2Enum\_2E0)) \wedge (\forall V13n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT2 V13n)))) = c_2Enum\_2E0)) \wedge (\forall V14n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP V14n) c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))))) \wedge (\forall V15n \in ty\_2Enum\_2Enum. (\forall V16m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP (ap c_2Earithmetic\_2ENUMERAL V15n)) (ap c_2Earithmetic\_2ENUMERAL V16m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2EEEXP V15n) V16m)))))) \wedge (((ap c_2Enum\_2ESUC c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))) \wedge (\forall V17n \in ty\_2Enum\_2Enum. ((ap c_2Enum\_2ESUC (ap c_2Earithmetic\_2ENUMERAL V17n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2ESUC V17n)))))) \wedge (((ap c_2Eprim\_rec\_2EPRE c_2Enum\_2E0) = c_2Enum\_2E0) \wedge (\forall V18n \in ty\_2Enum\_2Enum. ((ap c_2Eprim\_rec\_2EPRE (ap c_2Earithmetic\_2ENUMERAL V18n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Eprim\_rec\_2EPRE V18n)))))) \wedge (\forall V19n \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V19n) = c_2Enum\_2E0) \Leftrightarrow (V19n = c_2Earithmetic\_2EZERO))) \wedge (\forall V20n \in ty\_2Enum\_2Enum. ((c_2Enum\_2E0 = (ap c_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic\_2EZERO))) \wedge (\forall V21n \in ty\_2Enum\_2Enum. ((\forall V22m \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C V23n) c_2Enum\_2E0)) \Leftrightarrow False))) \wedge (\forall V24n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL V24n))) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2EZERO) V24n)))))) \wedge (\forall V25n \in ty\_2Enum\_2Enum. (\forall V26m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C (ap c_2Earithmetic\_2ENUMERAL V25n)) (ap c_2Earithmetic\_2ENUMERAL V26m)))) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge (\forall V28n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E (ap c_2Enum\_2E0) V28n)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V28n)))) \wedge (\forall V29n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E (ap c_2Earithmetic\_2ENUMERAL V29n)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V29n)))) \wedge (\forall V30m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V30m)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V30m)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge (\forall V32n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V32n)) \Leftrightarrow False))) \wedge ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V32n)) \Leftrightarrow True)))$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{92}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2EEEXP \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
& c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& c\_2Earithmetic\_2EZERO))) \wedge (((ap (ap c\_2Earithmetic\_2EEEXP (ap \\
& c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 V0n))) = \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Enumeral\_2Etexp\_help \\
& (ap c\_2Eprim\_rec\_2EPRE (ap c\_2Earithmetic\_2EBIT1 V0n)) c\_2Earithmetic\_2EZERO))) \wedge \\
& ((ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL ( \\
& ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT2 V0n))) = (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap (ap c\_2Enumeral\_2Etexp\_help (ap c\_2Earithmetic\_2EBIT1 V0n) \\
& c\_2Earithmetic\_2EZERO))))))) \\
\end{aligned} \tag{93}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{94}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{95}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \tag{96}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \tag{97}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (98)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (99)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (100)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (101)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (102)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (103)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\forall V2f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}).(\forall V3g \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}).((\forall V4x \in ty\_2Enum\_2Enum. \\ & (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0p) V4x)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C V4x) (ap (ap c\_2Earithmetic\_2E\_2B V0p) V1n)))) \Rightarrow ((ap V2f V4x) = (ap V3g V4x)))) \Rightarrow ((ap (ap c\_2Esum\_num\_2EGSUM (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) V0p) V1n)) V2f) = (ap (ap c\_2Esum\_num\_2EGSUM (ap (ap (c\_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) V0p) V1n)) V3g))))))) \end{aligned} \quad (104)$$

Assume the following.

$$((\forall V0f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}).((ap (ap c\_2Esum\_num\_2ESUM c\_2Enum\_2E0) V0f) = c\_2Enum\_2E0)) \wedge (\forall V1m \in ty\_2Enum\_2Enum. (\forall V2f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}).((ap (ap c\_2Esum\_num\_2ESUM (ap c\_2Enum\_2ESUC V1m)) V2f) = (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Esum\_num\_2ESUM V1m) V2f)) (ap V2f V1m))))))) \quad (105)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1f \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}). ((ap (ap c_2Esum\_num\_2ESUM V0m) V1f) = (ap (ap c_2Esum\_num\_2EGSUM (ap (ap (c_2Epair\_2E\_2C ty\_2Enum\_2Enum ty\_2Enum\_2Enum) c_2Enum\_2E0) V0m)) V1f)))) \quad (106)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.\text{nonempty } A.27a \Rightarrow ((ap(c.2Ewords.2Edimword A.27a) \\ & (c.2Ebool.2Ethe\_value A.27a)) = (ap(ap c.2Earithmetic.2EEXP \\ & (ap c.2Earithmetic.2ENUMERAL (ap c.2Earithmetic.2EBIT2 c.2Earithmetic.2EZERO)))) \\ & (ap(c.2Efcp.2Edimindex A.27a) (c.2Ebool.2Ethe\_value A.27a))) \end{aligned} \quad (107)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (p \ (ap \ (ap \ c\_2Eprim\_rec\_2E\_3C \ c\_2Enum\_2E0) \\ (ap \ (c\_2Efcp\_2Edimindex \ A\_27a) \ (c\_2Ebool\_2Ethe\_value \ A\_27a)))) \quad (108)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\exists V0m \in \text{ty\_2Enum\_2Enum}.( \\ (ap (c\_2Efcp\_2Edimindex A\_27a) (c\_2Ebool\_2Ethethe\_value A\_27a)) = \\ (ap c\_2Enum\_2ESUC V0m))) \end{aligned} \quad (109)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}.( \\ & (ap (ap c\_2Earithmetic\_2EMOD V0n) (ap (c\_2Ewords\_2Edimword A\_27a) \\ & (c\_2Ebool\_2Ethe\_value A\_27a))) = (ap (ap (ap c\_2EBit\_2EBITS ( \\ & ap (ap c\_2Earithmetic\_2E\_2D (ap (c\_2Efcp\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value \\ & A\_27a))) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO)))) c\_2Enum\_2E0) V0n))) \end{aligned} \quad (110)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.\text{nonempty } A.27a \Rightarrow (\forall V0w \in (ty\_2Efcp\_2Ecart \\ & 2 A.27a).(\exists V1n \in ty\_2Enum\_2Enum.((V0w = (ap (c\_2Ewords\_2En2w \\ & A.27a) V1n)) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1n) (ap (c\_2Ewords\_2Edimword \\ & A.27a) (c\_2Ebool\_2Ethe\_value A.27a))))))) \end{aligned} \quad (111)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \\
& \forall V0h \in ty\_2Enum\_2Enum. (\forall V1l \in ty\_2Enum\_2Enum. (\forall V2n \in \\
& ty\_2Enum\_2Enum. ((ap (ap (ap (c\_2Ewords\_2Eword\_extract A_{27a} \\
& A_{27b}) V0h) V1l) (ap (c\_2Ewords\_2En2w A_{27a}) V2n)) = (ap (ap (ap ( \\
& c\_2Ebool\_2ECOND (ty\_2Efcp\_2Ecart 2 A_{27b})) (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (c\_2Efcp\_2Edimindex A_{27b}) (c\_2Ebool\_2Ethe\_value A_{27b}))) \\
& (ap (c\_2Efcp\_2Edimindex A_{27a}) (c\_2Ebool\_2Ethe\_value A_{27a})))) \\
& (ap (c\_2Ewords\_2En2w A_{27b}) (ap (ap (ap c\_2Ebit\_2EBITS (ap (ap c\_2Earithmetic\_2EMIN \\
& V0h) (ap (ap c\_2Earithmetic\_2E\_2D (ap (c\_2Efcp\_2Edimindex A_{27a} \\
& (c\_2Ebool\_2Ethe\_value A_{27a}))) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V1l) V2n))) \\
& (ap (c\_2Ewords\_2En2w A_{27b}) (ap (ap (ap c\_2Ebit\_2EBITS (ap (ap c\_2Earithmetic\_2EMIN \\
& (ap (ap c\_2Earithmetic\_2EMIN V0h) (ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap (c\_2Efcp\_2Edimindex A_{27a}) (c\_2Ebool\_2Ethe\_value A_{27a}))) \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \\
& (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2D (ap \\
& (c\_2Efcp\_2Edimindex A_{27a}) (c\_2Ebool\_2Ethe\_value A_{27a}))) \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \\
& V1l))) V1l) V2n))))))) \\
& (112)
\end{aligned}$$

### Theorem 1

$$\begin{aligned}
& \forall A_{27a}. nonempty A_{27a} \Rightarrow (\forall V0w \in (ty\_2Efcp\_2Ecart \\
& 2 A_{27a}). (\forall V1h \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap (c\_2Ewords\_2Ew2n A_{27a}) V0w)) (ap (ap c\_2Earithmetic\_2EEEXP \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)))) \\
& (ap c\_2Enum\_2ESUC V1h)))) \Rightarrow ((ap (ap (ap (c\_2Ewords\_2Eword\_extract \\
& A_{27a} A_{27a}) V1h) c\_2Enum\_2E0) V0w) = V0w)))
\end{aligned}$$