

thm_2Ewords_2EWORD__FINITE

(TMXgcb3uV8oGpXtNYMSeu2Ueapshpari3N4)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) a))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (t1 = t2))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-2^{\lceil a \rceil}}). (ap\ V0P\ (ap\ (c_2Emin_2E\ 40$

Definition 11 We define $c_2\text{Eprim_rec_E_3C}$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define c_2 to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_{\text{c_Ebool_2E_5C_2F}}$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_{\text{c_Ebool_2E_21}}\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Earthmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

c_2Enum_2ZERO__REP $\in \omega$

define c_2Enum_2E0 to be (ap c_2Enum_2EABS_num c_2E

Definition 16 We define \in 2Ebool 2ECOND to be $\lambda A \exists \vec{a} : \nu. (\lambda V 0 t \in 2. (\lambda V 1 t_1 \in A \exists \vec{a}. (\lambda V 2 t_2 \in A \exists \vec{a}. ($

Let c 2E arithmetic 2EXP; t be given. Assume the following

e. 2Earithmetie 2EEYP $\in ((tu, 2Enum, 2Enum^{try_2Enum_2Enum})$

Let c_2 be given. Assume the following. (8)

$$\partial \Sigma_1 \cup \{1\} = \partial \Sigma_2 \Sigma_3 \Sigma_4 \cup \{1\} = \partial \Sigma_2 \cup \partial \Sigma_3 \cup \partial \Sigma_4 = t u \partial E_{\text{num}} \partial E_{\text{enum}}$$

Let c_2 be given. Assume the following. (9)

$$C_{\text{ZL}} \text{ at } v = C_{\text{ZL}} \text{ LIA} \subset ((v g_{\text{ZL}}) \text{ name}_{\text{ZL}} \text{ name}), \quad (10)$$

Definition 18 We define $\mathcal{C}\mathbb{E}\text{ARTHMETIC-ENVELOPE}$ to be $\lambda x. \exists y. \mathcal{C}\mathbb{E}\text{VALUATION}(y, x)$.

Definition 15 We define C2Eumerate2ENSOC to be $\lambda V \in \mathcal{V} \lambda g \in \text{ig-2Ename-2Ename.} (\text{ap } C2Eright2ENSOC \text{ (ap}$

Let c be an arithmetic $\in \mathbb{Z}^D$. It is given. Assume the following.

$$c_2 \in ((ty_2Enum_enum^y_2Enum2Enum)^{y_2Enum2Enum})^{y_2Enum2Enum} \quad (11)$$

Definition 20 We define the C_Enumeral_EEL to be $\lambda V. 0x \in ty_E\text{num} _E\text{num}. V 0x$.

Definition 21 We define $c_2Earthmetic_2EBIT\ z$ to be $\lambda V\ \mathbf{On}\ \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic$

Definition 23 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 24 We define $c_{_2Earthmetic_2E_3C_3D}$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty} (\text{ty_2Epair_2Eprod } A0 A1) \quad (12)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{\text{27}}.a.\text{nonempty } A_{\text{27}}a \Rightarrow \forall A_{\text{27}}b.\text{nonempty } A_{\text{27}}b \Rightarrow c_{\text{2Epair_2EABS_prod}}(A_{\text{27}}a, A_{\text{27}}b) \in ((ty_{\text{2Epair_2Eprod}}(A_{\text{27}}a, A_{\text{27}}b))^{((2^{A_{\text{27}}b})^{A_{\text{27}}a})}) \quad (13)$$

Definition 25 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2\text{Epred_set_2EGSPEC} \\ A_27a \ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod \ A_27a \ 2)^{A_27b})}) \quad (14)$$

Definition 26 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V 0 x \in A_27a.c_2Ebool_2ET)$.

Definition 27 We define $c_{\text{Ebool_2EIN}}$ to be $\lambda A.\lambda 27a:\iota.(\lambda V0x \in A.27a).(\lambda V1f \in (2^{A \rightarrow 27a}).(ap\;V1f\;V0x))$

Definition 28 We define $c_2E_{pred_set_2EEMPTY}$ to be $\lambda A.\lambda 27a:\iota.(\lambda V0x \in A.27a.c_2Ebool_2EF)$.

Definition 29 We define $c_2Epred_set_2EINSERT$ to be $\lambda A._27a : \iota.\lambda V0x \in A._27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set\ s)\ x)$

Definition 30 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A.\lambda 27a : \iota. \lambda V0s \in (2^{A \rightarrow 27a}). \lambda V1t \in (2^{A \rightarrow 27a}). (ap ($

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty} _2\text{Ebool} _2\text{Eitsel})$

Ques 2) If the value of t is given. Assume the following

$\forall A \exists a \text{ nonempty } A \exists a \Rightarrow c \in E \text{ bhol } E \text{ the value } A \exists a \in$

$2E$ -second, $2E$ -dimensional ψ to be given. Assume the following

$$\sqrt{4.27} \leq t \leq 4.27 + \sqrt{2\Gamma_0} = 1 + 2\Gamma_0^{1/2} \leq 1 + 4.27 = 5.27$$

(17)

$$-2\Gamma_0 + 4\Gamma_1 - 14\Gamma_2 + 2E_{\text{R}}H_0 = ((-2\Gamma_0 + 2\Gamma_1) - t\mu)2E_{\text{num}}/2E_{\text{num}}$$

$$O_{\text{DD}}(m) \in \mathcal{O}(m^2 \log m) \quad (18)$$

Definition 32 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (19)$$

Definition 33 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 34 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V1m \in ty_2Enum_2Enum.$

Definition 35 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap$

Let $ty_2Efcp_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efcp_2Efinite_image A0) \quad (20)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)})^{ty_2Enum_2Enum} \quad (21)$$

Definition 36 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap c_2Ebool_2E_2F_5C$

Definition 37 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota. (ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum}))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efcp_2Ecart \\ A0 A1) \end{aligned} \quad (22)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efcp_2Edest_cart \\ A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image A_27b)})^{(ty_2Efcp_2Ecart A_27a A_27b)}) \end{aligned} \quad (23)$$

Definition 38 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b).$

Definition 39 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap$

Definition 40 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap (c_2Efcp_2EFC$

Assume the following.

$$\begin{aligned} &(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ &((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ &ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ &(ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ &V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ &V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))) \\ & \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ & V1n) V0m)))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B V0m) \\ & (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) = (ap (ap c_2Earithmetic_2E_2B \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n) V2p))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap c_2Enum_2ESUC V0m) V1n))))))) \end{aligned} \quad (27)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D \\ c_2Enum_2E0) V0n))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ V1n) V0m))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\ (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\ (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\ & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m) V1n) = (ap \\ & (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\ & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\ V0m) V1n))))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\ V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\ & ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & (V0m = V1n) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \wedge (p (\\ & ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & (\forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V2p)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & (\neg(V0m = V1n) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\ & V0m)) V1n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\ & V1n)) V0m))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\ & c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)) V0n)))) \end{aligned} \quad (35)$$

Assume the following.

$$True \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (38)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (39)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in \\ & A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \wedge (p V1t2)) \Leftrightarrow ((p V1t2) \wedge \\ & (p V0t1)))))) \quad (41)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (44)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (45)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (46)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (47)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (48)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (49)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (50)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). (((p V0P) \wedge (\forall V2x \in A_27a. (p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a. ((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (54)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (55)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (56)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (57)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))))) \quad (58)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap V0P c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p (ap V0P V2n))))) \quad (59)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2EiZ (ap \\
& (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& ((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
(ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC \\
c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum. \\
& (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Enum_2ESUC V17n)))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
(ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& ((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V30m) V29n)))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
V32n)))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
c_2Enum_2E0) V33n)) \Leftrightarrow False)) \wedge ((\forall V34n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
V34n)) \Leftrightarrow False)))))))
\end{aligned}$$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\
& \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& A_27b. (((ap (ap (c_2Epair_2E_2C A_27a A_27b) V0x) V1y) = (ap (ap \\
& (c_2Epair_2E_2C A_27a A_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \\
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p (ap (ap \\
& (c_2Ebool_2EIN A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t))))))) \\
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\
& \forall V0f \in ((ty_2Epair_2Eprod A_27a 2)^{A_27b}). (\forall V1v \in \\
& A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) V1v) (ap (c_2Epred_set_2EGSPEC \\
& A_27a A_27b) V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap (ap (c_2Epair_2E_2C \\
& A_27a 2) V1v) c_2Ebool_2ET) = (ap V0f V2x))))))) \\
\end{aligned} \tag{65}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\neg(p (ap (ap \\
(c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EEMPTY A_27a)))))) \tag{66}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (p (ap (ap (c_2Ebool_2EIN \\
A_27a) V0x) (c_2Epred_set_2EUNIV A_27a)))) \tag{67}$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0s \in (2^{A_{\text{27a}}}).(p(\text{ap}(\text{ap}(c_{\text{2Epred_set_2ESUBSET}} A_{\text{27a}}) V0s) (c_{\text{2Epred_set_2EUNIV}} A_{\text{27a}})))) \quad (68)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0x \in A_{\text{27a}}. (\forall V1y \in \\ A_{\text{27a}}. (\forall V2s \in (2^{A_{\text{27a}}}).((p(\text{ap}(\text{ap}(c_{\text{2Ebool_2EIN}} A_{\text{27a}}) \\ V0x) (ap(\text{ap}(c_{\text{2Epred_set_2EINSERT}} A_{\text{27a}}) V1y) V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p(\text{ap}(\text{ap}(c_{\text{2Ebool_2EIN}} A_{\text{27a}}) V0x) V2s))))))) \end{aligned} \quad (69)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (p(\text{ap}(c_{\text{2Epred_set_2EFINITE}} A_{\text{27a}}) (c_{\text{2Epred_set_2EEMPTY}} A_{\text{27a}}))) \quad (70)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0x \in A_{\text{27a}}. (\forall V1s \in \\ (2^{A_{\text{27a}}}).((p(\text{ap}(c_{\text{2Epred_set_2EFINITE}} A_{\text{27a}}) (ap(\text{ap}(c_{\text{2Epred_set_2EINSERT}} \\ A_{\text{27a}}) V0x) V1s))) \Leftrightarrow (p(\text{ap}(c_{\text{2Epred_set_2EFINITE}} A_{\text{27a}}) V1s)))))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0s \in (2^{A_{\text{27a}}}).((p(\text{ap}(c_{\text{2Epred_set_2EFINITE}} A_{\text{27a}}) V0s)) \Rightarrow (\forall V1t \in (2^{A_{\text{27a}}}). \\ ((p(\text{ap}(\text{ap}(c_{\text{2Epred_set_2ESUBSET}} A_{\text{27a}}) V1t) V0s)) \Rightarrow (p(\text{ap}(c_{\text{2Epred_set_2EFINITE}} \\ A_{\text{27a}}) V1t))))))) \end{aligned} \quad (72)$$

Assume the following.

$$(\forall V0n \in ty_{\text{2Enum_2Enum}}. (\neg(p(\text{ap}(\text{ap}(c_{\text{2Eprim_rec_3C}} \\ V0n) c_{\text{2Enum_2E0}})))) \quad (73)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (74)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (75)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \end{aligned} \quad (76)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (77)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (78)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (79)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (80)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((p V2r) \vee ((\neg(p V0p))))))))))) \end{aligned} \quad (81)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \wedge ((p V0p) \vee ((\neg(p V2r)) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee ((\neg(p V0p))))))))))) \end{aligned} \quad (82)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (83)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))))) \quad (84)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (85)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (86)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q))))) \quad (87)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \quad (88)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0w \in (ty_2Efcp_2Ecart \\ & 2 \ A_27a). (\exists V1n \in ty_2Enum_2Enum. ((V0w = (ap (c_2Ewords_2En2w \\ & A_27a) \ V1n)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C V1n) (ap (c_2Ewords_2Edimword \\ & A_27a) (c_2Ebool_2Ethe_value A_27a))))))) \end{aligned} \quad (89)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0s \in (2^{(ty_2Efcp_2Ecart \ 2 \ A_27a)}). \\ & (p (ap (c_2Epred_set_2EFINITE (ty_2Efcp_2Ecart \ 2 \ A_27a)) \ V0s))) \end{aligned}$$