

thm_2Ewords_2EWORD__HIGHER__OR__EQ
 (TMYLLA8vauBfBcY3jcxpJNMF1ioVhwPfVDk)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V0t \in 2.V0t)) (\lambda V1t \in 2.V1t)))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty \ ty_2Enum_2Enum \quad (1)$$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (3)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^\omega) \quad (4)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (m))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge P x) \text{ else } \perp$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c_2Emin_2E_40 A) a)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (\lambda V0P \in (2^{V0m}). (ap V0P (ap (c_2Emin_2E_40 V1n) m)))$

Definition 13 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (\lambda V0P \in (2^{V0m}). (ap V0P (ap (c_2Emin_2E_40 V1n) m)))$

Let $ty_2Efcp_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Efcp_2Efinite_image A0) \quad (5)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (6)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ebool_2Ethethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (7)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (8)$$

Definition 14 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Ebool_2E_2F_5C A_27a) V0P) a)))$

Definition 15 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota. (ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum})))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Efcp_2Ecart A0 A1) \quad (9)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Efcp_2Edest_cart A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image A_27b)})(ty_2Efcp_2Ecart A_27a A_27b)) \quad (10)$$

Definition 16 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b). (ap (c_2Efcp_2Efinite_index A_27a) V0x)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 17 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 18 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let c_2 be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum_2Enum})^{ty_2Enum_2Enum}) \\ (12)$$

Definition 19 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic\ 2EBIT2\ n)\ V)$

Definition 20 We define `c_2Earthmetic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2EXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EE EXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \\ (13)$$

Definition 21 We define c_2Ebool_2ECOND to be $\lambda A._27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A._27a.(\lambda V2t2 \in A._27a.($

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum^{ty_2Enum_2Enum}})})^{ty_2Enum_2Enum}) \quad (14)$$

Definition 23 We define c_2 to be $\lambda A_2\lambda w : \iota. \lambda V_0 w \in (ty_2.Efcp_2Ecart\ 2\ A_2\lambda a).(ap\ (ap\ a\ w)\ V_0)$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ewords_2Edimword A_27a \in (\text{ty_2Enum_2Enum}^{(\text{ty_2Ebool_2Eitself } A_27a)})$$

(15)

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum ty_2Enum_2Enum_2Enum) ty_2Enum_2Enum) \\ (16)$$

Definition 24 We define $c_2Earthmetic_2EBIT1$ to be $\lambda Vn \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic\ n\ V)\ n)$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (17)$$

Definition 25 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2 \in \text{arithmetic_EMOD} : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (18)$$

Definition 26 We define `c_2EBit_2EMOD_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2E$

Definition 27 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. \lambda V3n \in ty_2Enum_2Enum. \lambda V4o \in ty_2Enum_2Enum. \lambda V5p \in ty_2Enum_2Enum. \lambda V6q \in ty_2Enum_2Enum. \lambda V7r \in ty_2Enum_2Enum. \lambda V8s \in ty_2Enum_2Enum. \lambda V9t \in ty_2Enum_2Enum. \lambda V10u \in ty_2Enum_2Enum. \lambda V11v \in ty_2Enum_2Enum. \lambda V12w \in ty_2Enum_2Enum. \lambda V13x \in ty_2Enum_2Enum. \lambda V14y \in ty_2Enum_2Enum. \lambda V15z \in ty_2Enum_2Enum.$

Definition 28 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 29 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 30 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efcp_2EFC$

Definition 31 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart 2 A_27a).$

Definition 32 We define $c_2Ewords_2Eword_msb$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcp_2Ecart 2 A_27a). (ap$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow & \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod \\ & A0 A1) \end{aligned} \quad (19)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (20)$$

Definition 33 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2$

Definition 34 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0f \in (A_27b^{A_27a}). (\lambda V1x \in A_27$

Definition 35 We define $c_2Ewords_2Enzcv$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Efcp_2Ecart 2 A_27a). \lambda V1b \in ($

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (21)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow & \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (22)$$

Definition 36 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27a})^{A_27b})$

Definition 37 We define $c_2Ewords_2Eword_hi$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Efcp_2Ecart 2 A_27a). \lambda V1b \in ($

Definition 38 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. ap (c_2$

Definition 39 We define $c_2Ewords_2Eword_hs$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Efcp_2Ecart 2 A_27a). \lambda V1b \in ($

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0v \in (ty_2Efcpc_2Ecart \\ & 2\ A_27a).(\forall V1w \in (ty_2Efcpc_2Ecart\ 2\ A_27a).(((ap\ (c_2Ewords_2Ew2n \\ & A_27a)\ V0v) = (ap\ (c_2Ewords_2Ew2n\ A_27a)\ V1w)) \Leftrightarrow (V0v = V1w)))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0a \in (ty_2Efcpc_2Ecart \\ & 2\ A_27a).(\forall V1b \in (ty_2Efcpc_2Ecart\ 2\ A_27a).((p\ (ap\ (ap \\ & (c_2Ewords_2Eword_hi\ A_27a)\ V0a)\ V1b)) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3E \\ & (ap\ (c_2Ewords_2Ew2n\ A_27a)\ V0a))\ (ap\ (c_2Ewords_2Ew2n\ A_27a) \\ & V1b))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0a \in (ty_2Efcpc_2Ecart \\ & 2\ A_27a).(\forall V1b \in (ty_2Efcpc_2Ecart\ 2\ A_27a).((p\ (ap\ (ap \\ & (c_2Ewords_2Eword_hs\ A_27a)\ V0a)\ V1b)) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3E_3D \\ & (ap\ (c_2Ewords_2Ew2n\ A_27a)\ V0a))\ (ap\ (c_2Ewords_2Ew2n\ A_27a) \\ & V1b))))))) \end{aligned} \quad (28)$$

Theorem 1

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0a \in (ty_2Efcpc_2Ecart \\ & 2\ A_27a).(\forall V1b \in (ty_2Efcpc_2Ecart\ 2\ A_27a).((p\ (ap\ (ap \\ & (c_2Ewords_2Eword_hs\ A_27a)\ V0a)\ V1b)) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ewords_2Eword_hi \\ & A_27a)\ V0a)\ V1b)) \vee (V0a = V1b))))) \end{aligned}$$