

thm\_2Ewords\_2EWORD\_\_LESS\_\_0\_\_word\_\_T  
 (TM-  
 SAZcdLxg2SeBQ2tV5KFRNKUxR85GKVqFf)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))))$

**Definition 5** We define  $c\_2Ebool\_2E\_F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 6** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_F))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 12** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Efcf\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efcf\_2Efinite\_image\ A0) \quad (6)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (7)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in ( \quad (8)$$

$$ty\_2Ebool\_2Eitself\ A\_27a)$$

Let  $c\_2Efcf\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efcf\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (9)$$

**Definition 13** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 14** We define  $c\_2Efcf\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum$

Let  $ty\_2Efcf\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efcf\_2Ecart\ A0\ A1) \quad (10)$$

Let  $c\_2Efcf\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efcf\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efcf\_2Efinite\_image\ A\_27b)})^{(ty\_2Efcf\_2Ecart\ A\_27a\ A\_27b)}) \quad (11)$$

**Definition 15** We define  $c\_2Efcf\_2Efcf\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcf\_2Ecart\ A\_27a$

**Definition 16** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 17** We define `c_2Earithmetic_2EBIT2` to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 18** We define `c_2Earithmetic_2ENUMERAL` to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let `c_2Earithmetic_2EEXP` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 19** We define `c_2Ebool_2ECOND` to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 20** We define `c_2Ebit_2ESBIT` to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebo$

Let `c_2Esum_num_2ESUM` :  $\iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (14)$$

**Definition 21** We define `c_2Ewords_2Ew2n` to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).(ap (ap c$

Let `c_2Ewords_2Edimword` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)})^{ty\_2Enum\_2Enum} \quad (15)$$

Let `c_2Earithmetic_2E_2D` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (16)$$

**Definition 22** We define `c_2Earithmetic_2EBIT1` to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

Let `c_2Earithmetic_2EDIV` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (17)$$

**Definition 23** We define `c_2Ebit_2EDIV_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let `c_2Earithmetic_2EMOD` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (18)$$

**Definition 24** We define `c_2Ebit_2EMOD_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 25** We define `c_2Ebit_2EBITS` to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 26** We define `c_2Ebit_2EBIT` to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 27** We define `c_2EfcP_2EFCP` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 28** We define `c_2Ewords_2En2w` to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2EfcP\_2EFC$

**Definition 29** We define  $c\_2Ewords\_2Eword\_2comp$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

**Definition 30** We define  $c\_2Ewords\_2Eword\_2msb$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

**Definition 31** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (19)$$

Let  $c\_2Epair\_2EABS\_2prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_2prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (20)$$

**Definition 32** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.))$

**Definition 33** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b)^{A\_27a}).(\lambda V1x \in A\_27a.))$

**Definition 34** We define  $c\_2Ewords\_2Eenzcv$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).\lambda V1b \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (21)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (22)$$

**Definition 35** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})^{A\_27b}.$

**Definition 36** We define  $c\_2Ewords\_2Eword\_2lt$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).\lambda V1b \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

**Definition 37** We define  $c\_2Earithmetic\_2E\_3C\_23D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 38** We define  $c\_2Ewords\_2Eword\_2le$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).\lambda V1b \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\neg(p (ap (c\_2Ewords\_2Eword\_msb \\ & A\_27a) (ap (c\_2Ewords\_2En2w A\_27a) c\_2Enum\_2E0)))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0a \in (ty\_2Efc\_2Ecart \\ & 2 A\_27a).(\forall V1b \in (ty\_2Efc\_2Ecart 2 A\_27a).((p (ap (ap \\ & (c\_2Ewords\_2Eword\_lt A\_27a) V0a) V1b)) \Leftrightarrow (((p (ap (c\_2Ewords\_2Eword\_msb \\ & A\_27a) V0a)) \Leftrightarrow (p (ap (c\_2Ewords\_2Eword\_msb A\_27a) V1b))) \wedge (p ( \\ & ap (ap c\_2Eprim\_rec\_2E\_3C (ap (c\_2Ewords\_2Ew2n A\_27a) V0a)) ( \\ & ap (c\_2Ewords\_2Ew2n A\_27a) V1b)))) \vee ((p (ap (c\_2Ewords\_2Eword\_msb \\ & A\_27a) V0a)) \wedge (\neg(p (ap (c\_2Ewords\_2Eword\_msb A\_27a) V1b))))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0a \in (ty\_2Efc\_2Ecart \\ & 2 A\_27a).(\forall V1b \in (ty\_2Efc\_2Ecart 2 A\_27a).((p (ap (ap \\ & (c\_2Ewords\_2Eword\_le A\_27a) V0a) V1b)) \Leftrightarrow (((p (ap (c\_2Ewords\_2Eword\_msb \\ & A\_27a) V0a)) \Leftrightarrow (p (ap (c\_2Ewords\_2Eword\_msb A\_27a) V1b))) \wedge (p ( \\ & ap (ap c\_2Earithmic\_2E\_3C\_3D (ap (c\_2Ewords\_2Ew2n A\_27a) V0a)) \\ & (ap (c\_2Ewords\_2Ew2n A\_27a) V1b)))) \vee ((p (ap (c\_2Ewords\_2Eword\_msb \\ & A\_27a) V0a)) \wedge (\neg(p (ap (c\_2Ewords\_2Eword\_msb A\_27a) V1b))))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (p \text{ (ap (c\_2Ewords\_2Eword\_msb } A_{27a}) \\
& \text{(ap (c\_2Ewords\_2Eword\_2comp } A_{27a}) \text{(ap (c\_2Ewords\_2En2w } A_{27a}) \\
& \text{(ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \\
& \hspace{15em} (33)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow \forall A_{27c}. \\
& \text{nonempty } A_{27c} \Rightarrow \forall A_{27d}. \text{nonempty } A_{27d} \Rightarrow ((\neg(p \text{ (ap (ap (c\_2Ewords\_2Eword\_lt} \\
& A_{27a}) \text{(ap (c\_2Ewords\_2En2w } A_{27a}) \text{c\_2Enum\_2E0)) (ap (c\_2Ewords\_2Eword\_2comp} \\
& A_{27a}) \text{(ap (c\_2Ewords\_2En2w } A_{27a}) \text{(ap c\_2Earithmetic\_2ENUMERAL} \\
& \text{(ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge (( \\
& \neg(p \text{ (ap (ap (c\_2Ewords\_2Eword\_le } A_{27b}) \text{(ap (c\_2Ewords\_2En2w} \\
& A_{27b}) \text{c\_2Enum\_2E0)) (ap (c\_2Ewords\_2Eword\_2comp } A_{27b}) \text{(ap} \\
& \text{(c\_2Ewords\_2En2w } A_{27b}) \text{(ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1} \\
& \text{c\_2Earithmetic\_2EZERO)))))) \wedge ((p \text{ (ap (ap (c\_2Ewords\_2Eword\_lt} \\
& A_{27c}) \text{(ap (c\_2Ewords\_2Eword\_2comp } A_{27c}) \text{(ap (c\_2Ewords\_2En2w} \\
& A_{27c}) \text{(ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1} \\
& \text{c\_2Earithmetic\_2EZERO)))))) (ap (c\_2Ewords\_2En2w } A_{27c}) \text{c\_2Enum\_2E0))) \wedge \\
& (p \text{ (ap (ap (c\_2Ewords\_2Eword\_le } A_{27d}) \text{(ap (c\_2Ewords\_2Eword\_2comp} \\
& A_{27d}) \text{(ap (c\_2Ewords\_2En2w } A_{27d}) \text{(ap c\_2Earithmetic\_2ENUMERAL} \\
& \text{(ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) (ap (c\_2Ewords\_2En2w} \\
& A_{27d}) \text{c\_2Enum\_2E0))))))
\end{aligned}$$