

thm_2Ewords_2EWORD__NOT__NOT
(TMM2c889bQrayph3d8kLRgwXeYwjCDW5ZJC)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V 0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 0t \in 2. V 0t)$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 2t \in 2. V 2t)))$

Let `ty_2Ebool_2Eitself` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Ebool_2Eitself } A 0) \quad (1)$$

Let `c_2Ebool_2Ethe_value` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Ebool_2Ethe_value } A_27a \in (\text{ty_2Ebool_2Eitself } A_27a) \quad (2)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (3)$$

Let `c_2EfcP_2Edimindex` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2EfcP_2Edimindex } A_27a \in (\text{ty_2Enum_2Enum}^{(\text{ty_2Ebool_2Eitself } A_27a)}) \quad (4)$$

Definition 7 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t)) \text{c_2Ebool_2E_2F}))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num)$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then}$ (the $(\lambda x. x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Efcf_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Efcf_2Efinite_image\ A0) \quad (8)$$

Definition 12 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ c_2Ebool_2E_2F_5C$

Definition 13 We define $c_2Efcf_2Efinite_index$ to be $\lambda A_27a : \iota. (ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum}$

Let $ty_2Efcf_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcf_2Ecart\ A0\ A1) \quad (9)$$

Let $c_2Efcf_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Efcf_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcf_2Efinite_image\ A_27b)}) (ty_2Efcf_2Ecart\ A_27a\ A_27b)) \quad (10)$$

Definition 14 We define $c_2Efcf_2Efcf_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcf_2Ecart\ A_27a\ A_27b)$

Definition 15 We define c_2Efcf_2EFCF to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap\$

Definition 16 We define $c_2Ewords_2Eword_1comp$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efcf_2Ecart\ 2\ A_27a)$.

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (12)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p V0t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0x \in (ty_2EfcP_2Ecart A_27a A_27b).(\forall V1y \in (ty_2EfcP_2Ecart \\
& A_27a A_27b).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum.((p (ap \\
& (ap c_2Eprim_rec_2E_3C V2i) (ap (c_2EfcP_2Edimindex A_27b) (\\
& c_2Ebool_2Ethe_value A_27b)))) \Rightarrow ((ap (ap (c_2EfcP_2EfcP_index \\
& A_27a A_27b) V0x) V2i) = (ap (ap (c_2EfcP_2EfcP_index A_27a A_27b) \\
& V1y) V2i))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0g \in (A_27a^{ty_2Enum_2Enum}).(\forall V1i \in ty_2Enum_2Enum. \\
& \quad ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1i)\ (ap\ (c_2Efc_2Edimindex\ A_27b) \\
& \quad (c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2Efc_2Efc_index \\
& \quad A_27a\ A_27b)\ (ap\ (c_2Efc_2EFCP\ A_27a\ A_27b)\ V0g))\ V1i) = (ap\ V0g \\
& \quad V1i))))))
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Efc_2Ecart \\
& \quad 2\ A_27a).((ap\ (c_2Ewords_2Eword_1comp\ A_27a)\ (ap\ (c_2Ewords_2Eword_1comp \\
& \quad A_27a)\ V0a)) = V0a))
\end{aligned}$$