

thm_2Ewords_2EWORD__RIGHT__ADD__DISTRIB
 (TMHUBeULoNvQjvzhAE-
 VUkT1j34SvvBtQNZb)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Efcp_2Efinit_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efcp_2Efinit_image A0) \quad (1)$$

Let $ty_2Ebool_2Eitsel : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitsel A0) \quad (2)$$

Let $c_2Ebool_2Eth_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Eth_value A_27a \in (ty_2Ebool_2Eitsel A_27a) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (4)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitsel A_27a)}) \quad (5)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C$

Definition 13 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum}))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Efcp_2Ecart \\ A0 A1) \quad (9)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efcp_2Edest_cart \\ A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image A_27b)})(ty_2Efcp_2Ecart A_27a A_27b)) \quad (10)$$

Definition 14 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b).$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ewords_2Edimword A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (11)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (13)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 17 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EEEXP\ n))$

Definition 18 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (14)$$

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(V0t \cdot t1 \cdot t2)))$

Definition 20 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ b)\ V1n)\ V0b))$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (15)$$

Definition 21 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a).(ap\ (ap\ (c_2Ebool_2ECOND\ w)\ A_27a))$

Definition 22 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EEEXP\ n))$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (16)$$

Definition 23 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Ebit_2EDIV\ x\ n)$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (18)$$

Definition 24 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Ebit_2EMOD\ x\ n)$

Definition 25 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.(c_2Ebit_2EDIV\ h\ l\ m)$

Definition 26 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (c_2Ebit_2EDIV\ b\ n))$

Definition 27 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap\ (c_2Efcp_2EFCP\ g)\ A_27b))$

Definition 28 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2Efcp_2EFCP\ n)\ A_27a)$

Definition 29 We define $c_2Ewords_2Eword_add$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Efcpc_2Ecart\ 2\ A_27a). \lambda V$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 30 We define $c_2Ewords_2Eword_mul$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Efcpc_2Ecart\ 2\ A_27a). \lambda V$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad \forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A (ap \\ & \quad (ap c_2Earithmetic_2E_2B V0m) V1n)) V2p) = (ap (ap c_2Earithmetic_2E_2B \\ & \quad (ap (ap c_2Earithmetic_2E_2A V0m) V2p)) (ap (ap c_2Earithmetic_2E_2A \\ & \quad V1n) V2p))))))) \end{aligned} \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & \quad True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & \quad (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \quad (24)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ & \quad (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\\ & \forall V0x \in (ty_2Efcp_2Ecart A_{27a} A_{27b}).(\forall V1y \in (ty_2Efcp_2Ecart \\ & A_{27a} A_{27b}).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum.((p (ap \\ & (ap c_2Eprim_rec_2E_3C V2i) (ap (c_2Efcp_2Edimindex A_{27b}) (\\ & c_2Ebool_2Ethe_value A_{27b})))) \Rightarrow ((ap (ap (c_2Efcp_2Efcp_index \\ & A_{27a} A_{27b}) V0x) V2i) = (ap (ap (c_2Efcp_2Efcp_index A_{27a} A_{27b}) \\ & V1y) V2i))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0w \in (ty_2Efcp_2Ecart \\ & 2 A_{27a}).(\exists V1n \in ty_2Enum_2Enum.((V0w = (ap (c_2Ewords_2En2w \\ & A_{27a}) V1n)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C V1n) (ap (c_2Ewords_2Edimword \\ & A_{27a}) (c_2Ebool_2Ethe_value A_{27a}))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0m \in ty_2Enum_2Enum.(\\ & \forall V1n \in ty_2Enum_2Enum.((ap (ap (c_2Ewords_2Eword_add \\ & A_{27a}) (ap (c_2Ewords_2En2w A_{27a}) V0m)) (ap (c_2Ewords_2En2w \\ & A_{27a}) V1n)) = (ap (c_2Ewords_2En2w A_{27a}) (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V1n))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0m \in ty_2Enum_2Enum.(\\ & \forall V1n \in ty_2Enum_2Enum.((ap (ap (c_2Ewords_2Eword_mul \\ & A_{27a}) (ap (c_2Ewords_2En2w A_{27a}) V0m)) (ap (c_2Ewords_2En2w \\ & A_{27a}) V1n)) = (ap (c_2Ewords_2En2w A_{27a}) (ap (ap c_2Earithmetic_2E_2A \\ & V0m) V1n))))))) \end{aligned} \quad (31)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0v \in (ty_2Efcp_2Ecart \\ & 2 A_{27a}).(\forall V1w \in (ty_2Efcp_2Ecart 2 A_{27a}).(\forall V2x \in \\ & (ty_2Efcp_2Ecart 2 A_{27a}).((ap (ap (c_2Ewords_2Eword_mul A_{27a}) \\ & (ap (ap (c_2Ewords_2Eword_add A_{27a}) V0v) V1w)) V2x) = (ap (ap (\\ & c_2Ewords_2Eword_add A_{27a}) (ap (ap (c_2Ewords_2Eword_mul \\ & A_{27a}) V0v) V2x)) (ap (ap (c_2Ewords_2Eword_mul A_{27a}) V1w) V2x))))))) \end{aligned}$$