

thm_2Ewords_2EWORD__SUB__ADD2
(TMXq8wc2eydLwGvP6sHrSHS7Y7woBtryyKe)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Efcf_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efcf_2Efinite_image A0) \quad (1)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (2)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Ethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (3)$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2Eenum \quad (4)$$

Let $c_2Efcf_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efcf_2Edimindex A_27a \in (ty_2Eenum_2Eenum^{(ty_2Ebool_2Eitself A_27a)}) \quad (5)$$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define `c.Earithmic.EBIT2` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c.Earithmic$

Definition 18 We define `c.Earithmic.ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let `c.Earithmic.EEXP` : ι be given. Assume the following.

$$c.Earithmic.EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 19 We define `c.Ebool.ECOND` to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 20 We define `c.Ebit.ESBIT` to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (ap (c.Ebo$

Let `c.Esum_num.ESUM` : ι be given. Assume the following.

$$c.Esum_num.ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (14)$$

Definition 21 We define `c.Ewords.Ew2n` to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).(ap (ap$

Definition 22 We define `c.Earithmic.EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c.Earithmic$

Let `c.Earithmic.EDIV` : ι be given. Assume the following.

$$c.Earithmic.EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (15)$$

Definition 23 We define `c.Ebit.EDIV_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let `c.Earithmic.E_2D` : ι be given. Assume the following.

$$c.Earithmic.E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (16)$$

Let `c.Earithmic.EMOD` : ι be given. Assume the following.

$$c.Earithmic.EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (17)$$

Definition 24 We define `c.Ebit.EMOD_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 25 We define `c.Ebit.EBITS` to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 26 We define `c.Ebit.EBIT` to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 27 We define `c.EfcP.EFCP` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 28 We define `c.Ewords.En2w` to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c.EfcP.EFC$

Definition 29 We define `c.Ewords.Eword_add` to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a).\lambda V$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (18)$$

Definition 30 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 31 We define $c_2Ewords_2Eword_2sub$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_2add\ A_27a)\ V0w)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0)) = V0w)) \wedge (\forall V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_2add\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0))\ V1w) = V1w))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2Efc_2Ecart\ 2\ A_27a).(\forall V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).(\forall V2x \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_2sub\ A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_2add\ A_27a)\ V0v)\ V1w))\ V2x) = (ap\ (ap\ (c_2Ewords_2Eword_2add\ A_27a)\ V0v)\ (ap\ (ap\ (c_2Ewords_2Eword_2sub\ A_27a)\ V1w)\ V2x)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2Efc_2Ecart\ 2\ A_27a).(\forall V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).(\forall V2x \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_2sub\ A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_2add\ A_27a)\ V0v)\ V1w))\ V2x) = (ap\ (ap\ (c_2Ewords_2Eword_2add\ A_27a)\ (ap\ (ap\ (c_2Ewords_2Eword_2sub\ A_27a)\ V0v)\ V2x))\ V1w)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0w \in (ty_2Efc_2Ecart\ 2\ A.27a).((ap\ (ap\ (c_2Ewords_2Eword_sub\ A.27a)\ V0w)\ V0w) = (ap\ (c_2Ewords_2En2w\ A.27a)\ c_2Enum_2E0))) \quad (26)$$

Theorem 1

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0v \in (ty_2Efc_2Ecart\ 2\ A.27a).(\forall V1w \in (ty_2Efc_2Ecart\ 2\ A.27a).((ap\ (ap\ (c_2Ewords_2Eword_add\ A.27a)\ V0v)\ (ap\ (ap\ (c_2Ewords_2Eword_sub\ A.27a)\ V1w)\ V0v)) = V1w))))$$