

thm_2Ewords_2EWORD__SUB__LZERO (TM- Grot56xNCp5dhmL2v6TTk3KXYNMek44oC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Efc_2E_finite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efc_2E_finite_image A0) \quad (1)$$

Let $ty_2Ebool_2E_itself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2E_itself A0) \quad (2)$$

Let $c_2Ebool_2E_the_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2E_the_value A_27a \in (ty_2Ebool_2E_itself A_27a) \quad (3)$$

Let $ty_2Eenum_2E_enum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2E_enum \quad (4)$$

Let $c_2Efc_2E_dimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efc_2E_dimindex A_27a \in (ty_2Eenum_2E_enum^{(ty_2Ebool_2E_itself A_27a)}) \quad (5)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF$

Definition 7 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (ap V0m))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A) P)))$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap V0m (ap V1n))$

Definition 12 We define $c_Ebool_2E_3F_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap c_Ebool_2E_2F_5C A) P))$

Definition 13 We define $c_2Efc_2Efinite_index$ to be $\lambda A.27a : \iota.(ap (c_2Emin_2E_40 A) (A.27a^{ty_2Enum_2Enum}))$

Let $ty_2Efc_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efc_2Ecart A0 A1) \quad (9)$$

Let $c_2Efc_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Efc_2Edest_cart A.27a A.27b \in ((A.27a^{(ty_2Efc_2Efinite_image A.27b)})^{(ty_2Efc_2Ecart A.27a A.27b)}) \quad (10)$$

Definition 14 We define $c_2Efc_2Efc_index$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in (ty_2Efc_2Ecart A.27a A.27b)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 15 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 16 We define $c_2Earithmetic_2E_2B$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 17 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 18 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 20 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (14)$$

Definition 21 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).(ap (ap c$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)})^{ty_2Enum_2Enum} \quad (15)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (16)$$

Definition 22 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (17)$$

Definition 23 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (18)$$

Definition 24 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 25 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 26 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 27 We define c_2EfcP_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 28 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2EfcP_2EFC$

Definition 29 We define $c_2Ewords_2Eword_comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 30 We define $c_2Ewords_2Eword_add$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 31 We define $c_2Ewords_2Eword_sub$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Assume the following.

$$True \tag{19}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{20}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{21}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ V0w)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0)) = V0w)) \wedge (\forall V1w \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_add\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0))\ V1w) = V1w))) \end{aligned} \tag{22}$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).((ap\ (ap\ (c_2Ewords_2Eword_sub\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ c_2Enum_2E0))\ V0w) = (ap\ (c_2Ewords_2Eword_comp\ A_27a)\ V0w)))$$