

# thm\_2Ewords\_2EWORD\_\_SUB\_\_SUB (TMdQtb- ByVVeCEkPJcEGgmu5bVHjbTKsPvD9)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota$ .

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A_{27a}}))$

**Definition 5** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2)) (\lambda V2t \in 2. V2t))$

**Definition 6** We define `c_2Emarker_2EAC` to be  $\lambda V0b1 \in 2. \lambda V1b2 \in 2. (\text{ap } (\text{ap } (\text{c\_2Ebool\_2E\_2F\_5C } V0b1)) V1b2)$

Let `ty_2Efcf_2Efinite_image` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Efcf\_2Efinite\_image } A0) \quad (1)$$

Let `ty_2Ebool_2Eitself` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Ebool\_2Eitself } A0) \quad (2)$$

Let `c_2Ebool_2Ethe_value` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \text{c\_2Ebool\_2Ethe\_value } A_{27a} \in (\text{ty\_2Ebool\_2Eitself } A_{27a}) \quad (3)$$

Let `ty_2Eenum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Eenum\_2Enum} \quad (4)$$

Let `c_2Efcf_2Edimindex` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \text{c\_2Efcf\_2Edimindex } A_{27a} \in (\text{ty\_2Eenum\_2Enum}^{(\text{ty\_2Ebool\_2Eitself } A_{27a})}) \quad (5)$$

**Definition 7** We define  $c\_Ebool\_2EF$  to be  $(ap (c\_Ebool\_2E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 8** We define  $c\_Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_2E\_3D\_3D\_3E) V0t) c\_Ebool\_2EF)$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num)$

**Definition 10** We define  $c\_Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A) P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_Emin\_2E\_40) P)))$

**Definition 12** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap c\_Ebool\_2E\_2F\_5C) P)))$

**Definition 14** We define  $c\_Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap (c\_Emin\_2E\_40) (A\_27a^{ty\_2Enum\_2Enum}))$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efcp\_2Ecart A0 A1) \quad (9)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efcp\_2Edest\_cart A\_27a A\_27b \in ((A\_27a^{(ty\_2Efcp\_2Efinite\_image A\_27b)})^{(ty\_2Efcp\_2Ecart A\_27a A\_27b)}) \quad (10)$$

**Definition 15** We define  $c\_Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart A\_27a A\_27b)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (11)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 17** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (12)$$

**Definition 18** We define  $c\_Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E\_2B))$

**Definition 19** We define  $c\_Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 20** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(c\_Ebool\_2ECOND A\_27a t1 t2))))$

**Definition 21** We define  $c\_Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (ap c\_Ebool\_2ECOND A\_27a)))$

Let  $c\_Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (14)$$

**Definition 22** We define  $c\_Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Enum\_2Enum^{(ty\_2EfcP\_2Ecart 2 A\_27a)}).(ap (ap c\_Esum\_num\_2ESUM A\_27a w))$

Let  $c\_Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Ewords\_2Edimword A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)})^{ty\_2Enum\_2Enum} \quad (15)$$

Let  $c\_Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (16)$$

**Definition 23** We define  $c\_Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E\_2D))$

Let  $c\_Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (17)$$

**Definition 24** We define  $c\_Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2EDIV A\_27a))$

Let  $c\_Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (18)$$

**Definition 25** We define  $c\_Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2EMOD A\_27a))$

**Definition 26** We define  $c\_Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V2n \in ty\_2Enum\_2Enum.(ap (ap (ap c\_Ebit\_2ESBIT A\_27a)))$

**Definition 27** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 28** We define  $c\_2Efcf\_2EFCF$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 29** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2Efcf\_2EFCF$

**Definition 30** We define  $c\_2Ewords\_2Eword\_2comp$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).$

**Definition 31** We define  $c\_2Ewords\_2Eword\_2add$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).\lambda V$

**Definition 32** We define  $c\_2Ewords\_2Eword\_2sub$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).\lambda V$

Assume the following.

$$True \tag{19}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{21}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0v \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).(\forall V1w \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).(\forall V2x \in \\ (ty\_2Efcf\_2Ecart\ 2\ A\_27a).((ap\ (ap\ (c\_2Ewords\_2Eword\_2add\ A\_27a) \\ V0v)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_2add\ A\_27a)\ V1w)\ V2x)) = (ap\ (ap\ ( \\ c\_2Ewords\_2Eword\_2add\ A\_27a)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_2add \\ A\_27a)\ V0v)\ V1w))\ V2x)))))) \end{aligned} \tag{22}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0v \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).(\forall V1w \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).((ap\ (ap\ (c\_2Ewords\_2Eword\_2add\ A\_27a)\ V0v)\ V1w) = (ap\ (ap\ (c\_2Ewords\_2Eword\_2add\ A\_27a)\ V1w)\ V0v)))) \tag{23}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0v \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).(\forall V1w \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).((ap\ (c\_2Ewords\_2Eword\_2comp\ A\_27a)\ (ap\ (ap\ (c\_2Ewords\_2Eword\_2add\ A\_27a)\ V0v)\ V1w)) = (ap\ (ap\ (c\_2Ewords\_2Eword\_2add\ A\_27a)\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A\_27a)\ V0v))\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A\_27a)\ V1w)))))) \tag{24}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0w \in (ty\_2Efcf\_2Ecart\ 2\ A\_27a).((ap\ (c\_2Ewords\_2Eword\_2comp\ A\_27a)\ (ap\ (c\_2Ewords\_2Eword\_2comp\ A\_27a)\ V0w)) = V0w)) \tag{25}$$

**Theorem 1**

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0v \in (\text{ty\_2EfcP\_2Ecart} \\ \text{2 } A_{27a}). (\forall V1w \in (\text{ty\_2EfcP\_2Ecart } \text{2 } A_{27a}). (\forall V2x \in \\ (\text{ty\_2EfcP\_2Ecart } \text{2 } A_{27a}). ((\text{ap } (\text{ap } (\text{c\_2Ewords\_2Eword\_sub } A_{27a}) \\ V0v) (\text{ap } (\text{ap } (\text{c\_2Ewords\_2Eword\_sub } A_{27a}) V1w) V2x)) = (\text{ap } (\text{ap } ( \\ \text{c\_2Ewords\_2Eword\_sub } A_{27a}) (\text{ap } (\text{ap } (\text{c\_2Ewords\_2Eword\_add} \\ A_{27a}) V0v) V2x)) V1w)))))) \end{aligned}$$