

thm_2Ewords_2EWORD__SUB__SUB2
 (TMUxbzC-
 CfcM3Aue7sRTwYgCoVkj31SwDUbF)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 7 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 9 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 10 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 11 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 12 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 13 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 15 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Efinite_image\ A0) \quad (11)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (12)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (13)$$

Let $c_2EfcP_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2EfcP_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (14)$$

Definition 16 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E\ V0t) c_2Ebool_2E_7E))$.

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A.\lambda y.p (ap\ P\ x)))$ of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a))))$.

Definition 20 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 21 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C\ A_27a\ V0P)))$.

Definition 22 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum})))$.

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcp_2Ecart\ A0\ A1) \quad (15)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcp_2Efinite_image\ A_27b)})^{(ty_2Efcp_2Ecart\ A_27a\ A_27b)}) \quad (16)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b)$.

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap\ (c_2Efcp_2Efcp_index\ A_27a\ A_27b\ g)))$.

Definition 25 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2Efcp_2EFCP\ A_27a\ n))$.

Definition 26 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Ebool_2E_7E\ t1\ t2)))))$.

Definition 27 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ b)\ n)))$.

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (17)$$

Definition 28 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a).(ap\ (ap\ (c_2Esum_num_2ESUM\ w)))$.

Definition 29 We define $c_2Ewords_2Eword_add$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efcp_2Ecart\ 2\ A_27a).\lambda V1w \in (ty_2Efcp_2Ecart\ 2\ A_27a).(ap\ (c_2Ewords_2Ew2n\ A_27a\ v\ w))$.

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (18)$$

Definition 30 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcp_2Ecart\ 2\ A_27a).$

Definition 31 We define $c_Ewords_Eword_sub$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_add\ A_27a)\ V0w)\ (ap (c_Ewords_2En2w\ A_27a)\ c_EEnum_2E0)) = V0w)) \wedge (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_add\ A_27a)\ (ap (c_Ewords_2En2w\ A_27a)\ c_EEnum_2E0))\ V1w) = V1w)))$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_add\ A_27a)\ V0w)\ (ap (c_Ewords_2En2w\ A_27a)\ c_EEnum_2E0)) = V0w)) \wedge (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_add\ A_27a)\ (ap (c_Ewords_2En2w\ A_27a)\ c_EEnum_2E0))\ V1w) = V1w)))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V2x \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_sub\ A_27a)\ (ap (ap (c_Ewords_Eword_add\ A_27a)\ V0v)\ V1w))\ V2x) = (ap (ap (c_Ewords_Eword_add\ A_27a)\ (ap (ap (c_Ewords_Eword_sub\ A_27a)\ V0v)\ V2x))\ V1w)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_sub\ A_27a)\ V0w)\ V0w) = (ap (c_Ewords_2En2w\ A_27a)\ c_EEnum_2E0))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V2x \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_sub\ A_27a)\ V0v)\ (ap (ap (c_Ewords_Eword_sub\ A_27a)\ V1w)\ V2x)) = (ap (ap (c_Ewords_Eword_sub\ A_27a)\ (ap (ap (c_Ewords_Eword_add\ A_27a)\ V0v)\ V2x))\ V1w)))))) \quad (22)$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). (\forall V1w \in (ty_2EfcP_2Ecart\ 2\ A_27a). ((ap (ap (c_Ewords_Eword_sub\ A_27a)\ V0v)\ (ap (ap (c_Ewords_Eword_sub\ A_27a)\ V0v)\ V1w)) = V1w)))$$