

thm_2Ewords_2EWORD_XOR_CLAUSES (TM-
cKXo7ENJmCXy5g7Gukgt3Xd8QLjdCrDPj)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o(x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_Ebool_2ET to be $(ap \ (ap \ (c_Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_{\text{Ebool_2E_21}}$ to be $\lambda A.\lambda VOP \in (2^{A-27a}).(ap\ (ap\ (c_{\text{2Emin_2E_3D}}\ (2^{A-27a})\ V)\ O)\ P)$

Definition 4 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.$

Let $ty_2Efc_{\text{cp}}_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_}2Efc\text{p_}2Efinite_image } A0) \quad (1)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_}2\text{Ebool_}2\text{Eitself } A0) \quad (2)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ebool_2Ethe_value \ A_27a \in (\text{ty_2Ebool_2Eitself } A_27a) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

nonempty *ty_2Enum_2Enum* (4)

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following,

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Efc\text{p}_2E\text{dimindex } A_27a \in (\text{ty}_2E\text{num}_2E\text{num}^{(\text{ty}_2E\text{bool}_2E\text{itself } A_27a)}) \quad (5)$$

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num m)$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p(x)) \text{ else } \iota \Rightarrow \iota$

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (c_2Eprim_rec_2E_3C m n) m)$

Definition 13 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C A_27a) P)))$

Definition 14 We define $c_2Efcp_2Efinit_index$ to be $\lambda A_27a : \iota.(ap (c_2Emin_2E_40 (A_27a^{ty_2Enum_2Enum})))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Efcp_2Ecart A0 A1) \quad (9)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efcp_2Edest_cart \\ & A_27a A_27b \in ((A_27a^{(ty_2Efcp_2Efinit_index A_27b)})(ty_2Efcp_2Ecart A_27a A_27b)) \end{aligned} \quad (10)$$

Definition 15 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart A_27a A_27b).x = (ty_2Efcp_2Efinit_index A_27a A_27b) \circ (ty_2Efcp_2Ecart A_27a A_27b)$

Definition 16 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap (c_2Efcp_2Edest_cart A_27a A_27b) g)))$

Definition 17 We define $c_2Ewords_2Eword_1comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcp_2Ecart 2 A_27a).w = 0$

Definition 18 We define $c_2Ewords_2Eword_xor$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Efcp_2Ecart 2 A_27a).V0v = 1$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 19 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 20 We define $c_2EArithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \\ (12)$$

Definition 21 We define $c_2Earthmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic\ n\ 0)\ n)$

Definition 22 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 23 We define $c_2Earthmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic\ n\ V)\ 0)$

Let c_2 be given. Assume the following.

$c_{\text{2Earithmetic_2EXP}} \in ((ty_{\text{2Enum_2Enum}}^{ty_{\text{2Enum_2Enum}}})^*)$

(13)

Let c_2 be given. Assume the following.

$$2E - tu \leq t^2 + 2EDW \leq ((t - 2E)^2 + 2E) + tu/2E \approx 2Etu/2E = tu$$

$$D_6 \text{ site } = 24, W_{1,6} = 2\text{ELit}, \text{EDIM}, \text{EXPR}, \text{el}, \text{NO}_x, \tau_t, 2E_{\text{el}}, 2E_{\text{NO}_x}, \tau_t$$
(14)

Let c_2 be given. Assume the following. (15)

Let $\text{CIE}(\text{arbitrary})\text{MOD} : \tau$ be given. Assume the following:

$$c_Zarithmetic_ZEMOD \in ((g_ZLname_ZLname \circ \dots) \circ \dots) \quad (16)$$

Definition 23 We define $\mathcal{C}_{\text{ZEBIT-ZEMOD-ZEXF}}$ to be $\lambda V. \lambda x. x \in \mathcal{C}_{\text{ZEBIT-ZEMOD}}. \lambda V. \lambda x. x \in \mathcal{C}_{\text{ZEMOD-ZEXF}}$

Definition 26 We define $c_{\text{2EBit_2EBITS}}$ to be $\lambda V 0h \in ty_\text{2Enum_2Enum}.\lambda V 1l \in ty_\text{2Enum_2Enum}.\lambda V$

Definition 27 We define c_2EBit_2EBIT to be $\lambda V\;Ob \in ty_2Enum_2Enum.\lambda V\;In \in ty_2Enum_2Enum.(ap$

Definition 28 We define $c_2Ewords_2En2w$ to be $\lambda A_\mathit{27a} : \iota.\lambda V\,n \in \text{ty_2Eenum_2Enum.(ap (c_2Efcp_2EFC}$

Let $c_words_UINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2E\text{words}_2EU\text{INT_MAX } A_27a \in (ty_2E\text{enum}_2E\text{enum}(ty_2E\text{bool}_2E\text{itself } A_27a)) \quad (17)$$

Definition 29 We define $c_2Ewords_2Eword_T$ to be $\lambda A_27a : \iota.(ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (c_2Ew$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t) \Leftrightarrow (p V0t)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (24)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\ & \forall V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b). (\forall V1y \in (ty_2Efcp_2Ecart\ \\ & A_27a\ A_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum. ((p (ap \\ & (ap\ c_2Eprim_rec_2E_3C\ V2i) (ap\ (c_2Efcp_2Edimindex\ A_27b) (\\ & c_2Ebool_2Ethe_value\ A_27b))) \Rightarrow ((ap\ (ap\ (c_2Efcp_2Efcp_index \\ & A_27a\ A_27b)\ V0x)\ V2i) = (ap\ (ap\ (c_2Efcp_2Efcp_index\ A_27a\ A_27b) \\ & V1y)\ V2i))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\ & \forall V0g \in (A_27a^{ty_2Enum_2Enum}). (\forall V1i \in ty_2Enum_2Enum. \\ & ((p (ap (ap\ c_2Eprim_rec_2E_3C\ V1i) (ap\ (c_2Efcp_2Edimindex\ A_27b) \\ & (c_2Ebool_2Ethe_value\ A_27b))) \Rightarrow ((ap\ (ap\ (c_2Efcp_2Efcp_index \\ & A_27a\ A_27b)\ (ap\ (c_2Efcp_2EFCP\ A_27a\ A_27b)\ V0g))\ V1i) = (ap\ V0g \\ & V1i)))))) \end{aligned} \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (36)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
 & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
 & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \\
 \end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
 (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \tag{38}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0i \in \text{ty_2Enum_2Enum}. \\
 & (p (ap (ap c_2Eprim_rec_2E_3C V0i) (ap (c_2Efcp_2Edimindex A_27a) \\
 & (c_2Ebool_2Ethel_value A_27a)))) \Rightarrow (\neg(p (ap (ap (c_2Efcp_2Efcp_index \\
 & 2 A_27a) (ap (c_2Ewords_2En2w A_27a) c_2Enum_2E0)) V0i)))))) \\
 \end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0i \in \text{ty_2Enum_2Enum}. \\
 & (p (ap (ap c_2Eprim_rec_2E_3C V0i) (ap (c_2Efcp_2Edimindex A_27a) \\
 & (c_2Ebool_2Ethel_value A_27a)))) \Rightarrow (p (ap (ap (c_2Efcp_2Efcp_index \\
 & 2 A_27a) (c_2Ewords_2Eword_T A_27a)) V0i)))) \\
 \end{aligned} \tag{40}$$

Theorem 1

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0a \in (\text{ty_2Efcp_2Ecart} \\
 & 2 A_27a).(((ap (ap (c_2Ewords_2Eword_xor A_27a) (c_2Ewords_2Eword_T \\
 & A_27a)) V0a) = (ap (c_2Ewords_2Eword_1comp A_27a) V0a)) \wedge (((ap \\
 & (ap (c_2Ewords_2Eword_xor A_27a) V0a) (c_2Ewords_2Eword_T \\
 & A_27a)) = (ap (c_2Ewords_2Eword_1comp A_27a) V0a)) \wedge (((ap (ap \\
 & (c_2Ewords_2Eword_xor A_27a) (ap (c_2Ewords_2En2w A_27a) c_2Enum_2E0)) \\
 & V0a) \wedge (((ap (ap (c_2Ewords_2Eword_xor A_27a) V0a) (ap (c_2Ewords_2En2w \\
 & A_27a) c_2Enum_2E0)) = V0a) \wedge ((ap (ap (c_2Ewords_2Eword_xor A_27a) \\
 & V0a) V0a) = (ap (c_2Ewords_2En2w A_27a) c_2Enum_2E0))))))) \\
 \end{aligned}$$