

# thm\_2Ewords\_2Edimindex\_7

(TMXTt6DnbB4Hpjv1dJL4UHgj1NyW2Ggxz7V)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (\lambda V3t4 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V4t5 \in 2. inj\_o (p V5 \Rightarrow p V4))))))))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x)) \text{ else } (\lambda x. x \in A \wedge \neg p x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (a t1 t2))))$

Let  $ty\_2Efcp\_2Ebit1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Efcp\_2Ebit1 A0) \quad (1)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ebool\_2Eitself A0) \quad (2)$$

Let  $c\_2Ebool\_2Ethethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ebool\_2Ethethe\_value A\_27a \in (ty\_2Ebool\_2Eitself A\_27a) \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Efcp\_2Edimindex A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)}) \quad (5)$$

**Definition 9** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2ET)$ .

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (6)$$

**Definition 10** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 11** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow & nonempty\ (ty\_2Epair\_2Eprod \\ & A0\ A1) \end{aligned} \quad (7)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow & c\_2Epair\_2EABS\_prod \\ & A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (8)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow & c\_2Epred\_set\_2EGSPEC \\ & A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (9)$$

**Definition 13** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2$

**Definition 14** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 15** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ (2^{A\_27a}))$

**Definition 16** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (14)$$

**Definition 17** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

**Definition 18** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ a)\ P)))$

**Definition 19** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Eprim\_rec\ m\ n)$

**Definition 20** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2E\_3E\ m\ n)$

**Definition 21** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2E\_3E\_3D\ m\ n)$

**Definition 22** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(c\_2Earithmetic\_2E\_3C\_3D\ m\ n)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (15)$$

**Definition 23** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 24** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebool\_2E\_3F\ m)\ (c\_2Eprim\_rec\ m\ n)))\ n))$

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (17)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (18)$$

**Definition 25** We define  $c\_2Enumeral\_2EiiSUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2ESUC\ (ap\ (c\_2Enum\_2EZERO\_REP)\ n)))$

**Definition 26** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (19)$$

**Definition 27** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 28** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (c\_2Enum\_2EZERO)\ n)))$

**Definition 29** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (c\_2Enum\_2EZERO)\ n)))$

**Definition 30** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 31** We define  $c\_2Enumeral\_2EiDUB$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (c\_2Enum\_2EZERO)\ x)))$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V0n) = (ap (ap c_2Earithmetic_2E_2B V0n) V0n))) \quad (20)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\ A\_27a.((ap (ap (c_2Ebool_2ECOND A\_27a) c_2Ebool_2ET) V0t1) \\ V1t2) = V0t1) \wedge ((ap (ap (c_2Ebool_2ECOND A\_27a) c_2Ebool_2EF) \\ V0t1) V1t2) = V1t2))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & ((ap (c_2Efcp_2Edimindex (ty\_2Efcp_2Ebit1 \\ A\_27a)) (c_2Ebool_2Ethe_value (ty\_2Efcp_2Ebit1 A\_27a))) = ( \\ ap (ap (ap (c_2Ebool_2ECOND ty\_2Enum\_2Enum) (ap (c_2Epred\_set_2EFINITE \\ A\_27a) (c_2Epred\_set_2EUNIV A\_27a))) (ap (ap c_2Earithmetic_2E_2B \\ (ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL (ap \\ c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) (ap (c_2Efcp_2Edimindex \\ A\_27a) (c_2Ebool_2Ethe_value A\_27a))) (ap c_2Earithmetic_2ENUMERAL \\ (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) (ap c_2Earithmetic_2ENUMERAL \\ (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & ((p (ap (c_2Epred\_set_2EFINITE \\ (ty\_2Efcp_2Ebit1 A\_27a)) (c_2Epred\_set_2EUNIV (ty\_2Efcp_2Ebit1 \\ A\_27a)))) \Leftrightarrow (p (ap (c_2Epred\_set_2EFINITE A\_27a) (c_2Epred\_set_2EUNIV \\ A\_27a)))))) \end{aligned} \quad (25)$$

Assume the following.

$$((ap (c_2Efcp_2Edimindex ty\_2Eone_2Eone) (c_2Ebool_2Ethe_value \\ ty\_2Eone_2Eone)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ c_2Earithmetic_2EZERO))) \quad (26)$$

Assume the following.

$$(p (ap (c\_2Epred\_set\_2EFINITE ty\_2Eone\_2Eone) (c\_2Epred\_set\_2EUNIV ty\_2Eone\_2Eone))) \quad (27)$$

Assume the following.

$$\begin{aligned} (((ap c\_2Enum\_2ESUC c\_2Earithmetic\_2EZERO) = (ap c\_2Earithmetic\_2EBIT1 \\ c\_2Earithmetic\_2EZERO)) \wedge ((\forall V0n \in ty\_2Enum\_2Enum. ((ap \\ c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2EBIT1 V0n)) = (ap c\_2Earithmetic\_2EBIT2 \\ V0n))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2EBIT2 \\ V1n)) = (ap c\_2Earithmetic\_2EBIT1 (ap c\_2Enum\_2ESUC V1n))))))) \end{aligned} \quad (28)$$

Assume the following.

$((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum.((\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP V14n) c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))) \wedge ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2EEEXP V15n) V16m))))))) \wedge (((ap c\_2Enum\_2ESUC c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum.((ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2ESUC V17n))))))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Eprim\_rec\_2EPRE V18n))))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum.((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V23n)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) V24n))))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.((\forall V26m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V25n) V26m))))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL V28n)) c\_2Enum\_2E0) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) V28n))))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.((\forall V30m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V29n))))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V32n)) \Leftrightarrow False))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V32n)) \Leftrightarrow True))) \wedge ((\forall V33n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V33n)) \Leftrightarrow False))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V33n)) \Leftrightarrow True)))$

Assume the following.

Assume the following.

$$\begin{aligned}
 (\forall V0n \in ty\_2Enum\_2Enum. (((ap c\_2Enumeral\_2EiDUB (ap c\_2Earithmetic\_2EBIT1 \\
 V0n)) = (ap c\_2Earithmetic\_2EBIT2 (ap c\_2Enumeral\_2EiDUB V0n))) \wedge \\
 (((ap c\_2Enumeral\_2EiDUB (ap c\_2Earithmetic\_2EBIT2 V0n)) = (ap \\
 c\_2Earithmetic\_2EBIT2 (ap c\_2Earithmetic\_2EBIT1 V0n))) \wedge ((ap \\
 c\_2Enumeral\_2EiDUB c\_2Earithmetic\_2EZERO) = c\_2Earithmetic\_2EZERO)))) \\
 \end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
 (\forall V0i \in ty\_2Enum\_2Enum. ((ap c\_2Enumeral\_2EiDUB (ap c\_2Earithmetic\_2ENUMERAL \\
 V0i)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiDUB V0i)))) \\
 \end{aligned} \tag{32}$$

### Theorem 1

$$\begin{aligned}
 ((ap (c\_2Efcp\_2Edimindex (ty\_2Efcp\_2Ebit1 (ty\_2Efcp\_2Ebit1 \\
 ty\_2Eone\_2Eone))) (c\_2Ebool\_2Ethe\_value (ty\_2Efcp\_2Ebit1 \\
 (ty\_2Efcp\_2Ebit1 ty\_2Eone\_2Eone)))) = (ap c\_2Earithmetic\_2ENUMERAL \\
 (ap c\_2Earithmetic\_2EBIT1 (ap c\_2Earithmetic\_2EBIT1 (ap c\_2Earithmetic\_2EBIT1 \\
 c\_2Earithmetic\_2EZERO))))) \\
 \end{aligned}$$