

thm_2Ewords_2Edimindex_lt_dimword
 (TMJBCXmodxiqmSj-
 BEL9B2dGTvHtRqCM5jVF)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p Q)$ of type ι .

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 15 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Definition 16 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP).$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 18 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2E$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 19 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x.$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 20 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Ebool_2Eitself A0) \quad (11)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (12)$$

Definition 21 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 22 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EZERO))$

Definition 23 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ebool_2Ethethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (14)$$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ewords_2Edimword A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0b \in ty_2Enum_2Enum. (\forall V1x \in ty_2Enum_2Enum. (\\ & (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL (\\ & ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0b)) \Rightarrow (p \\ & (ap (ap c_2Eprim_rec_2E_3C V1x) (ap (ap c_2Earithmetic_2EEEXP \\ & V0b) V1x))))))) \end{aligned} \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \\ & V0t))))))) \end{aligned} \quad (19)$$

Assume the following.

$((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP V14n) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \wedge ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP (ap c_2Earithmetic_2ENUMERAL V15n)) (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2EEEXP V15n) V16m))))))) \wedge (((ap c_2Enum_2ESUC c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum.((ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2ESUC V17n))))))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Eprim_rec_2EPRE V18n))))))) \wedge ((\forall V19n \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum.((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V23n) c_2Enum_2E0)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V24n))))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.((\forall V26m \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V25n) c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V25n) V26m))))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E V28n) c_2Enum_2E0) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V28n))))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.((\forall V30m \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C V29n) c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C V29n) V30m))))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V32n)) \Leftrightarrow False))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V32n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V32n)) \Leftrightarrow False)))$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))))))))))) \\
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow ((ap (c_2Ewords_2Edimword A_27a) \\
& (c_2Ebool_2Ethethe_value A_27a)) = (ap (ap c_2Earithmetic_2EEEXP \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) \\
& (ap (c_2Efcp_2Edimindex A_27a) (c_2Ebool_2Ethethe_value A_27a)))) \\
\end{aligned} \tag{22}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C (\\
& ap (c_2Efcp_2Edimindex A_27a) (c_2Ebool_2Ethethe_value A_27a))) \\
& (ap (c_2Ewords_2Edimword A_27a) (c_2Ebool_2Ethethe_value A_27a)))) \\
\end{aligned}$$