

thm_2Ewords_2Efinite_30 (TM- SCAYNqy4LAgYutKePaJBV4GjwTByHT6tv)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2. V0t)$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t)) (\text{c_2Ebool_2E_2F})))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2. V2t)))$

Let $\text{ty_2EfcP_2Ebit0} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2EfcP_2Ebit0 } A0) \quad (1)$$

Let $\text{ty_2EfcP_2Ebit1} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2EfcP_2Ebit1 } A0) \quad (2)$$

Definition 8 We define `c_2Epred_set_2EUNIV` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. \text{c_2Ebool_2E_2T})$.

Let $\text{ty_2Eone_2Eone} : \iota$ be given. Assume the following.

$$\text{nonempty } \text{ty_2Eone_2Eone} \quad (3)$$

Definition 9 We define `c_2Ebool_2EIN` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x)))$

Definition 10 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2. V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (4)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (5)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \quad (6)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2E$

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF).$

Definition 14 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ (c_2E$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((p\ (ap\ (c_2Epred_set_2EFINITE\ (ty_2Efc_2Ebit0\ A_27a))\ (c_2Epred_set_2EUNIV\ (ty_2Efc_2Ebit0\ A_27a)))) \Leftrightarrow (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (c_2Epred_set_2EUNIV\ A_27a)))) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((p\ (ap\ (c_2Epred_set_2EFINITE\ (ty_2Efc_2Ebit1\ A_27a))\ (c_2Epred_set_2EUNIV\ (ty_2Efc_2Ebit1\ A_27a)))) \Leftrightarrow (p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (c_2Epred_set_2EUNIV\ A_27a)))) \quad (10)$$

Assume the following.

$$(p\ (ap\ (c_2Epred_set_2EFINITE\ ty_2Eone_2Eone)\ (c_2Epred_set_2EUNIV\ ty_2Eone_2Eone)))) \quad (11)$$

Theorem 1

$$(p (ap (c_2Epred_set_2EFINITE (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 ty_2Eone_2Eone)))))) (c_2Epred_set_2EUNIV (ty_2Efc_2Ebit0 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 (ty_2Efc_2Ebit1 ty_2Eone_2Eone)))))))$$