

thm_2Ewords_2Elsr__1__word__T
(TMQ6j9ujZtUnvTgYtHj3BcSGVdR5LBSyYJ3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2EEnum_2EEnum : \iota$ be given. Assume the following.

$$nonempty\ ty_2EEnum_2EEnum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2EEnum_2EEnum^{ty_2EEnum_2EEnum})^{ty_2EEnum_2EEnum}) \tag{2}$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Efcf_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Efcf_2Efinite_image\ A0) \tag{3}$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \tag{4}$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (5)$$

Let $c_2Efcf_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efcf_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (6)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (V0m))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ V0P)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ V0m\ (ap\ V1n\ (c_2Emin_2E_40\ V1n)))$

Definition 13 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C\ A_27a)\ V0P))$

Definition 14 We define $c_2Efcf_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ A_27a)\ (ty_2Enum_2Enum^{(ty_2Ebool_2E_3F_21\ A_27a)}))$

Let $ty_2Efcf_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcf_2Ecart\ A0\ A1) \quad (10)$$

Let $c_2Efcf_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efcf_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2Efcf_2Efinite_image\ A_27b)})^{(ty_2Efcf_2Ecart\ A_27a\ A_27b)}) \quad (11)$$

Definition 15 We define $c_2Efcf_2Efcf_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcf_2Ecart\ A_27a\ A_27b).$

Definition 16 We define c_2Efcf_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{(ty_2Enum_2Enum)}))^{(ap\ V0g\ (c_2Emin_2E_40\ A_27b))}$

Definition 17 We define $c_2Ewords_2Eword_lstr$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcf_2Ecart\ 2\ A_27a).\lambda V1lstr \in (ty_2Efcf_2Ecart\ A_27a\ V0w).$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Ewords_2EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (13)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (14)$$

Definition 18 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 19 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 20 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EZERO\ V0n))$.

Definition 21 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 22 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT1\ V0n))$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (15)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (16)$$

Definition 23 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EDIV\ V0x\ V1n))$.

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (17)$$

Definition 24 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EMOD\ V0x\ V1n))$.

Definition 25 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ c_2Ebit_2EMOD_2EXP\ V0h\ V1l)\ V2m))$.

Definition 26 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Ebit_2EBITS\ V0b\ V1n))$.

Definition 27 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap\ (c_2EfcP_2EFC\ V0n\ A_27a))$.

Definition 28 We define $c_2Ewords_2Eword_H$ to be $\lambda A_27a : \iota.(ap\ (c_2Ewords_2En2w\ A_27a))\ (ap\ (c_2Eword_H\ A_27a))$.

Let $c_2Ewords_2EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EUINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (18)$$

Definition 29 We define $c_2Ewords_2Eword_T$ to be $\lambda A_27a : \iota.(ap (c_2Ewords_2En2w A_27a) (ap (c_2Ew$

Definition 30 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 31 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Eboo$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 32 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart 2 A_27a).(ap (ap$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ewords_2Edimword A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_27a)}) \quad (20)$$

Definition 33 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart 2 A_27a).$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ & \quad \forall V2p \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V0m) \\ & (ap (ap c_2Earithmetic_2E_2D V1n) V2p))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\ & \quad (ap (ap c_2Earithmetic_2E_2B V0m) V2p)) V1n)))))) \end{aligned} \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & \quad (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & \quad (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in (ty_2EfcP_2Ecart\ A_27a\ A_27b). (\forall V1y \in (ty_2EfcP_2Ecart\ A_27a\ A_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum. ((p (ap\ c_2Eprim_rec_2E_3C\ V2i)\ (ap\ (c_2EfcP_2Edimindex\ A_27b)\ (c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2EfcP_2EfcP_index\ A_27a\ A_27b)\ V0x)\ V2i) = (ap\ (ap\ (c_2EfcP_2EfcP_index\ A_27a\ A_27b)\ V1y)\ V2i))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0g \in (A_27a^{ty_2Enum_2Enum}). (\forall V1i \in ty_2Enum_2Enum. ((p (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1i)\ (ap\ (c_2EfcP_2Edimindex\ A_27b)\ (c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2EfcP_2EfcP_index\ A_27a\ A_27b)\ (ap\ (c_2EfcP_2EFCP\ A_27a\ A_27b)\ V0g))\ V1i) = (ap\ V0g\ V1i)))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0i \in ty_2Enum_2Enum. (p (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0i)\ (ap\ (c_2EfcP_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \Rightarrow (p (ap\ (ap\ (c_2EfcP_2EfcP_index\ 2\ A_27a)\ (c_2Ewords_2Eword_T\ A_27a))\ V0i))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum.(\\
& (p\ (ap\ (ap\ c.2Eprim_rec.2E_3C\ V0n)\ (ap\ (c.2EfcP.2Edimindex\ A.27a) \\
& (c.2Ebool.2Ethe_value\ A.27a)))) \Rightarrow ((p\ (ap\ (ap\ (c.2EfcP.2EfcP_index \\
& 2\ A.27a)\ (c.2Ewords.2Eword_H\ A.27a))\ V0n)) \Leftrightarrow (p\ (ap\ (ap\ c.2Eprim_rec.2E_3C \\
& V0n)\ (ap\ (ap\ c.2Earithmetic.2E.2D\ (ap\ (c.2EfcP.2Edimindex\ A.27a) \\
& (c.2Ebool.2Ethe_value\ A.27a)))\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((ap\ (c.2Ewords.2Eword_2comp \\
& A.27a)\ (ap\ (c.2Ewords.2En2w\ A.27a)\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO)))) = (c.2Ewords.2Eword_T \\
& A.27a))
\end{aligned} \tag{37}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((ap\ (ap\ (c.2Ewords.2Eword_lsr \\
& A.27a)\ (ap\ (c.2Ewords.2Eword_2comp\ A.27a)\ (ap\ (c.2Ewords.2En2w \\
& A.27a)\ (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT1 \\
& c.2Earithmetic.2EZERO))))))\ (ap\ c.2Earithmetic.2ENUMERAL\ (ap \\
& c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO))) = (c.2Ewords.2Eword_H \\
& A.27a))
\end{aligned}$$