

thm_2Ewords_2Eword__add__n2w
(TMarA1p2ecSzCth5WJkPscZF6XD18rU5FQ4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Efcf_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efcf_2Efinite_image A0) \quad (1)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (2)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Ethe_value A_27a \in (ty_2Ebool_2Eitself A_27a) \quad (3)$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2Eenum \quad (4)$$

Let $c_2Efcf_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Efcf_2Edimindex A_27a \in (ty_2Eenum_2Eenum^{(ty_2Ebool_2Eitself A_27a)}) \quad (5)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num)$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a))))$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ c_2Ebool_2E_2F_50\ A_27a\ V0P)))$

Definition 13 We define $c_2Efcp_2Efinite_index$ to be $\lambda A_27a : \iota. (ap\ (c_2Emin_2E_40\ A_27a\ (ty_2Enum_2Enum)))$

Let $ty_2Efcp_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Efcp_2Ecart\ A0\ A1) \quad (9)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Efcp_2Edest_cart\ A_27a\ A_27b \in ((A_27a\ (ty_2Efcp_2Efinite_image\ A_27b))\ (ty_2Efcp_2Ecart\ A_27a\ A_27b)) \quad (10)$$

Definition 14 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efcp_2Ecart\ A_27a\ A_27b).$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 17 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n))$

Definition 18 We define `c_2Earithmetic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let `c_2Earithmetic_2EEXP` : ι be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Definition 19 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 20 We define `c_2Ebit_2ESBIT` to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap (ap (ap (c_2Eboo$

Let `c_2Esum_num_2ESUM` : ι be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (14)$$

Definition 21 We define `c_2Ewords_2Ew2n` to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a). (ap (ap ($

Definition 22 We define `c_2Earithmetic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap (c_2Earithmetic$

Let `c_2Earithmetic_2EDIV` : ι be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (15)$$

Definition 23 We define `c_2Ebit_2EDIV_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let `c_2Earithmetic_2E_2D` : ι be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (16)$$

Let `c_2Earithmetic_2EMOD` : ι be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (17)$$

Definition 24 We define `c_2Ebit_2EMOD_2EXP` to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 25 We define `c_2Ebit_2EBITS` to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V$

Definition 26 We define `c_2Ebit_2EBIT` to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap$

Definition 27 We define `c_2EfcP_2EFCP` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap$

Definition 28 We define `c_2Ewords_2En2w` to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap (c_2EfcP_2EFC$

Definition 29 We define `c_2Ewords_2Eword_add` to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2EfcP_2Ecart\ 2\ A_27a). \lambda V$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ & \quad c_2Enum_2E0)\ V0n)) \Rightarrow (\forall V1j \in ty_2Enum_2Enum. (\forall V2k \in \\ & \quad ty_2Enum_2Enum. ((ap\ (ap\ c_2Earithmetic_2EMOD\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad (ap\ (ap\ c_2Earithmetic_2EMOD\ V1j)\ V0n))\ (ap\ (ap\ c_2Earithmetic_2EMOD \\ & \quad V2k)\ V0n)))\ V0n) = (ap\ (ap\ c_2Earithmetic_2EMOD\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad V1j)\ V2k))\ V0n)))))) \end{aligned} \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & \quad True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & \quad (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & \quad (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & \quad p\ V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & \quad ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & \quad 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & \quad (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in (ty_2Efc_2Ecart\ A_27a\ A_27b). (\forall V1y \in (ty_2Efc_2Ecart \\ A_27a\ A_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_2Enum_2Enum. ((p\ (ap \\ (ap\ c_2Eprim_rec_2E_3C\ V2i)\ (ap\ (c_2Efc_2Edimindex\ A_27b)\ (\\ c_2Ebool_2Ethe_value\ A_27b)))) \Rightarrow ((ap\ (ap\ (c_2Efc_2Efc_index \\ A_27a\ A_27b)\ V0x)\ V2i) = (ap\ (ap\ (c_2Efc_2Efc_index\ A_27a\ A_27b) \\ V1y)\ V2i))))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0) \\ (ap\ (c_2Ewords_2Edimword\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\\ (ap\ (c_2Ewords_2Ew2n\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ V0n)) = \\ (ap\ (ap\ c_2Earithmetic_2EMOD\ V0n)\ (ap\ (c_2Ewords_2Edimword\ A_27a) \\ (c_2Ebool_2Ethe_value\ A_27a)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\\ (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (ap\ c_2Earithmetic_2EMOD\ V0n) \\ (ap\ (c_2Ewords_2Edimword\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) = \\ (ap\ (c_2Ewords_2En2w\ A_27a)\ V0n))) \end{aligned} \quad (31)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in ty_2Enum_2Enum. (\\ \forall V1n \in ty_2Enum_2Enum. ((ap\ (ap\ (c_2Ewords_2Eword_add \\ A_27a)\ (ap\ (c_2Ewords_2En2w\ A_27a)\ V0m))\ (ap\ (c_2Ewords_2En2w \\ A_27a)\ V1n)) = (ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ V0m)\ V1n)))))) \end{aligned}$$